



EBERSOL
Built By Bauman Manufacturing.

CONVEYORS & ELEVATORS

WHAT DO YOU NEED TO MOVE?



BAUMAN
MANUFACTURING
BACKED BY A TRADITION OF QUALITY



TAKE YOUR OPERATION TO THE NEXT LEVEL.

Our variety of incline Conveyors and Elevators are manufactured for use in the agricultural, horticultural, and commercial markets. Each unit is optimized for its unique application, with a range of options that further enhance its ability to accommodate specific needs.



Note: The length of your conveyor is determined by doubling the maximum discharge height required.

11" SINGLE CHAIN CONVEYOR

Efficiently elevate grains, silage, and other materials with steel-backed rubber flighting.

- 90'/min Chain Speed
- 667H Pintle Chain
- 2-1/2" Rubber Flights
- Electric, Gear Reducer Drive
- Galvanized Body & Replaceable Floor
- Heavy Gauge Drive and Idle Ends
- 5 1/4" Trough Depth

**Shown with optional hopper and rolling stand.*

**Motor Not Included. Specify at time of ordering.*

18" DOUBLE CHAIN CONVEYOR

Ideal for higher volume applications, the 18" optimizes high tensile pintle chain for quick and efficient transportation of material.

- 90'/min Chain Speed
- 662 Pintle Chain
- 2 1/2" Galvanized Flights
- Electric or Hydraulic, Gear Reducer Drive
- Galvanized Body & Replaceable Floor
- Heavy Gauge Drive and Idle
- 5 1/2" Trough Depth

**Motor Not Included. Specify at time of ordering.*



**Shown with optional bend and rolling stand.*

APPLICATIONS	COMPATIBLE MATERIALS	OPTIONS
<ul style="list-style-type: none"> • Agricultural Operations • Equestrian Facility • Food Industry • Hobby Farms 	<ul style="list-style-type: none"> • Silage • Corn • Feed & Mixed Ration • Legumes • Compost 	<ul style="list-style-type: none"> • 3' - 45' Lengths • Rolling Stand (Up to 20') • Towable Undercarriage (20' +) • Galvanized, Tented Cover • Galvanized Hopper • Angled Bend (18" Only)



MAPLE LEAF BALE ELEVATOR

Make light work of heavy bales with the Tubular Bale Elevator, fit for two-string, small square hay bales.

- Lightweight, Easy Transport
- 1" Square Tube Frame
- Full Return Chain Slide
- 90'/min Chain Speed
- 55 HB4 Detachable Chain
- Electric, Gear Reducer Drive

**Motor Not Included. Specify at time of ordering.*

APPLICATIONS	COMPATIBLE MATERIALS	OPTIONS
<ul style="list-style-type: none"> • Agricultural Operations • Equestrian Facility • Hobby Farms 	<ul style="list-style-type: none"> • Small Square Bales (20" width) 	<ul style="list-style-type: none"> • 20' to 50' Lengths • Towable Undercarriage (26' +) • Folding Bale Chute • Assembled or Unassembled

FIREWOOD CONVEYOR

Save time and energy with the Firewood Conveyor. Built for high-intensity workloads, the trough-style body ensures easy handling while preventing material lodging.



- 90'/min Chain Speed
- 662 Pintle Chain
- 2" Steel Serrated Flights
- Electric / Hydraulic Gear Reducer Drive
- Motor Included
- Galvanized Body
- Heavy Gauge Idle End Withstands Heavy Impact
- 8" Trough Depth
- 8" Trough Flares to 18"

APPLICATIONS	COMPATIBLE MATERIALS	OPTIONS
<ul style="list-style-type: none"> • Homeowners • Firewood Business Owners • Commercial Firewood Operations 	<ul style="list-style-type: none"> • Chopped Firewood • Wood Scraps 	<ul style="list-style-type: none"> • 10', 15', 20', 25' & 30' Lengths • Towable Undercarriage (20' +) • Pivoting Axle (20' +)



ICE CONVEYOR



Manufactured for the cement industry, this all-inclusive machine adds ice and powdered additives to the mixer before heading to the jobsite.

- 230'/min Belt Speed
- 1" Cleated Belt with 12" Spacing
- 14" Wide x 32' Long
- Electric Gear Reducer (Standard)
- 1-1/2HP Motor Included (Standard)
- Galvanized Hopper
- Galvanized Body and Sides
- Full Galvanized Cover
- Towable undercarriage with 2" Ball Hitch and Safety Winch
- Discharge Spout

APPLICATIONS	COMPATIBLE MATERIALS	OPTIONS
<ul style="list-style-type: none"> • Cement Pouring Facilities 	<ul style="list-style-type: none"> • Ice Flakes or Chips • Steel Chips • Powdered Additives 	<ul style="list-style-type: none"> • Axle-mounted Hydraulic Power Pack Drive

BELT CONVEYOR

The belt conveyor line offers a number of widths and lengths, equipped to handle materials used in a range of industries.

- 230'/min Belt Speed
- Standard PVC Crescent Top Belt
- 14", 18" & 24" Widths Available
- Electric / Hydraulic Gear Reducer Drive
- Galvanized Body
- Belt Troughed in Slider Bed
- 8-1/2" Body Depth
- Galvanized Hopper

**Motor Not Included. Specify at time of ordering.*



APPLICATIONS	COMPATIBLE MATERIALS	OPTIONS
<ul style="list-style-type: none"> • Agricultural Operations • Landscaping • Metal Recycling • Waste Disposal Facilities 	<ul style="list-style-type: none"> • Food Waste & Compost • Aggregates (stones, gravel) • Material Waste • Mulch 	<ul style="list-style-type: none"> • Varying Lengths • Rolling Stand (Up to 20') • Towable Undercarriage (20' +) • Sides and/or Galvanized Cover • Discharge Spout • Alternative Belt Styles • Belt Scraper



CUSTOM BELT CONVEYOR

Our team has the capabilities to create conveyor systems customized to specific environments, industries, materials, and capacities. When our standard lines don't quite meet your requirements, we will take your visions and fabricate a machine *unique to your operation*.

What We Offer



Client Collaboration

- Constant Communication Through Decision-making Processes



Heavy Duty Construction

- Welded Mild Steel, Galvanized & Powder Coat Finish



In-house Technical Design

- Based on Specifications Provided



Full Manufacturing & Fabrication

- From Raw Steel to Complete Assembly

MATERIALS




- Aggregates (stones, gravel)
- Agricultural & Green Waste
- Mulch, Dirt, & Sediment
- Metal Scraps
- Food Waste & Compost
- Animal Stock

APPLICATIONS



- Recycling Facilities
- Agricultural Business
- Home Farms
- Organic Material Waste Facilities
- Landscaping
- Construction

DIMENSIONS



- Wide range in length and width capabilities based on weight, speed, and material needs.
- Contact our team with your requirements.

DRIVE OPTIONS



- Electric Gear Reducer & Motor
- Alternative Motor Styles
- Hydraulic Motor
- Gas Powered Hydraulic Power Pack
- Heavy Duty Top Drive for 3HP Motor
- Slow Drive Application Gear Reducers

BELT OPTIONS



- Crescent Top (Standard)
- 1" Cleated Belt
- PolarFlex Crescent Top
- Mini Bite
- Smooth & Rough Top
- Chevron
- Many more Light & Heavy Duty Applications

ADD-ONS



- Galvanized Cover
- Discharge Spout
- Belt Scraper
- Towable Undercarriage & Hitch
- Hydraulic-Lift Undercarriage
- Heavy Application Roller-bed
- Custom Hoppers

Alternate options and customizations are a phone call away.

Contact a member of our sales team today at 519-669-4333.

MOVE MORE WITH LESS.

Let us elevate your next project. Contact us today to find a Local Dealer.

EBERSOL

Built By Bauman Manufacturing.



**BAUMAN
MANUFACTURING**

3 INDUSTRIAL DRIVE
ELIMIRA, ON N3B2S1
519-669-4333

