



Street Dr. Luiz Miranda, 1650 - 17580-000 - Pompeia - SP - Tel. (14) 3405 2100 - Fax. (14) 3452 1916 - www.jacto.com.br

 **PROTECT THE ENVIRONMENT.** WHEN DISCARDING THIS BROCHURE, DO NOT LITTER THE STREETS.



Images are merely illustrative and may contain different optional items and versions. Check the available settings with your reseller. This brochure does not exempt users from closely reading the operator's manual provided with the product. Máquinas Jacto S.A. may, at any time, change the configurations, versions and models offered in this brochure. 04/2018 - 930000074



ARBUS 300



ARBUS 300

COMPACT, EFFICIENT AND ECONOMICAL.

The Arbus 300 provides efficient air distribution and dual flip over nozzle holders. The Arbus 300 is a versatile sprayer that can effectively spray different types of crops with greater coverage efficiency.





ARBUS 300. COMPONENTS.

JP 50 PUMP



High pressure Piston pump with ceramic sleeve. A very robust pump with low maintenance requirements. Jacto designed the pump to provide uniform pressure for a better spray application.

CONTROL



The Jacto CJ8 control valve provides accurate pressure regulation and better applications.

TANK



80 gallon corrosion resistant polyethylene tank. Level indicator with scale and with hydraulic agitation.

CLEANING NOZZLE



Built in chemical container rinse nozzle system to help protect the environment.

FILTER



In-line pump filter with stainless steel mesh and shut off valve helps protect the spray circuit components

BIJET NOZZLE HOLDERS



Dual flip over nozzle holders allows for quick changes to the application rate and improves quality and increases productivity.

CLEAN WATER TANK



4-gallon clean water tank for hand washing.

FAN



24-inch diameter fan with nylon reinforced fiberglass blades are lighter and more resistant to the corrosive action of agrochemicals.



ARBUS 300

TECHNICAL SPECIFICATIONS



SPRAYING

FAN

Model.....	625
Rotation.....	2077 rpm
Air speed.....	69
Air volume.....	11,440 CFM
Power.....	8,1 HP

MAIN TANK

Capacity.....	80 Gallons
Material.....	Polyethylene
Agitator.....	Hydraulic

SPRAY PUMP


Model.....	JP 50
Maximum flow rate.....	13 GPM
Maximum work pressure.....	300 psi

AGROCHEMICAL FILTER

Model.....	FVS 100
Capacity.....	26 GPM
Mesh.....	60

OPTIONAL ITEMS

Filler



DIMENSIONS / WEIGHT

WEIGHT

Empty machine.....	452 lbs.
--------------------	----------

DIMENSIONS

Length.....	53.5 in.
Maximum width.....	45.4 in.
Height.....	45.3 in.