

**CUMMINGS & BRICKER**www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 04/24/2026

F.O.B. C&B

ARROWHEAD
ROCKDRILL

Compact R Series

Compact Hammers - For Class .7 - 8.5 Excavators

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|--|--------|-------------|
| R40H | R40H Compact Excavator Hammer - Class .7-1.5, 4-7 GPM, Add Mount, Add Tool | 190 | \$4,919.00 |
| 1021301 | Moil Point Tool - For R40 Hammer | | \$124.00 |
| 1021302 | Chisel Tool - For R40 Hammer | | \$124.00 |
| R45H | R45H Compact Excavator Hammer - Class 1.5 - 2.8, 5-11 GPM, Add Mount, Add Tool | 265 | \$5,894.00 |
| 1031301 | Moil Point Tool - For R45 Hammer | | \$159.00 |
| 1031302 | Chisel Tool - For R45 Hammers | | \$159.00 |
| R55H | R55H Compact Excavator Hammer - Class 2.8-40, 10-15 GPM, Add Mount, Add Tool | 330 | \$7,236.00 |
| 1042301 | Moil Point Tool - For R55 Hammer | | \$234.00 |
| 1042302 | Chisel Tool - For R55 Hammer | | \$234.00 |
| R65H | R65 Compact Excavator Hammer - Class 4 - 5.5, 12-18 GPM, Add Mount, Add Tool | 440 | \$7,882.00 |
| 1051301 | Moil Point Tool - For R65 Hammer | | \$296.00 |
| 1051302 | Chisel Tool - For R65 Hammer | | \$296.00 |
| R70H | R70H Compact Excavator Hammer - Class 5 - 7, 14-21 GPM, Add Mount, Add Tool | 485 | \$8,394.00 |
| 1061301 | Moil Point Tool - For R70 Hammer | | \$398.00 |
| 1061302 | Chisel Tool - For R70 Hammer | | \$398.00 |
| R75H | R75H Compact Excavator Hammer - Class 6 - 8.5, 14-26 GPM, Add Mount, Add Tool | 675 | \$10,894.00 |
| 1071301 | Moil Point Tool - For R75 Hammer | | \$462.00 |
| 1071302 | Chisel Tool - For R75 Hammer | | \$462.00 |

Compact R Range

- Tie-rodless hammer design
- Narrow round box for superior access to surfaces in confined spaces
- Vibration and sound suppressed
- Full servicing using no specialist tools
- Powerful gas fired operation using less oil at lower working pressures
- Excavator friendly



| | R40 | R45 | R55 | R65 | R70 | R75 |
|--|-----|-----|-----|-----|-----|-----|
|--|-----|-----|-----|-----|-----|-----|

| | | | | | | |
|-------------------------------|-----------|-----------|-----------|------------|-------------|-------------|
| Required Flow Rate <i>g/m</i> | 4-7 | 5-11 | 10-15 | 12-18 | 14-21 | 14-26 |
| Operating Pressure <i>psi</i> | 1800 | 1300 | 1600 | 1600 | 1600 | 1800 |
| Blow Rate <i>per minute</i> | 650-1100 | 650-1100 | 700-1250 | 550-1200 | 650-1400 | 550-1200 |
| Sound Rating <i>dB</i> | 112 | 116 | 117 | 118 | 118 | 121 |
| Tool Diameter <i>inches</i> | 1.6 | 1.8 | 2.1 | 2.6 | 2.75 | 3.0 |
| Working Weight <i>lbs.</i> | 190 | 265 | 330 | 440 | 485 | 675 |
| Carrier Weight <i>lbs.</i> | 1560-2250 | 2250-6150 | 4450-8890 | 8800-11000 | 11000-17600 | 13200-18700 |

100 LEHIGH AVE.
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-740690 STOVER DRIVE PO BOX 160
CARLISLE, PA 17013
PHONE: 800-222-8969 FAX: 717-249-9384



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 04/24/2026

F.O.B. C&B



Heavy R Series

Heavy Hammers - For Class 8 - 39 Excavators

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|--|--------|-------------|
| R90H | R90H Heavy Range Excavator Hammer - Class 8 - 13, 24-32 GPM, Add Mount, Add Tool | 1146 | \$16,697.00 |
| 1082301 | Moil Point Tool - For R90 Hammer | | \$783.00 |
| 1082302 | Chisel Tool - For R90 Hammer | | \$783.00 |
| R100H | R100H Heavy Range Excavator Hammer - Class 13-16, 26-37 GPM, Add Mount, Add Tool | 1455 | \$20,681.00 |
| 1121301 | Moil Point Tool - For R100 Hammer | | \$1,007.00 |
| 1121302 | Chisel Tool - For R100 Hammer | | \$1,007.00 |
| R120H | R120H Heavy Range Excavator Hammer - Class 16-21, 24-40 GPM, Add Mount, Add Tool | 2667 | \$30,742.00 |
| 1131301 | Moil Point Tool - For R120 Hammer | | \$1,379.00 |
| 1131302 | Chisel Tool - For R120 Hammer | | \$1,379.00 |
| R140H | R140H Heavy Range Excavator Hammer - Class 20-29, 40-53 GPM, Add Mount, Add Tool | 3483 | \$45,909.00 |
| 1141301 | Moil Point Tool - For R140 Hammer | | \$2,073.00 |
| 1141302 | Chisel Tool - For R140 Hammer | | \$2,073.00 |
| R155H | R155H Heavy Range Excavator Hammer - Class 40-53 GPM, Add Mount, Add Tool | 4863 | \$58,628.00 |
| 1191302 | Chisel Tool - For R155 Hammer | | \$3,633.00 |

Heavy R Range

- Tie-rodless hammer design
- Narrow round box for superior access to surfaces in confined spaces
- Vibration and sound suppressed
- Full servicing using no specialist tools
- Powerful gas fired operation using less oil at lower working pressures
- Excavator friendly



| | R90 | R100 | R120 | R140 | R155 |
|-------------------------------|-------------|-------------|-------------|-------------|-------------|
| Required Flow Rate <i>g/m</i> | 24-32 | 26-37 | 24-40 | 40-53 | 45-58 |
| Operating Pressure <i>psi</i> | 1885 | 1885 | 1885 | 1885 | 2175 |
| Blow Rate <i>per minute</i> | 600-1200 | 800-1400 | 400-700 | 400-700 | 380-500 |
| Sound Rating <i>dB</i> | 123 | 123 | 125 | 127 | 129 |
| Tool Diameter <i>inches</i> | 3.5 | 3.9 | 4.7 | 5.5 | 6 |
| Working Weight <i>lbs.</i> | 1146 | 1455 | 2667 | 3483 | 5000 |
| Carrier Weight <i>lbs.</i> | 17640-28660 | 28660-35275 | 35275-46300 | 44095-63935 | 56000-86000 |

100 LEHIGH AVE.
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406

90 STOVER DRIVE PO BOX 160
CARLISLE, PA 17013
PHONE: 800-222-8969 FAX: 717-249-9384



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 04/24/2026

F.O.B. C&B



E SERIES HEAVY DUTY SKID STEER HAMMERS

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|--|--------|-------------|
| E480H | E480H Skid Steer Hammer - 8-13 GPM, Add Mount, Add Tool | 275 | \$5,894.00 |
| 1181301 | Moil Point Tool - For E480H Skid Steer Hammer | | \$164.00 |
| 1181302 | Chisel Tool - For E480 Skid Steer Hammer | | \$164.00 |
| E680H | E680H Skid Steer Hammer - 13-21 GPM, Add Mount, Add Tool | 620 | \$7,571.00 |
| 1161301 | Moil Point Tool - For E680H Skid Steer Hammers | | \$303.00 |
| 1161302 | Chisel Tool - For E680H Skid Steer Hammers | | \$303.00 |
| E780H | E780H Skid Steer Hammer - 21-32 GPM, Add Mount, Add Tool | 840 | \$10,894.00 |
| 1171301 | Moil Point Tool - For E780H Skid Steer Hammers | | \$493.00 |
| 1171302 | Chisel Tool - For E780H Skid Steer Hammers | | \$493.00 |

E Range Skid Steer Hydraulic Hammers

- Vibration and sound suppressed
- Powerful gas fired operation using less oil at lower working pressures
- Heavy duty box design for specialist Skid Steer application



| | E480 | E680 | E780 |
|-------------------------------|-----------|------------|-------------|
| Required Flow Rate <i>g/m</i> | 8-13 | 13-21 | 21-32 |
| Operating Pressure <i>psi</i> | 1450 | 1595 | 1740 |
| Blow Rate <i>per minute</i> | 700-1250 | 700-1400 | 600-1200 |
| Sound Rating <i>dB</i> | 116 | 118 | 121 |
| Tool Diameter <i>inches</i> | 1.9 | 2.7 | 3.1 |
| Working Weight <i>lbs.</i> | 275 | 620 | 840 |
| Carrier Weight <i>lbs.</i> | 3300-6600 | 6600-13200 | 13200-22000 |



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 04/24/2026

F.O.B. C&B



COMPACTION PLATES

| ITEMNUMBER | DESCRIPTION | WEIGHT | PRICE |
|------------|---|--------|-------------|
| ACP200 | Vibratory Compaction Plate - Class 1-3, Add Mount | 250 | \$4,843.00 |
| ACP350 | Vibratory Compaction Plate - Class - 2.5-5, Add Mount | 520 | \$5,285.00 |
| ACP550 | Vibratory Compaction Plate - Class 5 - 9, Add Mount | 880 | \$8,575.00 |
| ACP1600 | Vibratory Compaction Plate - Class 8 - 16, Add Mount | 1720 | \$12,561.00 |
| ACP2400 | Vibratory Compaction Plate - Class 16 - 28, Add Mount | 2204 | \$16,082.00 |

Compaction Plates

- Unique 'V' profile design for powerful compaction and pile/post driving.
- Heavy-duty in-line dampening buffers minimize vibration impact on the excavator.
- Oil Splash Technology automatically lubricates bearings—no greasing required



| | ACP200 | ACP350 | ACP550 | ACP1600 | ACP2400 |
|------------------------------------|-----------|-----------|------------|-------------|-------------|
| Impulse Force <i>lbs</i> | 2000 | 3500 | 5500 | 7500 | 11000 |
| Frequency (at max flow) <i>rpm</i> | 2100 | 2100 | 2100 | 2000 | 2000 |
| Operating Weight <i>lbs</i> | 250 | 520 | 880 | 1720 | 2204 |
| Base Plate Size <i>inches</i> | 8 x 20 | 11.5 x 26 | 17.5 x 30 | 28 x 32 | 47 x 34 |
| Oil Requirements <i>gpm</i> | 7-10 | 10-12 | 15-18 | 90-100 | 130-150 |
| Working Pressure <i>psi</i> | 1500 | 1500 | 1500 | 1500 | 16000 |
| Carrier Weight <i>lbs.</i> | 2250-6750 | 5600-1100 | 9000-19000 | 18000-35000 | 35000-61000 |



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 04/24/2026

F.O.B. C&B



Mounting Brackets

For R40, R45, R55, E480, & ACP200 Models

| ITEMNUMBER | DESCRIPTION | PRICE |
|------------|---|------------|
| 1022312 | All Pin On Bracket - For R40, R45, R55, E480, ACP200 Models | \$447.00 |
| 1022370 | Kubota K7966A Wedge (KX018, U17) - For R40, R45, R55, E480, ACP200 Models | \$505.00 |
| 1022371 | Kubota K7130 Wedge (Suits U27-4) - For R40, R45, R55, E480, ACP200 Models | \$580.00 |
| 1022372A | Kubota K7870A Wedge (KX040, U34-4) For R40, R45, R55, E480, ACP200 Models | \$622.00 |
| 1022373 | John Deere 17G Wedge - For R40, R45, R55, E480, ACP200 Models | \$399.00 |
| 1022374 | Wedge Coupler JD 26G/30G/35G - For R40, R45, R55, E480, ACP200 Models | \$423.00 |
| 1022375 | TAG QC27 All Takeuchi Machines - For R40, R45, R55, E480, ACP200 Models | \$810.00 |
| 1022380 | Ditch Witch Mini Skid - For R40, R45, R55, E480, ACP200 Models | \$559.00 |
| 1022381 | VERMEER Mini Skid - For R40, R45, R55, E480, ACP200 Models | \$559.00 |
| 1022382 | Universal Skid Steer Mount - For R40, R45, R55, E480, ACP200, Models | \$1,571.00 |

For R65, R70, E680, & ACP350 Models

| ITEMNUMBER | DESCRIPTION | PRICE |
|------------|---|------------|
| 1052312 | All Pin-On Brackets - For R65, R70, E680, ACP350 Models | \$747.00 |
| 1052370 | Kubota K7870A Wedge (Suits KX040) - For R65, R70, E680, ACP350 Models | \$749.00 |
| 1052371 | Kubota K7915A (Suits KX057) - For R65, R70, E680, ACP350 Models | \$806.00 |
| 1052372 | Kubota K7402A Wedge (Suits KX080) - For R65, R70, E680, ACP350 Models | \$1,006.00 |
| 1052373 | John Deere 26G, 30G, 35G, Wedge - For R65, R70, E680, ACP350 Models | \$592.00 |
| 1052374 | John Deere 50G/60G Wedge - For R65, R70, E680, ACP350 Models | \$685.00 |
| 1052375 | TAG QC27 (All Takeuchi) - For R65, R70, E680, ACP350 Models | \$970.00 |
| 1052376 | TAG Q30 (Takeuchi) - For R65, R70, E680, ACP350 Models | \$1,141.00 |
| 1052380 | Ditch Witch Mini Skid - For R65, R70, E680, ACP350 Models | \$628.00 |
| 1052381 | Vermeer Mini Skid - For R65, R70, E680, ACP350 Models | \$628.00 |
| 1052383 | HD Universal Skid Steer - For R65, R70, E680, ACP350 Models | \$1,697.00 |
| 1052384 | Kubota K7130 Wedge (Suits U25, U27) - For R65, R70, E680, ACP350 Models | \$674.00 |

For R75, R90, E780, & ACP550 Models

| ITEMNUMBER | DESCRIPTION | PRICE |
|------------|--|------------|
| 1071312 | All Pin-On Brackets - For R75, R90, E780, ACP550 Models | \$1,162.00 |
| 1071370 | Kubota K7915A Wedge (Suits KX057) - For R75, R90, E780, ACP550 Models | \$850.00 |
| 1071371 | Kubota K7402A Wedge (Suits KX080) - For R75, R90, E780, ACP550 Models | \$1,037.00 |
| 1071372 | John Deere 50G/60G Wedge - For R75, R90, E780, ACP550 Models | \$756.00 |
| 1071373 | TAG QC27 Takeuchi - For R75, R90, E780, ACP550 Models | \$985.00 |
| 1071374 | TAG QC30 Takeuchi - For R75, R90, E780, ACP550 Models | \$1,195.00 |
| 1071375 | TAG QC33 Takeuchi TB 1140 - For R75, R90, E780, ACP550 Models | |
| 1071383 | HD Universal Full Frame Skid Steer - For R75, R90, E780, ACP550 Models | \$1,775.00 |

For R120, ACP1600, & ACP24000 Models

| ITEMNUMBER | DESCRIPTION | PRICE |
|------------|--|------------|
| 1091312 | All Pin-On Brackets - For R120, ACP1600, ACP2400 Models | \$1,951.00 |
| 1091375 | TAG QC33 Takeuchi TB1140 - For R120, ACP1600, APC2400 Models | |

GAS CHARGE KIT

| ITEMNUMBER | DESCRIPTION | PRICE |
|------------|------------------------------------|----------|
| 1011303 | Gas Charging Kit - Fits All Models | \$240.00 |

100 LEHIGH AVE.
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406

90 STOVER DRIVE PO BOX 160
CARLISLE, PA 17013
PHONE: 800-222-8969 FAX: 717-249-9384