



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



BAUMAN DROP SPREADERS

De-Ice Your Parking Lots, Driveways & Walkways

Bauman Sidewalk Sanders will dispense your de-icing material evenly in a pattern rather than in a solid layer. The distributor drum maintains the spread width to direct the material to drop exactly where you want it. This prevents material waste as well as turf damage from salt, both of which can be a problem with the spinner type spreaders.



Spread pattern



Agitator Bar

The agitator bar rotates in the hopper to reduce salt or sand from bridging and not passing through to the drum and then to the ground for an even application.



Finger Bar

A unique polymer finger bar with a flexible memory in very cold weather to retain its shape which gives an even cross hatch pattern when the material is dropped.



Salt Drum

For coarse salt distribution.
Bagged rock salt only.

Sand Drum

Rotating drum. **For sand, bulk rock salt, ice melters, and other various sized material.**



Electric Motor

¼ HP DC electric motor and reducer that drives the 440E and 1040SI drop sanders. The epoxy paint protects units from salt brine and slushy environment for long life.



Tension Lever

Included on all hydraulic units, flow control reduces the hydraulic flow from tractor to the distribution drum.



Wiring Kit

A complete braided wiring harness is standard on the 440E and 1040SI electric models.



Flow Control

Included on all hydraulic units, flow control reduces the hydraulic flow from the tractor to the distribution drum. Allowing the operator to control distribution quantity

Variable Speed Control

Allows an operator to control distribution quantity.



Standard on the 440E and 1040SI electric models.



220



440E/H



640



1140



1040SI



1040B



1560B

Capacity (cu. ft.)	2	4	6 ½	11	10	10	15
Spreading Width	20"	40"	40"	40"	40"	40"	60"
Spreading Distance (miles)	1	1.8	3.4	5.9	5.3	5.3	5.3
Tractor Size	NA	NA	20-40hp	20-60hp	NA	50-80hp	50-80hp
Overall Length	47"	17"	26"	33"	58"	33"	33"
Overall Width	30 ½"	47"	47"	47"	47"	49"	70"
Overall Height	NA	22"	26"	31 ½"	30"	26"	26"
Shipping Weight	90 lbs. 20" wheels	220 lbs. Requires mounting brackets. Available with 3pt hitch or custom-made mounting bracket. Electric or Hydraulic available. Variable Speed Control	290 lbs. PTO or hydraulic drive (PTO shaft included)	355 lbs. PTO or hydraulic drive (PTO shaft included)	300 lbs. Fits 42" x 42" cargo box. Variable Speed Control	370 lbs. Requires mounting brackets. Available with 3pt hitch or custom-made mounting bracket. Other widths available.	525 lbs. Requires mounting brackets. Available with 3pt hitch or custom-made mounting bracket. Other widths available.



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



220 SERIES PUSH TYPE

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
220	Push Type with sand drum, 2 cubic feet capacity, 20" spreading width, Wheel driven, 20" Pnenmatic Wheels	90	\$2,073.00
220COVER	Hopper Cover For 220 Sander		\$124.00

220 Series EASY MANEUVERABILITY

Capacity: 2 cubic feet

Spreading Width: 20 inches



TOWABLE SPREADERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
430T	Towable Drop Spreader - 4CF Capacity, 30" Spread Width-Sand Drum	165	\$4,307.00
430LID	Hopper Cover - Hinged, Galvanized For 430T		\$203.00

320T Series Towable

Capacity: 3 cubic feet

Spreading Width: 20 inches

Estimated Spread Distance: 1.25 miles

Sand Drum

430T Series Towable

Capacity: 4 cubic feet

Spreading Width: 30 inches

Estimated Spread Distance: 2.5 miles

Sand Drum





CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



440 SERIES

Choosing which style drum: **SALT DRUM** is only to be used with bagged rock salt. **SAND DRUM** should be used for sand, bulk rock salt, ice melters, various sized material, or any other material.

440 SERIES

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
440ESALT	Electric Drive w/salt drum (Requires mounting bracket) 4 cu. ft. capacity, 40" spreading width, 12 volt electric motor. WIRING KIT FROM SPREADER TO BATTERY IS INCLUDED.	220	\$4,602.00
440ESAND	Electric drive w/sand drum (Requires mounting bracket) 4 cu. ft. capacity, 40" spread width 12 volt electric motor electric. WIRING KIT FROM SPREADER TO BATTERY IS INCLUDED.	220	\$4,602.00
440HSALT	Hydraulic Drive W/Flow Control, Salt Drum, Spreader 4 cu. ft. capacity, 40" Spread Width. HOSES, PIONEER ENDS, & FLOW CONTROL ARE INCLUDED.	220	\$4,602.00
440HSAND	Hydraulic Drive W/Flow Control, Sand Drum, Spreader 4 cu. ft. capacity, 40" Spread Width. HOSES, PIONEER ENDS, & FLOW CONTROL ARE INCLUDED.	220	\$4,602.00
440SSESAND	Stainless-Steel With Electric Drive and Salt Drum (Requires Mounting Brackets) 4 Cubic Feet Capacity, 40" Spread Width, Sand & Salt Drum, Includes Wiring Kit	254	\$6,418.00

440 Options

ITEMNUMBER	DESCRIPTION	PRICE
BRACKET3PT440	3 Point Hitch Bracket For 440E	\$722.00
BRACKET440	2" Square Receiver Hitch Bracket - For 440E	\$535.00
BRACKET4100	Bracket For Ventrac 4100-440E	\$611.00
JD700440E	Bracket For John Deer X700 Click N Go - 440E	\$432.00
440COVER	Hopper Cover For 440E Sander	\$124.00
440LID	Hopper Cover - Galvanized Lid For 440E/H	\$221.00
1801440CONTROL	Variable Speed Electronic Control For Electric Spreaders 2017 Units Or Newer	\$1,077.68
440SSLID	Hopper Cover - For 440SS Models, Hinged	\$342.00

440 Series

Capacity: 4 cubic feet

Spreading Width: 40 inches

Estimated Spread Distance: 1.75 miles

12 volt Electric or Hydraulic Drive

For Compact Tractors

Variable Speed Control and wiring harness included on electric models



VENTRAC MOUNTING BRACKET SHOWN



440SS Stainless Steel Model

Based off the 440 Series, the 440SS is all stainless steel from the panels and shields to hardware and drive chain.



100 LEHIGH AVE.
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406

90 STOVER DRIVE PO BOX 160
CARLISLE, PA 17013
PHONE: 800-222-8969 FAX: 717-249-9384



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



Choosing which style drum: **SALT DRUM** is only to be used with bagged rock salt. **SAND DRUM** should be used for sand, bulk rock salt, ice melters, various sized material, or any other material.

640 SERIES

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
640PSALT	3PH PTO driven w/salt drum -6.25 cu. ft. capacity & 40" spread (same specifications as 1140P). With PTO shaft	290	\$5,598.00
640PSAND	PTO driven w/sand drum -6.25 cu. ft. capacity (same specifications as 1140P). With PTO shaft.	290	\$5,598.00
640HSALT	3PH Hydraulic driven w/salt drum and flow control - 40" spread & 6.25 cu. ft. capacity (same specifications as 1140H). HYDRAULIC HOSES NOT INCLUDED.	290	\$5,598.00
640HSAND	Hydraulic Driven w/ sand drum - 6.25 cu. ft. capacity (same specifications as 1140H). HYDRAULIC HOSES NOT INCLUDED.	290	\$5,598.00

640 AND 1140 OPTIONS

ITEMNUMBER	DESCRIPTION	PRICE
640EXT	Extension-Increases Capacity From 6.25 Cu.Ft. To 8.75 Cu. Ft.	\$382.00
640EXT12	Extension 12" - Increases Capacity From 6.25 Cu. Ft. To 11.25 Cu. Ft.	\$475.00
1140EXT	Extension- Increases Capacity From 11 Cu. Ft. To 16 Cu. Ft.	\$475.00
BRACKET3PTSSL	Bracket For Skid Steer Loader 640H/1140H	\$756.00
640COVER	Hopper Cover For 640 Sander	\$131.00
1140COVER	Hopper Cover For 1140 Sander	\$145.00
640LID	Hopper Cover Hinged-Galvanized 640H/P Spreader	\$229.00
1140LID	Hopper Cover Hinged Galvanized 1140H/P Spreaders	\$242.00

640 Series PTO, HYDRAULIC

Capacity: 6 1/2 cubic feet
Extension Capacity: 8 3/4 cubic feet
Spreading Width: 40 inches
Estimated Spread Distance: 3.25 miles



Galvanized Hinged Hopper Cover – Available on 640/1140 Series

960 SERIES SPREADER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
960HSAND	3PH Hydraulic driven - 60" Spread Pattern, 9 CF Capacity-Sand Drum-W/ Flow Control	440	\$6,096.00
960COVER	Hopper Cover - Soft For 960H		\$165.00
960LID	Hopper Cover - Hinged Galvanized For 960H		\$242.00
960EXT	Hopper Extension For 960H (Adds 6 cu. ft.)		\$475.00

960 Series

Capacity: 9 cubic feet
Spreading Width: 60 inches
Sand Drum



100 LEHIGH AVE.
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406

90 STOVER DRIVE PO BOX 160
CARLISLE, PA 17013
PHONE: 800-222-8969 FAX: 717-249-9384



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



1140 SERIES

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
1140PSALT	PTO driven w/salt drum-11 cu. ft. capacity, 40" spreading width, Fixed cams on drum, 3-point hitch mount to fit most popular makes of mid size tractors with 540 PTO. With PTO shaft.	355	\$6,066.00
1140PSAND	PTO driven w/sand drum-11 cu. ft. capacity, 40" spreading width, Fixed cams on drum, 3-point hitch mount to fit most popular makes of mid size tractors with 540 PTO. With PTO shaft.	355	\$6,066.00
1140HSALT	Hydraulic driven w/sand drum & flow control - 11 cu. ft. capacity, 40" spreading width, Fixed cams on drum, 3-point hitch mount - fits most mid size tractors equipped w/hydraulic system with an output of 900 PSI & flow of 6-8 GPM.	355	\$6,066.00
1140HSAND	Hydraulic driven w/sand drum - 11 cu. ft. capacity, 40" spreading width, Fixed cams on drum, 3-point hitch mount fits most mid size tractors equipped w/hydraulic system with an output of 900 PSI & flow of 6-8 GPM. HYDRAULIC HOSES NOT INCLUDED		\$6,066.00

1140 Series PTO OR HYDRAULIC DRIVE

Capacity: 11 cubic feet

Extension Capacity: 16 cubic feet

Spreading Width: 40 inches



Choosing which style drum: **SALT DRUM** is only to be used with bagged rock salt. **SAND DRUM** should be used for sand, bulk rock salt, ice melters, various sized material, or any other material.

1040 SERIES

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
1040BSALT	Self-Loading Bucket Hydraulic Drive Sand Drum (Requires mounting bracket) 10 cubic foot capacity, 40"spreading width, Equiped with a flow control. HYDRAULIC HOSES NOT INCLUDED. ADD BRACKET	370	\$6,248.00
1040BSAND	Self-Loading Bucket Hydraulic Drive Salt Drum (Requires mounting bracket) 10 cubic foot capacity, 40"spreading width, Equiped with a flow control. HYDRAULIC HOSES NOT INCLUDED	370	\$6,248.00
1040SISALT	Slide-In with salt drum, 10 cubic foot capacity, 40"spreading width, electric drive. WIRING KIT FROM SPREADER TO BATTERY IS INCLUDED.	300	\$6,985.00
1040SISAND	Slide-In with sand drum, 10 cubic foot capacity, 40"spreading width, electric drive. WIRING KIT FROM SPREADER TO BATTERY IS INCLUDED.		\$6,985.00

1040SI – FOR UTILITY VEHICLES

Designed to work with many utility vehicles. Fits 42" x 42" cargo box

Capacity: 10 cubic feet

Spreading Width: 40 inches

Electric drive

Variable Speed Control and wiring harness included on electric models



100 LEHIGH AVE.
BATAVIA, NY 14021
PHONE: 800-252-1552 FAX: 888-852-7406

90 STOVER DRIVE PO BOX 160
CARLISLE, PA 17013
PHONE: 800-222-8969 FAX: 717-249-9384



CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



Choosing which style drum: **SALT DRUM** is only to be used with bagged rock salt. **SAND DRUM** should be used for sand, bulk rock salt, ice melters, various sized material, or any other material.

1560 SERIES

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
1560BSALT	Self-Loading Bucket with salt drum (Requires mounting bracket) 15 cubic foot capacity, 60" spreading width, Hydraulic drive, Equipped with a flow control. HYDRAULIC HOSES NOT INCLUDED. ADD BRACKET	525	\$7,279.00
1560BSAND	Self-Loading Bucket with sand drum (Requires mounting bracket) 15 cubic foot capacity, 60" spreading width, Hydraulic drive, Equipped with a flow control. HYDRAULIC HOSES NOT INCLUDED. ADD BRACKET	525	\$7,279.00

1040B AND 1560B OPTIONS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
BRACKET3PTTILT	Tilting 3 Point Hitch Bracket For 1040B And 1560B	160	\$2,722.00
BRACKETALO	ALO (Global/Euro) Bracket For 1040B /1560B		\$756.00
BRACKETSSLB	Skid Loader Bracket For 1040B & 1560B		\$756.00
1040SICOVER	Hopper Cover For 1040SI Sander		\$164.00
1801440CONTROLSI	Variable Speed Electronic Control For Electric Spreaders 2017 Units Or Newer		\$1,077.68

1040B & 1560B Series HYDRAULIC DRIVE

Equipped with hydraulic flow control valve

1040B

Capacity: 10 cubic feet
Spreading Width: 40 inches

1560B

Capacity: 15 cubic feet
Spreading Width: 60 inches

**shown with optional 3 point hitch tilting bracket*





CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 05/11/2026

F.O.B. C&B



3 POINT LEAF BLOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
PB350	Leaf Blower - 3PH, 25-35HP Minimum, 11,000 CFM, 80 Decibels	800	\$8,368.00
PB350230H	Hydraulic Deflector Activation Kit for PB350		\$782.00

DEBRIS/LEAF BLOWER

The PB350 PTO driven blower is capable of blowing leaves and debris at 11,000 CFM and can change direction by using the diverter. It operates on 25-35HP tractors with a 3pt hitch.

Perfect for golf courses, parks or large estates.

- 30HP minimum, 3pt hitch tractor required
- 36" x 10" 8 fin aluminum fan for high output
- Adjustable air flow chute to discharge to left or right
- 11,000 CFM (cubic feet per minute)
- 80 Decibels



Hydraulic Deflector Activation Kit





HAY FLUFFER TEDDER



Key Features

- Heavy Duty Five Bat Reel Design
- Sealed Bearings
- Spring Tines
- Nylon Cam Rollers
- Precision Depth Adjustment
- Easy Tine Angle Adjustment
- Fully Assembled
- Standard Jack Stand

Models Available

- PTO Drive
- Hydraulic Drive
- Hydraulic Reel Lift

Options

- Tandem Wheels
- Hydraulic Reel Lift



Precision Depth Adjustment



Easy Tine Angle Adjustment



Heavy Duty Reel



Optional Tandem Wheels



HAY FLUFFER TEDDER

The **Bauman** Hay Fluffer Tedder is designed to gently lift and release hay with minimal leaf damage. The Fluffer Tedder allows air to move through hay and gives additional windrow height for faster drying time. The result is better control over how hay dries and a uniform cure.



BAUMAN
 MANUFACTURING
 BACKED BY A TRADITION OF QUALITY

PRICE LIST

PART NUMBER	DESCRIPTION	Price
5710	HAY FLUFFER TEDDER 7' S/N	\$ 6,982.00
5710H	HAY FLUFFER TEDDER 7' HYD DRIVE S/N	\$ 7,185.00
5710HL	HAY FLUFFER TEDDER 7' HYD DRIVE & HYD LIFT S/N	\$ 9,610.00
5710HLT	HAY FLUFFER TEDDER 7' HYD DRIVE, HYD LIFT & TANDEM S/N	\$ 10,629.00
5710HT	HAY FLUFFER TEDDER 7' HYD DRIVE & TANDEM S/N	\$ 8,203.00
5710L	HAY FLUFFER TEDDER 7' HYD LIFT S/N	\$ 9,338.00
5710LT	HAY FLUFFER TEDDER 7' HYD LIFT & TANDEM S/N	\$ 10,329.00
5710T	HAY FLUFFER TEDDER 7' TANDEM S/N	\$ 7,971.00
5910	HAY FLUFFER TEDDER 9' S/N	\$ 7,467.00
5910H	HAY FLUFFER TEDDER 9' HYD DRIVE S/N	\$ 7,685.00
5910HL	HAY FLUFFER TEDDER 9' HYD DRIVE & HYD LIFT S/N	\$ 10,111.00
5910HLT	HAY FLUFFER TEDDER 9' HYD DRIVE, HYD LIFT & TANDEM S/N	\$ 11,225.00
5910HT	HAY FLUFFER TEDDER 9' HYD DRIVE & TANDEM S/N	\$ 8,704.00
5910L	HAY FLUFFER TEDDER 9' PTO DRIVE & HYD. LIFT S/N	\$ 9,825.00
5910LT	HAY FLUFFER TEDDER 9' HYD. LIFT & TANDEM S/N	\$ 10,814.00
5910T	HAY FLUFFER TEDDER 9' TANDEM S/N	\$ 8,458.00



11" SINGLE CHAIN CONVEYOR



**BAUMAN
MANUFACTURING**
BACKED BY A TRADITION OF QUALITY



Construction Features:

- 14 ga. galvanized steel body
- 5-1/4" trough depth
- 11" body depth
- Gear reducer drive
- 667H pintle chain is standard
- 2-1/2" high rubber flights

Operating Features:

- Approximately 90' per minute chain speed
- 18" drive unit, 18" idle unit
- Lengths include 4', 5' and 7' body sections or any multiple thereof

Options:

- Adjustable stand with wheels
- Custom hoppers
- Discharge spout

 **Made in Canada**



EBERSOL 11" SINGLE CHAIN CONVEYOR

PART NUMBER	DESCRIPTION	MOTOR HP REQUIRED	LIST
02806NX03	11" SINGLE CHAIN 3' FEED CONVEYOR	1/2	\$2,114.00
02806NX07	11" SINGLE CHAIN 7' FEED CONVEYOR	1/2	\$2,544.00
02806NX08	11" SINGLE CHAIN 8' FEED CONVEYOR	1/2	\$2,580.00
02806NX10	11" SINGLE CHAIN 10' FEED CONVEYOR	1/2	\$2,767.00
02806NX12	11" SINGLE CHAIN 12' FEED CONVEYOR	1/2	\$3,011.00
02806NX13	11" SINGLE CHAIN 13' FEED CONVEYOR	1/2	\$3,047.00
02806NX14	11" SINGLE CHAIN 14' FEED CONVEYOR	1/2	\$3,198.00
02806NX15	11" SINGLE CHAIN 15' FEED CONVEYOR	3/4	\$3,234.00
02806NX17	11" SINGLE CHAIN 17' FEED CONVEYOR	3/4	\$3,420.00
02806NX18	11" SINGLE CHAIN 18' FEED CONVEYOR	3/4	\$3,513.00
02806NX19	11" SINGLE CHAIN 19' FEED CONVEYOR	3/4	\$3,664.00
02806NX20	11" SINGLE CHAIN 20' FEED CONVEYOR	3/4	\$3,700.00
02806NX21	11" SINGLE CHAIN 21' FEED CONVEYOR	3/4	\$3,851.00
02806NX22	11" SINGLE CHAIN 22' FEED CONVEYOR	3/4	\$3,887.00
02806NX23	11" SINGLE CHAIN 23' FEED CONVEYOR	1	\$3,980.00
02806NX24	11" SINGLE CHAIN 24' FEED CONVEYOR	1	\$4,074.00
02806NX25	11" SINGLE CHAIN 25' FEED CONVEYOR	1	\$4,167.00
02806NX26	11" SINGLE CHAIN 26' FEED CONVEYOR	1	\$4,318.00
02806NX27	11" SINGLE CHAIN 27' FEED CONVEYOR	1	\$4,410.00
02806NX28	11" SINGLE CHAIN 28' FEED CONVEYOR	1	\$4,505.00
02806NX29	11" SINGLE CHAIN 29' FEED CONVEYOR	1	\$4,597.00
02806NX30	11" SINGLE CHAIN 30' FEED CONVEYOR	1	\$4,633.00
02806NX31	11" SINGLE CHAIN 31' FEED CONVEYOR	1 1/2	\$4,784.00
02806NX32	11" SINGLE CHAIN 32' FEED CONVEYOR	1 1/2	\$4,820.00
02806NX33	11" SINGLE CHAIN 33' FEED CONVEYOR	1 1/2	\$4,971.00
02806NX34	11" SINGLE CHAIN 34' FEED CONVEYOR	1 1/2	\$5,064.00
02806NX35	11" SINGLE CHAIN 35' FEED CONVEYOR	1 1/2	\$5,158.00
02806NX36	11" SINGLE CHAIN 36' FEED CONVEYOR	1 1/2	\$5,251.00
02806NX37	11" SINGLE CHAIN 37' FEED CONVEYOR	1 1/2	\$5,402.00
02806NX38	11" SINGLE CHAIN 38' FEED CONVEYOR	1 1/2	\$5,381.00
02806NX39	11" SINGLE CHAIN 39' FEED CONVEYOR	1 1/2	\$5,589.00
02806NX40	11" SINGLE CHAIN 40' FEED CONVEYOR	1 1/2	\$5,625.00
02806NX41	11" SINGLE CHAIN 41' FEED CONVEYOR	1 1/2	\$5,660.00
02806NX42	11" SINGLE CHAIN 42' FEED CONVEYOR	1 1/2	\$5,868.00
02806NX43	11" SINGLE CHAIN 43' FEED CONVEYOR	1 1/2	\$5,904.00
02806NX44	11" SINGLE CHAIN 44' FEED CONVEYOR	1 1/2	\$6,055.00
02806NX45	11" SINGLE CHAIN 45' FEED CONVEYOR	1 1/2	\$6,091.00

EBERSOL 11" SINGLE CHAIN CONVEYOR OPTIONS

PART NUMBER	DESCRIPTION	*motor pricing on page 11	LIST
02806N 100A	11" SINGLE CHAIN - DRIVE END FINAL ASSEMBLY		\$1,408.00
02806N 200A	11" SINGLE CHAIN - IDLE END FINAL ASSEMBLY		\$706.00
02806N 830	11" SINGLE CHAIN ADJUSTABLE STAND:12-20FT		\$1,501.00
02806N 910	11" SINGLE CHAIN - *TENTED* COVER /FT		\$17.00
02806N 920A	11" SINGLE CHAIN - HOPPER ASSEMBLY		\$87.00
02806N 400A	11" SINGLE CHAIN - 4FT SECTION ASSEMBLY		\$433.00
02806N 500A	11" SINGLE CHAIN - 5FT SECTION ASSEMBLY		\$466.00
02806N 600A	11" SINGLE CHAIN - 7FT SECTION ASSEMBLY		\$651.00
02806N 700A	11" SINGLE CHAIN - 9FT SECTION ASSEMBLY		\$1,080.00

EBERSOL 11" SINGLE CHAIN CONVEYOR STANDARD REPLACEMENT PARTS

PART NUMBER	DESCRIPTION	*contact for other model specific parts	LIST
0667H W/RUBBER EV8TH	SINGLE CHAIN W/ RUBBER EV8TH *priced per flight		\$32.00
02806N 100-006	SINGLE CHAIN DRIVE SHAFT 1" X 15 3/4" W/KWS		\$74.00
02806N 200-005	SINGLE CHAIN IDLE SHAFT 1" X 15"		\$36.00
UCFL 205-16	2 BOLT FLANGE BEARING 1" SS - DRIVE END		\$19.00
UCP 205-16	PILLOW BLOCK BEARING 1" SS - IDLE END		\$19.00
067B06 100CD	67B06 CAST DRIVE SPROCKETS 1" W/ KW&SS		\$66.00
067B06 100CI	67B06 CAST IDLE SPROCKET 1" W/ SS		\$60.00



18" DOUBLE CHAIN CONVEYOR



Construction Features:

- 14 ga. galvanized steel body
- 12 ga. galvanized floor
- 5-1/4" trough depth
- 11" body depth
- Gear reducer drive
- #662 chain is standard
- 2-1/2" high rubber flights

Operating Features:

- Approximately 90' per minute chain speed
- 18" drive unit, 18" idle unit
- Lengths include 4', 5' and 7' body sections or any multiple thereof

Options:

- Adjustable stand with wheels
- Custom hoppers
- Discharge spout
- 18" angled incline with 662 pintle chain
- Caster wheel kit for incline model





CONVEYOR

18" DOUBLE CHAIN

PART NUMBER	DESCRIPTION	Price
02807 IDLE-A	18" DOUBLE CHAIN IDLE END ASSEMBLY	\$889.00
02807 X04A	18"x4' DOUBLE CHAIN TROUGH SECTION	\$720.00
02807 X05A	18"x5' DOUBLE CHAIN TROUGH SECTION	\$875.00
02807 X07A	18" DOUBLE CHAIN TROUGH SECTION	\$1,070.00
02807-BEND A	18" BEND ASSEMBLY	\$957.00
02807-COVER	18" DOUBLE CHAIN COVER /FT	\$17.00
PART NUMBER	DESCRIPTION	Price
02807-DRIVE GR	18" DOUBLE CHAIN DRIVE SECTION	\$1,326.00
02807-HOPPER	18" DOUBLE CHAIN HOPPER	\$91.00
02807-SPOUT	18" DOUBLE CHAIN SPOUT	\$330.00
02807-STAND	18" DOUBLE CHAIN CONVEYOR ADJUSTABLE STAND:12-20FT	\$1,632.00
02807X03	18" DOUBLE CHAIN 3' FEED CONVEYOR W/REDUCER	\$2,220.00
02807X07	18" DOUBLE CHAIN 7' FEED CONVEYOR W/REDUCER	\$2,940.00
02807X08	18" DOUBLE CHAIN 8' FEED CONVEYOR W/REDUCER	\$3,095.00
02807X10	18" DOUBLE CHAIN 10' FEED CONVEYOR W/REDUCER	\$3,289.00
02807X12	18" DOUBLE CHAIN 12' FEED CONVEYOR W/REDUCER	\$3,815.00
02807X13	18" DOUBLE CHAIN 13' FEED CONVEYOR W/REDUCER	\$3,970.00
02807X14	18" DOUBLE CHAIN 14' FEED CONVEYOR W/REDUCER	\$4,009.00
02807X15	18" DOUBLE CHAIN 15' FEED CONVEYOR W/REDUCER	\$4,164.00
02807X17	18" DOUBLE CHAIN 17' FEED CONVEYOR W/REDUCER	\$4,359.00
02807X18	18" DOUBLE CHAIN 18' FEED CONVEYOR W/REDUCER	\$4,845.00
02807X19	18" DOUBLE CHAIN 19' FEED CONVEYOR W/REDUCER	\$4,884.00
02807X20	18" DOUBLE CHAIN 20' FEED CONVEYOR W/REDUCER	\$5,039.00
02807X21	18" DOUBLE CHAIN 21' FEED CONVEYOR W/REDUCER	\$5,078.00
02807X22	18" DOUBLE CHAIN 22' FEED CONVEYOR W/REDUCER	\$5,234.00
02807X23	18" DOUBLE CHAIN 23' FEED CONVEYOR W/REDUCER	\$5,720.00
02807X24	18" DOUBLE CHAIN 24' FEED CONVEYOR W/REDUCER	\$5,428.00
02807X25	18" DOUBLE CHAIN 25' FEED CONVEYOR W/REDUCER	\$5,914.00
02807X26	18" DOUBLE CHAIN 26' FEED CONVEYOR W/REDUCER	\$5,953.00
02807X27	18" DOUBLE CHAIN 27' FEED CONVEYOR W/REDUCER	\$6,440.00
02807X28	18" DOUBLE CHAIN 28' FEED CONVEYOR W/REDUCER	\$6,148.00
02807X29	18" DOUBLE CHAIN 29' FEED CONVEYOR W/REDUCER	\$6,634.00
02807X30	18" DOUBLE CHAIN 30' FEED CONVEYOR W/REDUCER	\$6,789.00
02807X31	18" DOUBLE CHAIN 31' FEED CONVEYOR W/REDUCER	\$6,828.00
02807X32	18" DOUBLE CHAIN 32' FEED CONVEYOR W/REDUCER	\$6,983.00
02807X33	18" DOUBLE CHAIN 33' FEED CONVEYOR W/REDUCER	\$7,023.00
02807X34	18" DOUBLE CHAIN 34' FEED CONVEYOR W/REDUCER	\$7,509.00
02807X35	18" DOUBLE CHAIN 35' FEED CONVEYOR W/REDUCER	\$7,217.00
02807X36	18" DOUBLE CHAIN 36' FEED CONVEYOR W/REDUCER	\$7,703.00
02807X37	18" DOUBLE CHAIN 37' FEED CONVEYOR W/REDUCER	\$7,742.00
02807X38	18" DOUBLE CHAIN 38' FEED CONVEYOR W/REDUCER	\$7,566.00
02807X39	18" DOUBLE CHAIN 39' FEED CONVEYOR W/REDUCER	\$7,937.00
02807X40	18" DOUBLE CHAIN 40' FEED CONVEYOR W/REDUCER	\$8,092.00
02807X41	18" DOUBLE CHAIN 41' FEED CONVEYOR W/REDUCER	\$8,247.00
02807X42	18" DOUBLE CHAIN 42' FEED CONVEYOR W/REDUCER	\$8,617.00
02807X43	18" DOUBLE CHAIN 43' FEED CONVEYOR W/REDUCER	\$8,773.00
02807X44	18" DOUBLE CHAIN 44' FEED CONVEYOR W/REDUCER	\$8,812.00
02807X45	18" DOUBLE CHAIN 45' FEED CONVEYOR W/REDUCER	\$8,967.00





FIREWOOD CONVEYOR



Construction Features:

- 12 ga. heavy duty 5' bottom section
- 8" wide trough flared out to 18" at top
- 8" deep trough
- Flared style trough conveyor
- Standard hopper included 32" wide
- Heavy conveyor chain (662 pintle)
- 2" high serrated chain flight
- Easy bolt together construction




100 Lehigh Ave. Batavia, NY 14020
PHONE: 800-252-1552 | FAX: 888-852-7406

Operating Features:

- Handles firewood and similar types of material
- Available 20', 25' & 30' lengths

Options:

- Optional undercarriage allows for easy transportation and height adjustment
- Hydraulic or electric drive
- Hydraulic power pack



90 Stover Drive | PO Box 160
Carlisle, PA 17013

PHONE: 800-222-9869 | FAX: 717-249-9384



FIREWOOD CONVEYOR

EBERSOL FIREWOOD CONVEYOR

PART NUMBER	DESCRIPTION	Price
02808-U/C ASSY	WOOD CONVEYOR U/C ASSEMBLY	\$2,003.00
02808X10 ELECTRIC	WOOD CONVEYOR 10' ELECTRIC	\$3,115.00
02808X10 HYDRAULIC	WOOD CONVEYOR 10' HYD	\$3,115.00
02808X15 ELECTRIC	WOOD CONVEYOR 15' ELECTRIC	\$3,560.00
02808X15 HYDRAULIC	WOOD CONVEYOR 15' HYD	\$3,560.00
02808X20 ELECTRIC	WOOD CONVEYOR 20' ELECTRIC	\$4,153.00
02808X20 HYDRAULIC	WOOD CONVEYOR 20' HYD	\$4,153.00
02808X25 ELECTRIC	WOOD CONVEYOR 25' ELECTRIC	\$4,539.00
02808X25 HYDRAULIC	WOOD CONVEYOR 25' HYD	\$4,539.00
02808X30 ELECTRIC	WOOD CONVEYOR 30' ELECTRIC	\$4,894.00
02808X30 HYDRAULIC	WOOD CONVEYOR 30' HYD	\$4,894.00





MAPLE LEAF TUBULAR BALE ELEVATOR



Construction Features:

- Steel square tube frame
- Gear reducer drive
- #55 H B4 chain
- Standard 20' basic unit, 6' and 10' extensions available
- Easy to assemble, bolt together construction
- Lightweight and easy to transport

Operating Features:

- Ideal for agricultural and commercial applications
- Light and easy to handle

Options:

- Optional undercarriage allows for easy transportation and height adjustment
- Various sizes of electric motors available





MAPLE LEAF TUBULAR BALE ELEVATOR

PART NUMBER	DESCRIPTION	Price
03700 026	MAPLE LEAF BALE CHUTE	\$509.00
03700 U/C AREG	MAPLE LEAF REG DUTY U/C ASSY. C/W HITCH	\$2,392.00
03701 UCAHD	MAPLE LEAF HEAVY DUTY U/C ASSY C/W HITCH	\$2,923.00
03700X06A	MAPLE LEAF 6' EXTENSION ASSY.	\$390.00
03700X10A	MAPLE LEAF 10' EXTENSION ASSY	\$621.00
03700X20B	MAPLE LEAF 20' BASIC ELEV. W/REDUCER	\$1,890.00
03700X26	MAPLE LEAF 26' BALE ELEV. W/REDUCER	\$2,279.00
03700X26 U/C	MAPLE LEAF 26' BALE ELEV. W/REDUCER + U/C & HITCH	\$4,879.00
03700X30	MAPLE LEAF 30' BALE ELEV.W/REDUCER	\$2,511.00
03700X30 U/C	MAPLE LEAF 30' BALE ELEV. W/REDUCER + U/C & HITCH	\$5,116.00
03700X32	MAPLE LEAF 32' BALE ELEV. W/REDUCER	\$2,667.00
03700X32 U/C	MAPLE LEAF 32' BALE ELEV. W/REDUCER + U/C & HITCH	\$5,267.00
03700X36	MAPLE LEAF 36' BALE ELEV. W/REDUCER	\$2,899.00
03700X36 U/C	MAPLE LEAF 36' BALE ELEV.W/REDUCER + U/C & HITCH	\$6,032.00
03700X40	MAPLE LEAF 40' BALE ELEV. W/REDUCER	\$3,131.00
PART NUMBER	DESCRIPTION	Price
03700X40 U/C	MAPLE LEAF 40' BALE ELEV. W/REDUCER + U/C & HITCH	\$6,264.00
03700X42	MAPLE LEAF 42' BALE ELEV. W/REDUCER	\$3,288.00
03700X42 U/C	MAPLE LEAF 42' BALE ELEV.W/REDUCER + U/C & HITCH	\$6,420.00
03700X46	MAPLE LEAF 46' BALE ELEV. W/REDUCER	\$3,520.00
03700X46 U/C	MAPLE LEAF 46' BALE ELEV. W/REDUCER + U/C & HITCH	\$6,652.00
03700X50	MAPLE LEAF 50' BALE ELEV. W/REDUCER	\$3,752.00
03700X50 U/C	MAPLE LEAF 50' BALE ELEV. W/REDUCER + U/C & HITCH	\$6,884.00



MOTORS & HYDRAULIC POWER PACKS

PART NUMBER	DESCRIPTION	Price
1801 602210-C	1/2HP MOTOR C/W FLANGE	\$414.00
1801 602211-C	3/4HP MOTOR C/W FLANGE	\$453.00
1801 602212-C	1HP MOTOR C/W FLANGE	\$514.00
1801 602213-C	1-1/2HP MOTOR C/W FLANGE	\$603.00
1801 607056-145TC	2 HP 145TC MOTOR C/W FLANGE	\$690.00
HYD PACK	13 HP HONDA HYD POWER PACK 25 GAL	\$5,285.00 a





EBERSOL BALE ELEVATOR



Construction Features:

- Galvanized sheet metal
- V-Belt drive with #55 chain reduction
- Flared sides and hopper
- Pre-lubricated self-aligning bearings
- Heavy-duty undercarriage allows easy transportation and height adjustment

Operating Features:

- Handles bales, grain, corn cobs, silage, etc.
- Top drive pulls load rather than pushing it

Options:

- Winch conversion kit
- Corn screen

SPECIFICATION CHART

Model	Length	Approx. Height	Axle	Weight	Motor	Miscellaneous -- all sizes
24'	26'	21'	6'	935 lbs	3/4 hp	• Trough width at bottom - 20"
28'	30'	23'	7'	1090 lbs	1 hp	• Trough width at top - 27"
32'	34'	25'	7'	1195 lbs	1 hp	• Depth of straight trough - 4-1/2"
36'	38'	28'	7'	1352 lbs	1-1/2 hp	• Depth of flared trough - 6"
40'	42'	29'	7'	1510 lbs	1-1/2 hp	• Total depth of trough - 10-1/2"
48'	50'	38'	8'	1840 lbs	2 hp	• Flight spacing - 2'4'/6" (4' standard)

EBERSOL BALE ELEVATOR

Standard Equipment:

V-Belt, elevator pulley, chain, motor mount, wood wear strips, undercarriage, tires on rims and tow hitch

Price Per Unit - Set Up Included

EBERSOL BALE ELEVATOR

PART NUMBER	DESCRIPTION	Price
03900 EBERSOL 1600	16 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$5,911.00
03900 EBERSOL 2400	24 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$7,779.00
03900 EBERSOL 2800	28 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$8,271.00
03900 EBERSOL 3200	32 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$8,903.00
03900 EBERSOL 3600	36 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$9,418.00
03900 EBERSOL 4000	40 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$10,135.00
03900 EBERSOL 4800	48 FT EBERSOL ELEVATOR C/W TIRES & FLITES	\$11,737.00





EBERSOL BELT CONVEYOR



Shown with optional undercarriage

Construction Features:

- 16 ga. galvanized body construction
- Gear reducer with sprockets and chain
- 8-1/2" body depth
- Available in 1' length increments
- Belt troughing in slider bed
- Hopper
- PVC crescent top belt is standard
- 1/2 - 3PH motor (based on length of unit ordered) *NOTE - HD drive required on units that require a 3 PH motor

Operating Features:

- Self cleaning idler pulley
- 230' per minute belt speed
- Up to 30 degree conveying incline

Options:

- 14", 18" and 24" widths available
- Galvanized sides with skirting
- Galvanized cover
- Belt scraper
- Discharge spout
- Heavy duty undercarriage with braking safety winch, tires and towing hitch
- Textured or smooth top belts
- Hydraulic power pack

Notes:

- Conveyor length for 30 degrees incline is determined by multiplying the discharge height by 2.
- Example: For a discharge height of 10', a 20' conveyor would be required for a 30 degree incline.



14" BELT CONVEYOR

Price does not include motor
Requires C-face motor

NOTE:

Estimated capacity (no elevation): 35 Tons per hour @ 60 lbs / bushel
Optional sides available. Addition of sides may change the horsepower requirements.

14" EBERSOL BELT CONVEYOR

*The Ebersol Belt Conveyor is custom built to meet specific requirements. Below is a pricing breakdown for individual components: please call for a quote on complete units.

PART NUMBER	DESCRIPTION			Price	
02805 SCRAPER	14" BELT SCRAPER			\$204.00	
02805 COVER 14	14" BELT CONVEYOR COVER / ft.			\$18.00	
02805 DS14	14" BELT CONVEYOR DISCHARGE SPOUT			\$353.00	
02805 DRIVE HD	HD 14IN GEAR DRIVE TO 3 HP C-FLANGE			\$1,188.00	
PART NUMBER	DESCRIPTION	MOTOR HP	Price	MOTOR HP W/SIDES	Price
02805 1410	14" x 10' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$3,927.00	1/2	
02805 1412	14" x 12' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$4,188.00	1/2	
02805 1414	14" x 14' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$4,424.00	1/2	
02805 1416	14" x 16' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$4,842.00	1/2	
02805 1418	14" x 18' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$4,528.00	1/2	
02805 1420	14" x 20' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$5,055.00	3/4	
02805 1420 U/C	14" x 20' EBERSOL CT TOP BELT CONVEYOR W/ U/C	3/4	\$7,810.00	3/4	
02805 1424	14" x 24' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$6,217.00	3/4	
02805 1424 U/C	14" x 24' EBERSOL CT TOP BELT CONVEYOR W/ U/C	3/4	\$8,972.00	3/4	
02805 1428	14" x 28' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$6,863.00	3/4	
02805 1428 U/C	14" x 28' EBERSOL CT TOP BELT CONVEYOR W/ U/C	3/4	\$9,805.00	3/4	
02805 1432	14" x 32' EBERSOL CRESCENT TOP BELT CONVEYOR	1	\$7,571.00	1	
02805 1432 U/C	14" x 32' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1	\$10,482.00	1	
02805 1436	14" x 36' EBERSOL CRESCENT TOP BELT CONVEYOR	1	\$8,229.00	1	
02805 1436 U/C	14" x 36' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1	\$11,416.00	1	
02805 1440	14" x 40' EBERSOL CRESCENT TOP BELT CONVEYOR	1	\$8,928.00	1	
02805 1440 U/C	14" x 40' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1 1/2	\$12,115.00	1 1/2	

18" BELT CONVEYOR

18" EBERSOL BELT CONVEYOR

*The Ebersol Belt Conveyor is custom built to meet specific requirements. Below is a pricing breakdown for individual components: please call for a quote on complete units.

PAGE	PART NUMBER	DESCRIPTION			Price	
	02805 SCRAPER 18	18" BELT SCRAPER			\$236.79	
	02805 COVER 18	18" BELT CONVEYOR COVER /FT			\$19.10	
	02805 DS18	18" BELT CONVEYOR DISCHARGE SPOUT			\$348.82	
	02805 DRIVE HD	HD 14IN GEAR DRIVE TO 3 HP C-FLANGE			\$1,113.95	
PAGE	PART NUMBER	DESCRIPTION	MOTOR HP	Price	MOTOR HP W/SIDES	Price
	02805 1810	18" x 10' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$4,362.00	1/2	
	02805 1812	18" x 12' EBERSOL CRESCENT TOP BELT CONVEYOR	1/2	\$4,613.00	1/2	
	02805 1814	18" x 14' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$5,030.00	3/4	
	02805 1816	18" x 16' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$5,431.00	3/4	
	02805 1818	18" x 18' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$5,790.00	1	
	02805 1820	18" x 20' EBERSOL CRESCENT TOP BELT CONVEYOR	1	\$6,053.00	1	
	02805 1820 U/C	18" x 20' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1	\$8,807.00	1	
	02805 1824	18" x 24' EBERSOL CRESCENT TOP BELT CONVEYOR	1	\$6,742.00	1 1/2	
	02805 1824 U/C	18" x 24' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1	\$9,496.00	1 1/2	
	02805 1828	18" x 28' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$7,506.00	1 1/2	
	02805 1828 U/C	18" x 28' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1 1/2	\$10,416.00	1 1/2	
	02805 1832	18" x 32' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$8,339.00	1 1/2	
	02805 1832 U/C	18" x 32' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1 1/2	\$11,250.00	1 1/2	
	02805 1836	18" x 36' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$8,821.00	2	
	02805 1836 U/C	18" x 36' EBERSOL CT TOP BELT CONVEYOR W/ U/C	1 1/2	\$11,889.00	2	
	02805 1840	18" x 40' EBERSOL CRESCENT TOP BELT CONVEYOR	2	\$9,559.00	2	
	02805 1840 U/C	18" x 40' EBERSOL CT TOP BELT CONVEYOR W/ U/C	2	\$12,746.00	2	



24" BELT CONVEYOR

Price does not include motor
Requires C-face motor

NOTE:

Estimated capacity (no elevation): 35 Tons per hour @ 60 lbs / bushel
Optional sides available. Addition of sides may change the horsepower requirements.

* Motor sized for incline of 0 degrees.



24" EBERSOL BELT CONVEYOR

*The Ebersol Belt Conveyor is custom built to meet specific requirements. Below is a pricing breakdown for individual components: please call for a quote on complete units.

PART NUMBER	DESCRIPTION		Price		Price
02805 SCRAPER 24	24" BELT SCRAPER				\$323.00
02805 COVER 24	24" BELT CONVEYOR COVER /FT				\$25.00
02805 DS24	24" BELT CONVEYOR DISCHARGE SPOUT				\$429.00
02805 DRIVE HD	HD 14IN GEAR DRIVE TO 3 HP C-FLANGE				\$1,188.00
PART NUMBER	DESCRIPTION	MOTOR HP	Price	MOTOR HP W/SIDES	Price
02805 2410	24" x 10' EBERSOL CRESCENT TOP BELT CONVEYOR	3/4	\$5,145.00	3/4	
02805 2412	24" x 12' EBERSOL CRESCENT TOP BELT CONVEYOR	1	\$5,667.00	1	
02805 2414	24" x 14' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$5,897.00	1 1/2	
02805 2416	24" x 16' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$6,157.00	1 1/2	
02805 2418	24" x 18' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$6,534.00	1 1/2	
02805 2420	24" x 20' EBERSOL CRESCENT TOP BELT CONVEYOR	1 1/2	\$7,061.00	1 1/2	
02805 2420 U/C	24" x 20' EBERSOL CT TOP BELT CONVEYOR W/ U/C	2	\$8,591.00	2	
02805 2424	24" x 24' EBERSOL CRESCENT TOP BELT CONVEYOR	2	\$7,862.00	2	
02805 2424 U/C	24" x 24' EBERSOL CT TOP BELT CONVEYOR W/ U/C	2	\$9,346.00	2	
02805 2428	24" x 28' EBERSOL CRESCENT TOP BELT CONVEYOR	2	\$9,413.00	2	
02805 2428 U/C	24" x 28' EBERSOL CT TOP BELT CONVEYOR W/ U/C	2	\$10,283.00	2	
02805 2432	24" x 32' EBERSOL CRESCENT TOP BELT CONVEYOR	3	\$11,095.00	3	
02805 2432 U/C	24" x 32' EBERSOL CT TOP BELT CONVEYOR W/ U/C	3	\$11,156.00	3	
02805 2436	24" x 36' EBERSOL CRESCENT TOP BELT CONVEYOR	3	\$12,036.00	3	
02805 2436 U/C	24" x 36' EBERSOL CT TOP BELT CONVEYOR W/ U/C	3	\$12,197.00	3	
02805 2440	24" x 40' EBERSOL CRESCENT TOP BELT CONVEYOR	3	\$12,870.00	3	
02805 2440 U/C	24" x 40' EBERSOL CT TOP BELT CONVEYOR W/ U/C	3	\$16,186.00	3	



EBERSOL ICE CONVEYOR



ADD ICE, FIBRES AND POWDERED ADDITIVES TO CONCRETE



EBERSOL ICE CONVEYOR

PART NUMBER	DESCRIPTION	Price
02805 ICE CONVEYOR	14" x 32' CLEATED BELT ICE CONVEYOR	\$ 16,074.00

Construction Features:

- 16 ga. galvanized construction
- 14" x 32'
- 1" cleated belt with 12" spacing
- 1 1/2 hp electric motor
- Discharge Spout
- Undercarriage
- High capacity to load trucks quickly
- Different hitch types available
(Shown with ball hitch)

100 Lehigh Ave. Batavia, NY 14020
PHONE: 800-252-1552 | FAX: 888-852-7406



BAUMAN MANUFACTURING

Custom sizes available.
PLEASE CALL FOR PRICING.

90 Stover Drive | PO Box 160
Carlisle, PA 17013

PHONE: 800-222-9869 | FAX: 717-249-9384