

CUMMINGS & BRICKER

www.cummingsandbricker.com
support@cummingsandbricker.com

Effective: 02/21/2024
Revised: 09/01/2025
F.O.B. C&B



Click here for ordering programs-Select Program #4 from Bookmarks

3 POINT HITCH FLAIL MOWERS

FUNNY FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FUN106C	Flail Mower 42" Funny - Y-Blades, 12 - 30 HP	322	\$2,881.00
FUN132C	Flail Mower 52" Funny - Y-Blades, 12- 30 HP	375	\$3,074.00
FUN158C	Flail Mower 62" Funny - Y-Blades, 12-30 HP	430	\$3,338.00

FUNNY

12-30 HP

Cutting Width
42" to 62"

Cutting Height
1" to 4"

This flail mower is designed for semi-professional use and works well with low HP tractors as it is light and flexible. It can be used to cut grass, weeds & small bushes.

- Quick hitch compatible, 3-Point, Cat 1
- Aluminum Gearbox 540 RPM
- Two Belt Transmission w/Adjustable Tensioner
- Rotor w/ "Y" Blades
- Adjustable Rear Roller
- Universal PTO Shaft Category 2



FUNNY TOP FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FT80C	Flail Mower Manual Side Shift 32" - Y Blades	286	\$3,090.00
FT106C	Flail Mower Manual Side Shift 42" - Y Blades	330	\$3,382.00
FT132C	Flail Mower Manual Side Shift 52" - Y Blades	374	\$3,529.00
FT158C	Flail Mower Manual Side Shift 62" - Y Blades	418	\$3,772.00
FT80M	Flail Mower Manual Side Shift 32" - Hammers	286	\$3,090.00
FT106M	Flail Mower Manual Side Shift 42" - Hammers	330	\$3,382.00
FT132M	Flail Mower Manual Side Shift 52" - Hammers	374	\$3,529.00
FT158M	Flail Mower Manual Side Shift 62" - Hammers	418	\$3,772.00

FUNNY SUPER FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FS106C	Flail Mower Hyd Side Shift/Tilt 42" - Y Blades	474	\$6,796.00
FS132C	Flail Mower Hyd Side Shift/Tilt 52" - Y Blades	518	\$7,032.00
FS106M	Flail Mower Hyd Side Shift/Tilt 42" - Hammers	474	\$6,796.00
FS132M	Flail Mower Hyd Side Shift/Tilt 52" - Hammers	518	\$7,032.00

FUNNY TOP

12-35 HP

Cutting Width
32" to 62"

Cutting Diameter
1.5"

Cutting Height
1" to 4"


Side Shift
Manual

This side shift mower can work close to or under trees and bushes. It is light weight and flexible and works well with low HP tractors.

- Manual side shift 8" left or right of center
- Quick hitch compatible (Funny Top ONLY), 3PT, CAT I
- Aluminum gear box, 540 RPM
- Two belt transmission w/adjustable tensioner
- Adjustable rear roller and skids



MEASUREMENTS



A=Left From Center D
B=Right From Center
C=Working Width



D=3PH To Back of Machine
E=Right Side shift From Center
F=Left Side Shift From Center

	80 Top	106 Top	132 Top	158 Top	106 Super	132 Super
A	13"	13"	18"	23"	18"	18"
B	19"	29"	34"	39"	24"	34"
C	32"	42"	52"	62"	42"	52"
D	39"	39"	39"	39"	52"	52"
E	27"	37"	42"	47"	63"	73"
F	21"	21"	26"	31"	-	-
# of Y Blades	24	32	40	48	32	40
# of Hammer Blades	12	16	20	24	16	20

Measurements are in inches (approx.) from center of tractor

FUNNY SUPER

Same features as the Funny Top with hydraulic side shift and tilt.

15-35 HP

Cutting Width
42" to 52"

Cutting Diameter
1.5"

Cutting Height
1" to 4"

Side Shift & Tilt
Hydraulic



CHOICE OF BLADES:



Y BLADES

For cutting tall weeds and grasses. Offers a clean finish.



HAMMER BLADES

A wider, heavier blade for mulching dense overgrowth & small saplings.

100 LEHIGH AVE.
BATAVIA, NY 14020
PHONE: 800-252-1552 FAX: 888-852-7406

100 STOVER DRIVE
CARLISLE, PA 17015
PHONE: 800-222-8969
FAX: 717-249-9384



3 POINT HITCH FLAIL MOWERS

FLIPPER FLAIL MOWERS


ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FLI132C	Flail Mower 52" - 8" Fixed Offset, Y Blades	540	\$4,455.00
FLI158C	Flail Mower 62" - 8" Fixed Offset, Y Blades	594	\$4,764.00
FLI186C	Flail Mower 72" - 8" Fixed Offset, Y Blades	660	\$5,148.00
FLI214C	Flail Mower 82" - 8" Fixed Offset, Y Blades, CAT II	826	\$5,544.00
FLI132M	Flail Mower 52" - 8" Fixed Offset, Hammers	566	\$4,455.00
FLI158M	Flail Mower 62" - 8" Fixed Offset, Hammers	616	\$4,764.00
FLI186M	Flail Mower 72" - 8" Fixed Offset, Hammers	682	\$5,148.00
FLI214M	Flail Mower 82" - 8" Fixed Offset, Hammers, CAT II	848	\$5,544.00

FLAIL MOWERS

FLIPPER	15-70 HP	Cutting Width 52" to 82"	Cutting Diameter 2.25"	Cutting Height 1" to 4"	Side Shift Fixed Offset
---------	----------	-----------------------------	---------------------------	----------------------------	----------------------------

One of the bestselling flail mower models, the Flipper's design makes it reliable and practical. It can be easily changed from rear to front mount. Suitable for tractors up to 70HP.

- 8" fixed offset – right
- Quick hitch compatible, 3PT, CAT I or II
- Three belt transmission w/adjustable tensioner
- Adjustable rear roller and skids
- Optional side shift offsets up to 14 1/2" to the right from center



MEASUREMENTS	132	158	186	214
A = Left From Center	22"	27"	32"	32"
B = Right From Center	26"	35"	40"	50"
C = Working Width	52"	62"	72"	82"
*E = Max Right Side Shift From Center	45"	50"	55"	65"
# of Y Blades	40	48	56	64
# of Hammer Blades	20	24	28	32

Measurements are in inches (approx.) from center of tractor

*Optional 14 1/2" from center side shift available as hydraulic or mechanical

SIDE SHIFT FLIPPER FLAIL MOWERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FLI132CHSS	Flail Mower 52" - 15-70HP, Hyd Side Shift, Y Blades	550	\$5,524.00
FLI158CHSS	Flail Mower 62" - 15-70HP, Hyd Side Shift, Y Blades	600	\$5,832.00
FLI186CHSS	Flail Mower 72" - 15-70HP, Hyd Side Shift, Y Blades	670	\$6,217.00
FLI214CHSS	Flail Mower 82" - 15-70HP, Hyd Side Shift, Y Blades	835	\$6,088.00
FLI132CMSS	Flail Mower 52" - 15-70HP, Manual Side Shift, Y Blades	550	\$5,255.00
FLI158CMSS	Flail Mower 62" - 15-70HP, Manual Side Shift, Y Blades	600	\$5,564.00
FLI186CMSS	Flail Mower 72" - 15-70HP, Manual Side Shift, Y Blades	670	\$5,949.00
FLI214CMSS	Flail Mower 82" - 15-70HP, Manual Side Shift, Y Blades	835	\$5,966.00
FLI132MHSS	Flail Mower 52" - 15-70HP, Hyd Side Shift, Hammers	575	\$5,524.00
FLI158MHSS	Flail Mower 62" - 15-70HP, Hyd Side Shift, Hammers	625	\$5,832.00
FLI186MHSS	Flail Mower 72" - 15-70HP, Hyd Side Shift, Hammers	690	\$6,217.00
FLI214MHSS	Flail Mower 82" - 15-70HP, Hyd Side Shift, Hammers	860	\$6,088.00
FLI132MMSS	Flail Mower 52" - 15-70HP, Manual Side Shift, Hammers	575	\$5,255.00
FLI158MMSS	Flail Mower 62" - 15-70HP, Manual Side Shift, Hammers	625	\$5,564.00
FLI186MMSS	Flail Mower 72" - 15-70HP, Manual Side Shift, Hammers	690	\$5,949.00
FLI214MMSS	Flail Mower 82" - 15-70HP, Manual Side Shift, Hammers	860	\$5,966.00



3 POINT HITCH FLAIL MOWERS

FLIPPER SUPER FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FLISU132C	Flail Mower Hyd Side Shift/Tilt 52" - Y Blades, 50-80HP, 2 Sets Remotes	1080	\$9,647.00
FLISU132M	Flail Mower Hyd Side Shift/Tilt 52" - Hammers - 50-80HP, 2 Sets Remotes	1157	\$9,647.00
FLISU158C	Flail Mower Hyd Side Shift/Tilt 62" - Y Blades, 50-80HP - 2 Sets Remotes	1157	\$10,201.00
FLISU158M	Flail Mower Hyd Side Shift/Tilt 62" - Hammers, 50-80HP, 2 Sets Remotes	1157	\$10,201.00
FLISU186C	Flail Mower Hyd Side Shift/Tilt 73" - Y Blades, 50-80HP, 2 Sets Remotes	1208	\$10,931.00
FLISU186M	Flail Mower Hyd Side Shift/Tilt 73" - Hammers, 50-80HP, 2 Sets Remotes	1208	\$10,931.00

FLAIL MOWERS

FLIPPER SUPER

50-80 HP

Cutting Width
52 – 73"


Cutting Diameter
2.25

Cutting Height
1-4"

Side Shift
Hydraulic

A practical, multipurpose flail mower for the professional farmer with a flexible arm for mowing embankments, etc. Suitable for tractors up to 80 HP.

- 3 Point Hitch, CAT I & II With Hydraulic Side Shift
- Cast Iron Gearboxes 540 RPM With Free Wheel
- 3 Belt Drive Transmission With Screw Adjustable Tensioner
- Rotor With Blades Or Hammers
- Adjustable Rear Roller.
- Universal PTO Shaft CAT 4



	132	158	186
A	26	26	26
B	32	42	53
C	52	62	72
D	59	59	59
E	75	83	91
F	47	51	55
G	47	51	55
L	47	47	47
# of Y Blades	40	48	56
# of Hammer Blades	20	24	28

Measurements are in inches (approx.)

GINGER MULCHER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
GINGER125C	Flail Mower 50" - Q-Hitch Compatible, Y Blades, 12-30HP	330	\$2,487.00

GINGER – Mulcher

12-30 HP

50" Working Width

1-2.5" Cut Height

Light mulcher suitable for low HP tractors. It is easy to use and ideal for cutting grass and weeds in uncultivated fields.

- Quick Hitch Compatible, 3-point hitch, CAT I
- Aluminum comer gearbox 540 RPM with integrated free wheel device
- Two belt transmission with adjustable tensioner
- Rotor with "Y" blades
- Adjustable rear roller
- Universal PTO shaft, CAT I





3 POINT HITCH FLAIL MOWERS

DISCO FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
DISCO125C	Flail Mower 47" - Y Blades, 12-40HP	386	\$3,235.00
DISCO145C	Flail Mower 52" - Y Blades, 12-40HP	430	\$3,322.00
DISCO165C	Flail Mower 62" - Y Blades, 12-40HP	518	\$3,412.00

DISCO TOP FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
DT125C	Flail Mower 47" - Y Blades, 12-40HP	386	\$3,760.00
DT145C	Flail Mower 52" - Y Blades, 12-40HP	430	\$3,867.00
DT165C	Flail Mower 62" - Y Blades, 12-40HP	518	\$3,975.00

DISCO – Reversible Flail Mower

Light flail mower suitable for low HP tractors. Its large mulching chamber facilitates the mulching for a professional job.

- Quick hitch compatible, 3-point, CAT I
- 540 RPM Aluminum gearbox w/integrated free wheel device
- Two belt transmission with adjustable tensioner
- Rotor with "Y" blades
- Adjustable, extendable rear roller
- Universal PTO shaft, CAT II



	HP	Cut Width	Cut Height	# Of "Y" Blades	Weight
DISCO125C	12-40	47"	1-5"	40	386
DISCO145C	12-40	52"	1-5"	40	430
DISCO165C	12-40	62"	1-5"	48	518

DISCO TOP – Reversible Flail Mower

Light flail mower suitable for low HP tractors. Its large mulching chamber facilitates the mulching for a professional job.

- Quick hitch compatible, 3-point, CAT I
- 540 RPM Aluminum gearbox w/integrated free wheel device
- Two belt transmission with adjustable tensioner
- Rotor with "Y" blades
- Adjustable, extendable rear roller
- Universal PTO shaft, CAT II



	HP	Cut Width	Manual Side Shift (Left/Right)	Cut Height	# of Blades	Weight
DT125C	12-40	47"	6"/12"	1-5"	40	386
DT145C	12-40	52"	6"/12"	1-5"	40	430
DT165C	12-40	62"	6"/12"	1-5"	48	518



3 POINT HITCH FLAIL MOWERS

CENTURION SUPER FLAIL MOWER


ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
CS106C	Flail Mower Hyd Side Shift/Tilt 42" - Y Blades	715	\$7,420.00
CS132C	Flail Mower Hyd Side Shift/Tilt 52" - Y Blades	815	\$7,778.00
CS158C	Flail Mower Hyd Side Shift/Tilt 62" - Y Blades	890	\$8,009.00
CS106M	Flail Mower Hyd Side Shift/Tilt 42" - Hammers	715	\$7,420.00
CS132M	Flail Mower Hyd Side Shift/Tilt 52" - Hammers	815	\$7,778.00
CS158M	Flail Mower Hyd Side Shift/Tilt 62" - Hammers	890	\$8,009.00

FLAIL MOWERS

CENTURION SUPER	30-70 HP	Cutting Width 42" to 62"	Cutting Diameter 2"	Cutting Height 1" to 4"	Side Shift & Tilt Hydraulic
-----------------	----------	-----------------------------	------------------------	----------------------------	--------------------------------

A practical, multipurpose flail mower for professional farmers. The power transmission system is the best available and is suitable for tractors up to 60 HP. Hydraulic offset allows the grinder to reach the vegetation under foliage and between trees. The hydraulic tilt makes it possible to clean the incline edges of ditches or embankments.

- 3PT, CAT I or II
- Cast iron gear box, 540 RPM
- Three belt transmission w/adjustable tensioner
- Adjustable rear roller and skids



MEASUREMENTS	106 Super	132 Super	158 Super
A = Left From Center	18"	18"	18"
B = Right From Center	26"	34"	44"
C = Working Width	42"	52"	62"
D = 3PH To Back Of Machine	58 1/2"	58 1/2"	58 1/2"
E = Max Right Side Shift From Center	62"	72"	82"
# of Y Blades	32	40	48
# of Hammer Blades	16	20	24

Measurements are in inches (approx.) from center of tractor

ATV CENTURION FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
CENTURIONATV158	62" ATV Centurion Flail Mower - Hammers	794	\$7,857.00

ATV Centurion Flail Mower

The Centurion ATV Flail Mower is designed to be towed by an ATV and can cut/mulch grass, weeds and shrubs.

FEATURES:

- 4-stroke electric start Honda twin-cylinder gas 24.9 HP engine
- 1 7/8" ball hitch
- 2-belt transmission
- Rear roller
- Adjustable side shift (left or right)
- Adjustable wheel position
- Pivoting tow bar
- Electronically balanced rotor



	HP	Working Width	Overall Width	Cut Height	# of Hammers	Weight
Centurion ATV 158	25	62"	72"	1-4"	24	794



3 POINT HITCH FLAIL MOWERS

LEVANTE FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
LEV160H	Flail Mower 65" Hyd Side Shift - Hammers	1012	\$8,184.00
LEV190H	Flail Mower 75" Hyd Side Shift - Hammers	1067	\$8,470.00
LEV220H	Flail Mower 86" Hyd Side Shift - Hammers	1122	\$8,956.00
LEV250H	Flail Mower 98" Hyd Side Shift - Hammers	1177	\$9,309.00

LEVANTE PLUS FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
LEVPLUS250H	Flail Mower 98" - Side Shift, Hammers, 60 - 120HP	1622	\$10,777.00
LEVPLUS270H	Flail Mower 106" - Side Shift, Hammers, 80 - 120HP	1698	\$11,317.00

LEVANTE

Suited for cutting through tough vegetation and brush up to 2" in diameter.

- Reversible frame for front or rear mounting
- 3-point hitch with hydraulic side shift
- 540 PTO
- Four belt transmission w/ adjustable tensioner
- Counter blade device
- Wide discharge area
- Adjustable rear roller and skids



	HP	Side Shift	Working Width	# Of Hammers	Weight
LEV160H	60-120	15" (To Right)	65"	24	1012
LEV190H	60-120	15" (To Right)	75"	30	1067
LEV220H	60-120	15" (To Right)	86"	32	1122
LEV250H	60-120	15" (To Right)	98"	36	1177

LEVANTE PLUS

For heavy duty, professional use in rough and uncultivated areas. It destroys brush, branches, and prunes without problems.

- Internal mulching blades
- 540 RPM PTO
- Variable frame and 3-point hitch; front or rear mount & hydraulic side shift
- Rear levelling roller 6"
- Large material discharge area, expandible
- Belt tensioning screw
- Convenient inspection point to control the 4 drive belts
- Rotor supports and bearings outside of the frame



	HP	Side Shift	Working Width	# Of Hammers	Weight
LEVPLUS250H	80-120	15" (To Right)	98"	36	1622
LEVPLUS270H	80-120	15" (To Right)	106"	40	1698



3 POINT HITCH FLAIL MOWERS


LEVANTE SUPER FLAIL MOWER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
LS160C	Flail Mower 63" Hyd Side Shift/Tilt - Y Blades	1364	\$13,186.00
LS190C	Flail Mower 75" Hyd Side Shift/Tilt - Y Blades	1445	\$14,020.00
LS220C	Flail Mower 86" Hyd Side Shift/Tilt - Y Blades	1526	\$14,928.00
LS160M	Flail Mower 63" Hyd Side Shift/Tilt - Hammers	1364	\$13,186.00
LS190M	Flail Mower 75" Hyd Side Shift/Tilt - Hammers	1445	\$14,020.00
LS220M	Flail Mower 86" Hyd Side Shift/Tilt - Hammers	1526	\$14,928.00

LEVANTE SUPER – Offset Flail Mower

Strong, flexible, and versatile. It permits and optimal maintenance of embankments, slopes.

- 3-point hitch
- Hydraulic side shift and tilt
- Four belt transmission
- Counterblade device
- Rear leveling roller
- Wide discharge area
- Universal PTO Shaft
- Adjustable skids and rear roller
- Dual mulching blades in mulching chamber for extra mulching
- Hammers or “Y” blades



	A	B	C	D	E	# Hammers	# Blades
LS160	25"	38"	63"	72"	87"	24	48
LS190	25"	50"	75"	72"	99"	30	56
LS220	25"	61"	86"	72"	110"	32	64



3 POINT HITCH FLAIL MOWERS

VICTOR FLAIL MOWER


ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
VIC150C	Flail Mower 57" - Side Shift - Y Blades	1312	\$8,064.00
VIC170C	Flail Mower 66" - Hyd Side Shift - Y Blades	1356	\$9,031.00
VIC190C	Flail Mower 75" Hyd Side Shift - Y Blades	1585	\$10,000.00
VIC210C	Flail Mower 82" Hyd Side Shift - Y Blades	1667	\$11,078.00
VIC230C	Flail Mower 90" Hyd Side Shift - Y Blades	1795	\$12,046.00
VIC250C	Flail Mower 98" Hyd Side Shift - Y Blades	1874	\$13,112.00
VIC270C	Flail Mower 106" Hyd Side Shift - Y Blades	1960	\$14,092.00
VIC150M	Flail Mower 57" Hyd Side Shift - Hammers	1312	\$8,064.00
VIC170M	Flail Mower 66" Hyd Side Shift - Hammers	1356	\$9,031.00
VIC190M	Flail Mower 75" Hyd Side Shift - Hammers	1585	\$10,000.00
VIC210M	Flail Mower 82" Hyd Side Shift - Hammers	1667	\$11,078.00
VIC230M	Flail Mower 90" Hyd Side Shift - Hammers	1795	\$12,046.00
VIC250M	Flail Mower 98" Hyd Side Shift - Hammers	1874	\$13,112.00
VIC270M	Flail Mower 106" Hyd Side Shift - Hammers	1960	\$14,092.00

FLAIL MOWERS

	50-120 HP	Cutting Width 75" to 106"	Cutting Diameter 2.75	Cutting Height 1" to 5"	Side Shift Hydraulic
VICTOR					

The Victor is built for rugged terrain, chopping its way through challenging conditions. Can be front or rear mounted.

- 16" hydraulic side shift
- 3PT, CAT II (Reversible)
- Cast iron gear box, 540 RPM
- Four belt transmission w/adjustable tensioner
- Adjustable rear roller and skids



MEASUREMENTS	190	210	230	250	270
A = Left From Center	38"	42"	46"	50"	54"
B = Right From Center	38"	42"	46"	50"	54"
C = Working Width	75"	82"	90"	98"	106"
E = Max Right Side Shift From Center	53"	57"	61"	65"	69"
# of Y Blades	36	40	44	48	52
# of Hammer Blades	18	20	22	24	26

Measurements are in inches (approx.) from center of tractor

Flail Mower Blade Options

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
URC419D	Hammer Blades For Funny Flail Mower		\$29.00
URC400D	Hammer Blades For Flipper/Centurion/Levante/Levante Super Flail Mowers	1.5	\$42.39
FRM151D	Hammer Blade for Victor Flail Mower	2.5	\$37.94
URC405D	Y Blades For Funny/Flipper(80 & 106 Models)/Centurion(106 Model) Flail Mowers		\$11.82
URC404D	Y Blades For Flipper/Centurion/Levante/Levante Super Flail Mowers		\$10.62
FRM152D	Y Blade For Victor Flail Mowers		\$14.50
FRM153D	Straight Blade For Victor Flail Mower		\$14.50



TILLERS - DELMORINO

FLASH SERIES 3 POINT ROTARY TILLERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
FLASH85	33" Tiller - 12-25HP, 3PH, Cat 1	260	\$2,468.00
FLASH105	41" Tiller - 12-25HP, 3PH, Cat 1	287	\$2,577.00
FLASH125	49" Tiller - 12-25HP, 3PH, Cat 1	309	\$2,655.00

FLASH FEATURES

- Adjustable cat 1 3 point hitch
- Oil bath gear drive central transmission w/shear bolt protection
- 4 blades per flange
- Adjustable skids
- Powder paint
- Shrink wrapped for shipping



Model	Working Width	Required HP	Max Depth	# Of Tines	Weight
FLASH85	34"	12-25	6"	16	260
FLASH105	42"	12-25	6"	20	287
FLASH125	50"	12-25	6"	24	309



TANGO ROTARY TILLER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
TANGO125	Tiller 50" - Q-Hitch Compatible, 12-30HP	308	\$2,426.00

TANGO – Rotary Tiller

12-30 HP

50" Working Width

Light rotary tiller suitable for low HP tractors. It is ideal for tilling small plots and gardens.

- Quick Hitch Compatible, 3-point hitch, CAT I
- Aluminum gearbox 540 RPM
- Chain transmission with adjustable tensioner
- Rotor with 4 hoes per flange
- Adjustable rear cover
- Adjustable skids
- Transmission with safety bolt
- Universal PTO shaft, CAT I





TILLERS - DELMORINO

URT SERIES 3 POINT ROTARY TILLERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
URT114E	46" Tiller - 20-50HP, 3PH, Cat 1/2, Side Shift 14"	481	\$4,275.00
URT132E	53" Tiller -20-50HP, 3PH, Cat 1/2, Side Shift 18"	507	\$4,380.00
URT150E	60" Tiller - 20-50HP, 3PH, Cat 1/2, Side Shift 21"	547	\$4,525.00
URT204H	80" Tiller - 40-70HP, 3PH, Cat 1/2	799	\$6,559.00
URT222H	87" Tiller - 40-70HP, 3PH, Cat 1/2	840	\$6,801.00

- 2 year warranty
- Quick hitch compatible, Cat I/II, 3-point hitch
- 540 RPM PTO with slip clutch
- 6 blades per flange
- #100 chain drive URT204/222
- Powder paint
- Shrink wrapped for shipping



MODEL	Working Width	Required HP	# Of Tines	Max Depth	Side Shift	Weight
URT114E	46"	20-50	24	7"	YES	481
URT132E	52"	20-50	28	7"	YES	507
URT150E	60"	20-50	32	7"	YES	547
URT204H	80"	40-70	44	8"	NO	799
URT222H	87"	40-70	48	8"	NO	840



HRA ROTARY TILLER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
HRA225	89" Tiller - Cat 2, 3PH, 50-95HP	1331	\$11,609.00
HRA250	98" Tiller - Cat 2, 3PH, 50-95HP	1430	\$12,391.00

HRA FEATURES

- Adjustable Cat 2 3 point hitch
- Cast iron gearbox, 540 RPM
- 6 blades per flange
- Adjustable skids
- Transmission with oil bath gears



Model	Working Width	Required HP	Max Depth	# Of Tines	Weight
HRA225	90"	50-95	9"	60	1331
HRA250	100"	50-95	9"	66	1430



SPECIALTY EQUIPMENT

ROTEX POWER HARROWS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
ROTM90	36" Power Harrow - 15-45HP, CAT I, Add Roller	386	\$4,396.00
ROTM110	44" Power Harrow - 15-45HP, CAT I - Add Roller	472	\$4,842.00
ROTM130	52" Power Harrow - 15-45HP, CAT I, Add Roller	527	\$5,402.00
ROTM150	60" Power Harrow - 15-45HP, CAT I, Add Roller	580	\$5,887.00
ROTH170	67" Power Harrow - 40-100HP, CAT II, Add Roller	703	\$7,598.00
ROTH190	75" Power Harrow - 40-100HP, CAT II, Add Roller	761	\$8,203.00
ROTH230	90" Power Harrow - 40-100HP, CAT II, Add Roller	1144	\$10,350.00
ROTH250	100" Power Harrow - 40-100HP, CAT II, Add Roller	1215	\$10,803.00



ROTEX M SERIES HARROW

Rotary harrow professional, with gear drive, two teeth in rotor blade.

- 3PT, CAT I
- Cast iron gear box 540 RPM
- Blades gear driven (in oil bath)
- Two blades per rotor
- 7" Depth
- Self-adjusting side protection
- Optional: Mounted seed drill, levelling blade



ROTEX H SERIES HARROW

Rotary harrow professional, with gear drive, two teeth in rotor blade.

- 3PT, CAT II
- Cast iron gear box 540 RPM
- Blades gear driven (in oil bath)
- Two blades per rotor
- 8" Depth
- Self-adjusting side protection
- Optional: Mounted seed drill, levelling blade

	HP	Working Width	Depth	# of Tines	Weight
otex M 90	15-45	35"	7"	8	386
otex M 110	15-45	43"	7"	10	472
otex M 130	15-45	51"	7"	12	527
otex M 150	15-45	59"	7"	14	580
otex H 170	40-100	67"	8"	16	703
otex H 190	40-100	75"	8"	18	761
otex H 230	40-100	91"	8"	22	1,144
otex H 250	40-100	98"	8"	24	1,215

YELLOWSTONE STONE BURIERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
YEL96	38" Stone Burier - 3PH, 20-50HP, CAT 1 & 2	736	\$8,283.00
YEL114	46" Stone Burier - 3PH, 20-50HP, CAT 1 & 2	807	\$8,823.00
YEL132	52" Stone Burier - 3PH, 20-50HP, CAT 1 & 2	869	\$8,975.00
YEL150	60" Stone Burier - 3PH, 20-50HP, CAT 1 & 2	935	\$9,523.00
YEL168	67" Stone Burier - 3PH, 20-50HP, CAT 1 & 2	974	\$10,046.00

YELLOWSTONE STONE BURIER FEATURES

- 3 point hitch, cat 1 / 2.
- Cast iron gearbox 540 RPM.
- Chain drive (ASA 80) in oil bath with automatic tensioner.
- Rotor with 6 hoes per flange.
- Adjustable screen roller.
- Adjustable levelling blade.
- Rake with flexible steel rods separates stones from soil.
- Universal PTO, cat 4 with slip clutch.



Model	Working Width	Required HP	Max Depth	# Of Tines	Weight
Yellow 96	37"	20-50	7	30	736
Yellow 114	46"	20-50	7	36	807
Yellow 132	52"	20-50	7	42	869
Yellow 150	60"	20-50	7	48	935
Yellow 168	67"	20-50	7	54	974



SPECIALTY EQUIPMENT

OPTIONS FOR ROTEX & YELLOWSTONE STONE BURIERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
GA90	Cage Roller - Rotex M90	84	\$695.00
GA110	Cage Roller - Rotex M110	92	\$735.00
GA130	Cage Roller - Rotex M130	101	\$779.00
GA150	Cage Roller - Rotex M150	110	\$816.00
GA170	Cage Roller - Rotex H170	136	\$1,360.00
GA190	Cage Roller - Rotex H190	141	\$1,424.00
GA230	Cage Roller - Rotex H230	150	\$1,631.00
GA250	Cage Roller - Rotex H250	161	\$1,690.00
GR90	Screen Roller - Rotex M90	83	\$1,459.00
GR110	Screen Roller - Rotex M110	92	\$1,631.00
GR130	Screen Roller - Rotex M130	101	\$1,792.00
GR150	Screen Roller - Rotex M150	110	\$1,957.00
GR170	Screen Roller - Rotex H170	220	\$2,195.00
GR190	Screen Roller - Rotex H190	244	\$2,374.00
GR230	Screen Roller - Rotex H230	277	\$4,131.00
GR250	Screen Roller - Rotex H250	310	\$4,516.00
LL90	Leveling Board - Rotex M90	46	\$387.00
LL110	Leveling Board - Rotex M110	48	\$414.00
LL130	Leveling Board - Rotex M130	51	\$477.00
LL150	Leveling Board - Rotex M150	53	\$537.00
LL170	Leveling Blade - Rotex H170	48	\$747.00
LL190	Leveling Blade - Rotex H190	53	\$816.00
LL230	Leveling Blade - Rotex H230	57	\$935.00
LL250	Leveling Blade - Rotex H250	64	\$1,002.00
G90	Grass Seeder - Rotex M90/ Yellowstone 96	132	\$3,909.00
G120	Grass Seeder - Rotex M130/Yellowstone M130	154	\$4,254.00
P11	Pro Grass Seeder - Rotex M110/Yellowstone 96-114	220	\$5,094.00
P13	Pro Grass Seeder - Rotex M130-150/Yellowstone 132-150	242	\$5,277.00
P15	Pro Grass Seeder - Rotex H170-250/Yellowstone 168	275	\$5,477.00

Rotex / Yellowstone OPTIONS



Cage Roller



Screen Roller



Grass Seeder for grass and grass like seed. Adjustable flow rate, Chain drive, remote flow rate regulation, mounting kit included.



Pro Grass Seeder for grass, wheat, corn peas, hemp, sorghum, alfalfa, onions. Adjustable flow rate, Chain drive, remote flow rate regulation, mounting kit included.



SPECIALTY EQUIPMENT

POTATO DIGGER

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
DM50	Potato Digger - 3PH, 10-35HP	253	\$4,267.00
DM100	Potato Digger - 3PH, 30-50HP	648	\$5,489.00

POTATO DIGGERS



DM50 Consists of one oscillating sieve, which separates the potatoes from the soil in one pass. Ideal for sub compact tractors for small and medium fields.

- Three-point hitch, category 1.
- Drive shaft with eccentric at 540 rpm.
- Oscillating sieve separates potatoes from soil.
- Adjustable wheels for depth control.
- Universal PTO shaft Category 1.

DM100 It consists of two alternately oscillating sieves, which separate the potatoes from soil in one pass. Interchangeable furrows.

- Three-point hitch, category 1.
- Drive shaft with flywheel, 540 rpm.
- Steel flywheel.
- Three replaceable furrow points.
- Oscillating sieves separate potatoes from soil.
- Adjustable steel discs for depth control.
- Universal PTO shaft Category 4.
- SIDE DISCHARGE.

Model	Working Width	Required HP	Max Depth	RPM	Weight
DM 50	20"	10-35	6-12	540	253
DM 100	24"	30-50	6-14	540	648



MOWERS - DELMORINO - THREE POINT FINISHING

REAR DISCHARGE MODELS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
PRM120	Mower Finish 48" Rear Discharge	397	\$3,681.00
PRM150	Mower Finish 60" Rear Discharge	465	\$3,997.00
PRM180	Mower Finish 72" Rear Discharge	527	\$4,307.00
PRM215	Mower Finish 84" Rear Discharge	637	\$4,698.00
XRM235	Mower Finish 93" Rear Discharge 5 Blade	705	\$5,480.00
ROLLERKIT	Antiscalp Roller PRM/SRM - Standard On PRM215/XRM235		\$151.00

MODEL	CUTTING WIDTH	HP	DISCHARGE	WT.
PRM120	48"	15-70	REAR	397
PRM150	60"	15-70	REAR	465
PRM180	72"	15-70	REAR	527
PRM215	85"	15-70	REAR	637
XRM235 (5 Blades)	93"	15-70	REAR	705

Finishing Mowers

- 2 year warranty
- Cat 1 3 point hitch
- Hitch flotation front to rear and side to side
- 540 RPM PTO
- 1" to 4" cutting height
- (4) 8" Solid Tires (12" on XRM235)
- Central lubrication system
- Powder paint
- Shrink wrapped for shipping



Central Lubrication
Standard on all models



Optional Anti-Scalp Roller
(Standard on PRM215)



MOWERS - DELMORINO - THREE POINT FINISHING

GANG MOWERS

ITEMNUMBER	DESCRIPTION	WEIGHT	PRICE
OMEGA12	12' Omega Flex Mower - 2-48" Mowers and 1-60" Mower	2224	\$26,761.00
OMEGA15	15' Omega Flex Mowers - 2-60" Mowers and 1-72" Mower	2376	\$27,290.00
OMEGA19	19' Omega Flex Mower - 2-72" Mowers and 93" Mower	2684	\$28,727.00

Omega Gang Mower

This gang mower is an excellent choice for sports fields, parks, large meadows, etc. thanks to its high-quality components.

- 40 – 90 HP
- 1- 4 Inch Cut Height
- Main Frame With 2 Hard Rubber Tires
- Transmission With Wide Angle PTO Shaft
- Mowers Raised & Lowered Hydraulically
- 3 PRM/XRM Finishing Mowers w/Cast Iron Gearbox 540 RPM & Belt Drive
- Rear Discharge & Optional Mulching System
- Adjustable Height, Pivoting Wheels
- Category 5, Universal Slip Clutch 1000 mm
- Central Lubrication
- - Anti-Scalp Rollers

*Optional Mulching Kit



	Cut Width	MOWER DECKS			
		PRM 120	PRM 150	PRM 180	XRM 235
Omega 12	144"	2	1		
Omega 15	180"		2	1	
Omega 19	222"			2	1