

Auger Tubes & Flighting

Along with our plastic augers, MARKET FARM EQUIPMENT offers replacement plastic tubes for a number of our competitor's steel augers.

These plastic auger tubes allow you to use most of your augers existing parts like the flighting, hopper, hoses, winch, motor/valve and in most cases even the downspout.

Standard lengths are 12', 14' & 15'.

Plastic tubes available for the following steel augers:

Market 612, 120 Pivot Style
 J&M Pivot Style, Uni-Swivel
 Turnco 12T4, 14T4
 Killbros 110, 112, 114, 115
 Unverferth/McCurdy AG-12, AG-14

Flighting available (top driven)

5-5/8" straight blade plastic
 5" cupped plastic
 5-5/8" cupped steel
 5-5/8" bristle tipped
 7" cupped plastic
 7-1/2" straight blade plastic
 7-1/2" cupped steel
 7-1/2" bristle tipped

Lengths available:

12', 14', 15', 18', 20' & 25'
 12', 14', 15', 18', 20' & 25'
 12', 14', 15', 18', 20' & 25'
 12', 14', 15', 18', 20' & 25'
 12', 14', 15', 18', 20' & 25'
 12', 14', 20' & 25'
 12', 14', 20' & 25'
 12', 14', 15', 18', 20' & 25'



GRAVITY BOX AUGERS

ULTRA-GLIDE AUGER



Optional hopper fits doors up to 60" wide.

*Optional brackets for gravity boxes with straight door side.

The ULTRA-GLIDE AUGER's unique plastic hopper design allows the spout to remain pointing downward as the auger is moved from side to side. This allows for proper flow.

Available in 6" & 8" dia. x 12', 14' & 15' lengths.

"SERVING THE FARM INDUSTRY SINCE 1962"

MARKET FARM EQUIPMENT LTD.

RR#1 DASHWOOD, ONTARIO, CANADA, N0M 1N0
 TEL# 519-238-2301 FAX# 519-238-6044

E-MAIL: mfeltd@execulink.com
 WEB-SITE: www.marketfarmequipment.com

OLD FAVORITES

PIVOT AUGER



The PIVOT AUGER has a bottom pivot pin & pan style hopper design.

The advantage of this hopper design is high ground clearance.

Optional adaptor brackets for boxes with straight door side.

Available in 6" dia. x 12', 14' & 15' length.


The auger is 10½" lower than the door when in transport.

Optional wing extension kit for the pivot style hopper fits doors up to 60" wide.

Optional telescoping & rigid downspouts



SWIVEL AUGER



The SWIVEL AUGER has a sump design.

The hopper moves up & down with the auger when raised.

The advantage of this hopper design is maximum ground clearance.

Mounts equally well on gravity boxes with a sloped or straight door side.

Optional hopper fits doors up to 60" wide.

Available in 6" & 8" dia. x 12', 14' & 15' lengths

The auger is 2" lower than the door when in transport.

Standard features:

Sch. 40 PVC tube, 6 cu. inch motor c/w manifold mount control valve, 1000 lb. brake winch, 4' wire reinforced downspout, ½" x 22' hydraulic hoses, adjustable transport bracket, EZ-Swing cable system & choices of plastic, cupped plastic, bristle & cupped steel flighting.



"AUGER-MATE" HYDRAULIC POWER UNIT



ULTRA-GLIDE AUGERS



***Optional brackets for boxes with straight door side.**



Optional hopper fits doors up to 60" wide.

The ULTRA-GLIDE AUGER's unique plastic hopper design allows the spout to remain pointing downward as the auger is moved from side to side allowing for proper flow.

Available in 6" dia. x 12', 14' & 15' lengths & 8" dia. x 12' & 14' lengths.

Available with cupped steel, bristle plastic & 5" cupped plastic flighting.

**Market Farm Equipment Ltd.
Dashwood, Ontario, Canada**

**Tel # 519-238-2301
Fax# 519-238-6044**

**E-mail: mfeltd@execulink.com
Web-Site: www.marketfarmequipment.com**

"SERVING THE FARM INDUSTRY SINCE 1962"



PIVOT STYLE AUGERS



The PIVOT AUGER has a bottom pivot pin & pan style hopper design.

The advantage of this hopper design is high ground clearance.

Optional adaptor brackets for boxes with straight door side.

Available in 6" dia. x 12', 14' & 15' length.

The auger is 10 1/2" lower than the door when in transport.

The PIVOT AUGER's design allows the spout to remain pointing downward as the auger is moved from side to side, allowing for proper flow.

The optional wing extension kit for the pivot style hopper fits doors up to 60" wide.



Market Farm Equipment Ltd.
Dashwood, Ontario, Canada

Tel # 519-238-2301
Fax# 519-238-6044

E-mail: mfeltd@execulink.com
Web-Site: www.marketfarmequipment.com

"SERVING THE FARM INDUSTRY SINCE 1962"

Market

MARKET FARM
EQUIPMENT LTD.

SWIVEL STYLE AUGERS



The SWIVEL AUGER has a sump design.

The hopper moves up & down with the auger when raised or lowered.

The advantage of this hopper design is maximum ground clearance.

Mounts equally well on gravity boxes with a sloped or straight door side.

Optional hopper fits doors up to 60" wide.

Available in 6" dia. x 12', 14' & 15' lengths & 8" dia. x 12' & 14' lengths.

Available with cupped steel, bristle plastic & 5" cupped plastic flighting.

The auger is 2" lower than the door when in transport.

Market Farm Equipment Ltd.
Dashwood, Ontario, Canada

Tel # 519-238-2301
Fax# 519-238-6044

E-mail: mfeltd@execulink.com
Web-Site: www.marketfarmequipment.com

"SERVING THE FARM INDUSTRY SINCE 1962"