

The **JBM** Advantage

519.699.4324

# Farm Built. Farm Ready.

Feeders & Feeder Wagons . Bale Racks . Dump Trailers . Horst Wagons



# JBM

John BM Mfg Ltd



## Product Guide

Heavy-duty  
Farm Equipment



JBM Manufacturing is an Ontario based manufacturer of heavy-duty farm equipment, including a complete line of feeders, bale wagons and dump trailers.

We're farmers, and it's our intent to provide the North American farming community with products that are farmer friendly. Usable. Durable. Affordable.

Browse this catalogue and contact your local JBM dealer for more information or to purchase our products.



Feeder Wagons . . . . .	4
Self-Locking Feeders . . . .	8
Tombstone Feeders . . . . .	9
Skid Feeders . . . . .	10
Heavy-Duty Feeders . . . . .	11
Bunk & Tub Feeders . . . . .	12
Bale Wagons . . . . .	14
Grain & Forage Boss . . . . .	20
Dirt Boss Dumpers . . . . .	22
Mighty Dumpers . . . . .	26



All products are also available  
in John Deere green.



The Cattleman's Choice Feeder Wagon is the market leading feeder of choice for

# Feed Time (JBM Time)



The Cattleman's Choice Feeder Wagon is the market leading feeder of choice for North American beef and dairy farms. Available in 7' & 8' widths.

Lengths:

- 12' . . . 28 feeding spaces
- 16' . . . 34 feeding spaces
- 20' . . . 40 feeding spaces
- 24' . . . 46 feeding spaces
- 30' . . . 52 feeding spaces



Designed for easy clean out



Tandem axle with 5,000 pound, 6 bolt hubs & spindles – standard on 30' length only



### STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Hinged double bar sections & rear door open, allowing for quick & easy clean out

- Single axle with 4,000 pound, 6 bolt hubs & spindles
- 245 R16" 10-ply used truck tires

### OPTIONAL:

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles (on lengths under 30')

North American beef and dairy farms.



## Feeder Wagons

Available in 7' & 8' widths.

Lengths:

- 12' . . . 28 feeding spaces
- 16' . . . 34 feeding spaces
- 20' . . . 40 feeding spaces
- 24' . . . 46 feeding spaces
- 30' . . . 52 feeding spaces



### STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Single axle with 4,000 pound, 6 bolt hubs & spindles

- Tandem axle with 5,000 pound, 6 bolt hubs & spindles – standard on 30' length only
- 245 R16" 10-ply used truck tires

### OPTIONAL:

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles (on lengths under 30')

# Feeder Wagons



Available in 5' & 6' widths.

Lengths:

- 12' . . . 24 feeding spaces
- 16' . . . 30 feeding spaces
- 20' . . . 36 feeding spaces
- 24' . . . 42 feeding spaces



## STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR (6' width required for large round bales)
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- Rear door allows for quick & easy clean out

- Single axle with 4,000 pound, 6 bolt hubs & spindles

- 245 R16" 10-ply used truck tires

## OPTIONAL:

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles

Available in 7' width.

Lengths:

12' . . . 28 feeding spaces

16' . . . 34 feeding spaces

20' . . . 40 feeding spaces

24' . . . 46 feeding spaces



**STANDARD FEATURES:**

- Feeds grain, silage & TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan

- Plywood bolted on inside of double bars makes this an affordable grazer wagon
- Single axle with 5,000 pound, 6 bolt hubs & spindles
- 245 R16" 10-ply used truck tires

**OPTIONAL**

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles

Available in 7' width.

Lengths:

12' . . . 28 feeding spaces

16' . . . 34 feeding spaces

20' . . . 40 feeding spaces

24' . . . 46 feeding spaces

30' . . . 52 feeding spaces



**STANDARD FEATURES:**

- Feeds grain, silage & TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Rear door allows for quick & easy clean out

- Single axle with 4,000 pound, 6 bolt hubs & spindles
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles – standard on 30' length only
- 245 R16" 10-ply used truck tires

**OPTIONAL:**

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles (on lengths under 30')

## Self Locking Feeder

# Self-Locking Feeders

- Locks on all 4 sides:
  - 8' . . . 14 locks
  - 10' . . . 16 locks
  - 12' . . . 18 locks
  - 16' . . . 22 locks
  - 20' . . . 26 locks
  - 24' . . . 30 locks



These Self-Locking Feeders work great for vaccinations, artificial insemination and ear tagging. The feeder wagon makes catching cattle in the field easy. A raised platform running along the centre of the feeder and an entry door allow for easy access to the cattle's heads and necks. Double bars on the inside keep hay wastage to a minimum.

### STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- Adjustable locks for any size cattle – Spring-loaded bar locks in 6", 8" & 10" positions
- "V" floor design ensures easy feed flow to outside of pan
- Entry door & raised centre platform running length of feeder



- Lengths:
  - 16' . . . 19 locks
  - 20' . . . 23 locks
  - 24' . . . 27 locks

## Self Locking Feeder

## Self-Locking Feed Fronts



Available in 2' section lengths from 2' to 12' (1 lock per 2' section)  
Optional 12" skirt on bottom

### STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR
  - Constructed of heavy-duty 12 gauge steel
  - Complete "T" frame undercarriage
  - Tight cornering front dolly
  - Telescopic quick hitch tongue
  - Adjustable locks for any size cattle – Spring-loaded bar locks in 6", 8" & 10" positions
  - "V" floor design ensures easy feed flow to outside of pan
  - Entry door & raised centre platform running length of feeder
  - Single axle with 5,000 pound, 6 bolt hubs & spindles
  - 245 R16" 10-ply used truck tires
- OPTIONAL:**
- 11L x 15" 8-ply new implement tires
  - Tandem axle with 5,000 pound, 6 bolt hubs & spindles



# Tombstone Feeders

These Tombstone Feeders are designed with horses in mind to protect manes and eliminate bumps and bruises. Double bars on the inside keep hay wastage to a minimum.



## TOMBSTONE SKID FEEDER

- Available in 7' & 8' widths
- Available in 8', 12', 16' & 20' lengths

### SKID FEEDER / STANDARD FEATURES:

- Feeds round bales, square bales & grain
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- "V" floor design ensures easy feed flow to outside of pan

## TOMBSTONE FEEDER WAGON

- Available in 7' width
- Available in 12', 16', 20' & 24' lengths

### FEEDER WAGON / STANDARD FEATURES:

- Feeds round bales, square bales & grain
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Single axle with 4,000 pound, 6 bolt hubs & spindles
- 245 R16" 10-ply used truck tires

### OPTIONAL:

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles

# Skid Feeders



“The proven feeder that sells itself!”



This proven feeder sells itself! The double bar feeder is specifically designed for dry and haylage bales, square and round. Available in 7' & 8' widths. Available in 8', 12' & 16' lengths. Can be built with 8" or 12" spacing on inside double bars.

#### STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- "V" floor design ensures easy feed flow to outside of pan

#### OPTIONAL:

- Door on one end
- 12" extension on top of feeder (prevents larger cows from reaching over feeder)

The Big Ben Feeder is field proven for horses. Available in 8' width. Available in 8' & 12' lengths.

#### STANDARD FEATURES:

- Feeds round & square bales
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- 8" spacing on inside double bars
- "V" floor design ensures easy feed flow to outside of pan

#### OPTIONAL:

- Door on one end



# Heavy-Duty Feeders

## Heavy-Duty Rectangular Feeder



### HEAVY DUTY RECTANGULAR FEEDER

- Available in 5', 6' & 7' widths
- Available in 8', 12' & 16' lengths

#### STANDARD FEATURES:

- Feeds round & square bales
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel

#### OPTIONAL:

- Solid steel floor
- 12" spaced double bars (available on 7' width only)

## Heavy-Duty Feed Fronts



### HEAVY DUTY FEED FRONTS

- We build Heavy-Duty Feed Fronts that are customizable to your specifications.
- Available in lengths from 4' to 24'

#### STANDARD FEATURES:

- 54" height
- Constructed with a heavy-duty 2" square tube frame and 1 1/4" square tube slant bars
- 12" or 20" skirt on bottom

# Bunk Feeders



## The Best of the Bunk Feeders



JBM's Heavy-Duty Bunk Feeder makes a great multi-purpose walk-in feeder for hay, grain and silage.

- Available in 4', 5' & 6' widths
- Available in 10', 12', 16', 20' & 24' lengths

### STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR (5' & 6' width required for large round bales)
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- Walk-in door allows for quick & easy clean out

### OPTIONAL:

- Custom sizes available
- Kick panel



# Bunk Feeders



The Fence Line Bunk Feeder is built for your barn-yard or fence-line feeding operation. Available in 34" & 48" widths. Available in lengths every 2' from 8' to 24'

**STANDARD FEATURES:**

- Feeds grain, silage & TMR
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel

**OPTIONAL:**

- Kick Panel, Self-Locking Feed Front & Custom sizes available



These Heavy-Duty Tub Feeders make great multi-purpose feeders. Available in 34" & 48" widths. Available in 8', 10', 12', 16', 20' & 24' lengths

**STANDARD FEATURES:**

- Feeds grain, silage & TMR
- Constructed with a heavy-duty 2" square tube frame & 12 gauge steel

**OPTIONAL:**

- Kick Panel

# Bale Wagons



This heavy-duty bale hauler, with its steel mesh or checker plate deck, is ready for long days of bringing bales in from the field.

Available in 8 1/2' & 9' widths  
Available in 20', 22', 24', 26', 28', 30', 32' & 36' lengths

#### STANDARD FEATURES:

- Hauls round bales & square bales
- 10" heavy-duty longitude beams (12" beams on 36' length)
- Heavy-duty formed steel cross bars are spaced every 16"
- Heavy-duty formed steel rub guard on sides
- 3 pound grating expanded steel mesh or 1/8" checker plate deck

- Removable front & rear slant end gates

#### OPTIONAL:

- Custom sizes available
- Extended rear hitch
- Rear light kit
- Winch track & tie down straps
- 5' rear end gate
- Horst running gear



## **Bale King** Racks

Eliminate tearing on your plastic wrapped bales! This bale wagon, designed for any size round or square bales, features a heavy-duty formed steel rub guard on the sides. Available in 8 1/2' & 9' widths. Available in 16', 18', 20', 22', 24', 28', 30', 32' & 36' lengths

### **STANDARD FEATURES:**

- Hauls round bales, square bales & plastic wrapped haylage bales
- 10" heavy-duty longitude beams (12" beams on 36' length)
- Heavy-duty formed steel cross bars are spaced every 20"
- Heavy-duty formed steel rub guard on sides
- Removable front & rear slant end gates

### **OPTIONAL:**

- Extended rear hitch
- Rear light kit
- Winch track & tie down straps
- 5' rear end gate
- Horst running gear



Optimized round bale hauler.

- Available in 8 1/2' & 9' widths
- Available in 20', 24', 30' & 36' lengths
- Available for 4', 5' or 6' diameter round bales
- Available with straight or curved cross that are welded solid

**STANDARD FEATURES:**

- Hauls round bales
- 10" heavy-duty longitude beams (12" beams on 36' length)
- 5" x 3" HSS steel cross bars
- Removable front & rear slant end gates

**OPTIONAL:**

- Extended rear hitch
- Rear light kit
- 5" x 3" HSS steel rub guard on cross bars
- Horst running gear

Optional Rear Light Kit



# Bale Wagons



The JBM Thrower Rack efficiently brings in your bales from the field. Available in 8' width. Available in 20' & 24' lengths

#### STANDARD FEATURES:

- Hauls small square bales
- 6" heavy-duty longitude beams
- 3 pound grating expanded steel mesh deck
- Side & front unloading
- Front opening has a 3' gate that opens flat
- 72" wide side opening eliminates bale jams while unloading
- Easy to assemble

#### OPTIONAL:

- 10" heavy-duty longitude beam on 24' length rack
- Extended rear hitch
- Rear light kit
- Horst running gear



This tough round bale hauler is available in 8 1/2' width and 20' or 24' lengths. Heavy-duty 5" x 3" HSS cross bars are curved for load stability. The main beams are 8" x 4" HSS. Available for 5' or 6' dia round bales.

#### 20' MODEL

- 16,000 pound capacity
- Hauls up to 11 – 5' diameter round bales or up to 8 – 6' diameter round bales
- 5,000 pound, 6 bolt hubs & spindles – front & rear

#### TIRE OPTIONS:

- 11L x 15" 8-ply new implement tires
- 11L x 15" 12-ply new implement highway service tires
- 245 R16" 10-ply used truck tires

#### 24' MODEL

- 20,000 pound capacity
- Hauls up to 14 – 5' diameter round bales or up to 11 – 6' diameter round bales
- 5,000 pound, 6 bolt hubs & spindles – front
- 5,500 pound, 8 bolt hubs & spindles – rear

#### TIRE OPTIONS:

- 11L x 15" 8-ply new implement tires (front) & 12.5L x 15" 10-ply new implement tires (rear)
- 11L x 15" 12-ply new implement highway service tires (front) & 12.5L x 15" 12-ply new implement highway service tires (rear)
- 245 R16" 10-ply used truck tires (front & rear)

#### STANDARD FEATURES:

- Low profile – Approximately 27" from the ground to the cross bars
- Telescopic quick hitch tongue
- Removable front & rear slant end gates

"The only two-beam bale hauler on the market"





## Compact Wagon

Our compact bale rack and wagon, with its 4' x 8' steel mesh deck, is the perfect fit for your ATV or compact tractor.

### STANDARD FEATURES:

- Hauls 2 large round or square bales
- Heavy-duty formed steel rub guard on sides
- 3 pound grating expanded steel mesh deck
- Removable front & rear slant end gates
- 3' rear end gate
- 2 ton running gear
- 16 x 6.5" 8-ply new turf saver tires



## Regular Duty Flat Racks

Simple and straight forward, JBM Flat Racks are an efficient and easy to use bale hauler. Available in 8 1/2' width. Available in 16', 18', 20', 22' & 24' lengths.

### STANDARD FEATURES:

- Hauls round bales & square bales
- 6" heavy-duty longitude beams
- Heavy-duty formed steel cross bars are spaced every 24" (16" with optional checker plate deck)
- Heavy-duty formed steel rub guard on sides
- 3 pound grating expanded steel mesh or

1/8" checker plate deck

- Removable front & rear slant end gates

### OPTIONAL:

- Extended rear hitch
- Rear light kit
- Winch track & tie down straps
- 5' rear end gate
- Horst running gear



Take charge of grain, forage and manure hauling with the Boss. The Boss handles 15 tons with ease. Dump box dimensions: 7 1/2' wide x 16' long with 5' high sides

# Grain & Forage Boss



## STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 12"
- Front see-through screen with sliding cover
- Single telescopic hydraulic cylinder – hoses included
- Hydraulic tail gate with grain door
- Swivel hitch
- Safety chains
- 12,000 pound drop leg jack
- 12,000 pound, 8 bolt hubs & spindles
- 445/50 x 22.5" used truck tires

## OPTIONAL:

- Rear light kit
- 550/60 x 22.5" 16-ply new flotation tires
- 600/50 x 22.5" 16-ply new flotation tires

# Dirt Boss Dumpers



The Dirt Boss is built for brutal use as a dirt dumper. The hydraulic tailgate opens 3' above the sides for no-obstruction dumping.

Dump box dimensions: 7' wide x 12' long with 2' high sides

#### STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 24"
- Dual 4" x 25" double-acting hydraulic cylinders – hoses included
- Hydraulic tail gate with grain door
- Swivel hitch
- 8,000 drop leg jack
- 6,500 pound, 8 bolt hubs & spindles
- 12.5L x 15" 12-ply new implement highway service tires



Shown with 400/60 x 15.5" 16-ply flotation tires



Shown with 425 x 22.5" truck tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- 12.5L x 16" 14-ply new implement tires
- 400/60 x 15.5" 16-ply new flotation tires
- 425 x 22.5" used truck tires with 12,000 pound, 8 bolt hubs & spindles

# Dirt Boss Dumpers



This 15-ton Dirt Boss is ruggedly built to handle dirt, stones, manure & grain. The hydraulic tailgate opens 3' above the sides for no-obstruction dumping. Dump box dimensions: 7 1/2' wide x 16' long with 2 1/2' high sides



**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 12"
- Single telescopic hydraulic cylinder – hoses included
- Hydraulic tail gate with grain door
- Swivel hitch & safety chains
- 12,000 pound drop leg jack,
- 12,000 pound, 8 bolt hubs & spindles
- 445/50 x 22.5" used truck tires

**OPTIONAL:**

- Rear light kit
- 550/60 x 22.5" 16-ply new flotation tires
- 600/50 x 22.5" 16-ply new flotation tires

• Shown with 550/60 x 22.5" flotation tires





**Mighty  
Dumpers**



JBM Dumpers, built for those dirty jobs!

## Mighty Dumpers



**Mighty**  
**DUMPER T1200H**

Our 12-ton Mighty Dumper comes in two styles: High (above) and Standard (right).

The high model is built with 4 1/2' high sides and the standard model is built with 3' high sides. Otherwise, both are built to the same basic, ready-for-duty specifications.

Dump box dimensions: 7' wide x 12' long with 4 1/2' high sides (T1200H) or 3' high sides (T1200)



The T1200 Dirt Boss, T1200H & T1200 Mighty Dumpers are available with 400/60 x 15.5" 16-ply flotation tires



**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 12"
- Dual 4" x 24" double-acting hydraulic cylinders – hoses included
- Self-opening tail gate with grain door
- Swivel hitch
- 8,000 drop leg jack
- 6,500 pound, 8 bolt hubs & spindles
- 12.5L x 15" 12-ply new highway service tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- Hydraulic tail gate
- 12.5L x 16" 14-ply new implement tires
- 400/60 x 15.5" 16-ply new flotation tires

# Mighty Dumpers



The T150 Mighty Dumper is a 1 1/2-ton capacity, tandem axle utility trailer, with removable 1 1/2' formed steel sides. Dump box dimensions: 4' wide x 6 1/2' long with 1 1/2' high sides

**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Single 3" x 12" double-acting hydraulic cylinder – hoses included
- Latching tail gate
- Swivel hitch
- 2,000 drop leg jack
- 1,000 pound, 5 bolt hubs & spindles
- 18/850-8 4-ply new turf saver tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote

The S500L Mighty Dumper is a 5-ton capacity, single axle utility trailer, with removable 1' formed steel sides. Dump box dimensions: 6' wide x 10' long with 1' high sides

**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 24" double-acting hydraulic cylinder – hoses included
- Wood plank slide-out tail gate
- Swivel hitch
- 8,000 drop leg jack
- 5,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 245 R16" 10-ply used truck tires

The S500 Mighty Dumper is a 5-ton capacity, single axle utility trailer with removable 2' formed steel sides and a self-opening tailgate with a grain door. Dump box dimensions: 6' wide x 10' long with 2' high sides

**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 24" double-acting hydraulic cylinder – hoses included
- Self-opening tail gate with grain door
- Swivel hitch
- 8,000 drop leg jack
- 5,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 11L x 15" 12-ply new implement highway service tires
- 245 R16" 10-ply used truck tires



Grain door



Mighty DUMPER T800



Mighty DUMPER T800L

The T800 Mighty Dumper is an 8-ton capacity, tandem axle utility trailer with removable 2' formed steel sides and a self-opening tailgate with a grain door. Dump box dimensions: 6' wide x 10' long with 2' high sides

**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 24" double-acting hydraulic cylinder – hoses included
- Self-opening tail gate with grain door
- Swivel hitch
- 8,000 drop leg jack
- 6,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 11L x 15" 12-ply new implement highway service tires
- 245 R16" 10-ply used truck tires

The T800L Mighty Dumper is an 8-ton capacity, tandem axle utility trailer, with removable 1' formed steel sides. Dump box dimensions: 6' wide x 10' long with 1' high sides

**STANDARD FEATURES:**

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 24" double-acting hydraulic cylinder – hoses included
- Wood plank slide-out tail gate
- Swivel hitch
- 8,000 drop leg jack
- 6,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

**OPTIONAL:**

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 245 R16" 10-ply used truck tires



# Farm Built. Farm Ready.

Feeders & Feeder Wagons . Bale Racks . Dump Trailers . Horst Wagons

**JBM Manufacturing Ltd.**  
4074 Hessen Strasse, RR1  
St. Clements Ontario, N0B 2M0  
p (519) 699-4324  
f (519) 699-6105

Brought to you by:

