

PRODUCTS FOR ALL SEASONS



Cummings & Bricker, Inc.



Agricultural | Construction | Forestry
Landscaping | Snow Equipment

cummingsandbricker.com

INDEX

Some products **MAY NOT BE DISTRIBUTED** in all areas through Cummings & Bricker.

Excavator, Loader & Skid Steer Attachments3 - 7

Adapters, Bale Spears, Blades, Buckets, Compaction Plates, Compaction Wheels, Cutters, Graders, Grapples, Hammers, Land Planes, Load & Go Attachment Racks, Pallet Forks, Power Rake

Dirt Moving, Ground Engaging Equipment8 - 15

Aerators, Augers, Backhoes, Blades, Bolt On Grapples, Box Blades, Compact Loader Attachments, Graders, Grapples, Landscape Rakes, Post Pounders, Post Hole Diggers, Rock Pickers, Rollers, Rotorake, Scrapers, Stone Forks, Stump Grinder, Tree Puller, Wire Stretcher

Farmstead & Feeding16 - 24

Alley/Stall Scrapers, Bale Processors, Bale Splitters, Feeding & Bedding Machines, Feed Carts, Feeder Wagons, Mixer Feeders, Side Discharge Buckets, Silage Facer, Silage Blades/Rakes, Silage Boxes & Blowers

Forestry & Landscaping Equipment25 - 32

Chippers, Firewood Conveyors, Grapple Buckets, Leaf Blower, Limb Saw, Log Grapples, Log Trailers, Mulchers, Shredders, Skidding Winches, Stump Grinders, Tree Spades, Wood Splitters, Wood Processors,

Grass & Pasture.33 - 40

Crimper, Cutters, Disc Mowers, Finishing Mowers, Flail Mowers, Food Plot Implements, Harrows, Lawn/Pasture Vacs, Mowers, Rollers, Seed Drill, Sickle Bar Mower, Wire Winder

Hay & Forage41 - 52

Bale Carriers, Bale Grabbers, Forage Blowers, Harvesters, Hay Wagons, Inline Wrappers, Integrated Baler Wrappers, Mowers, Re-Conditioners, Rakes, Round Balers, Sickle Bar Mowers, Tedders, Silage Blade/Rakes, Silage Packer, Silage Wagons, Wrappers

Material Handling53 - 60

Augers, Conveyors, Dump Box, Elevators, Fertilizer Spreaders, Fuel Trailers, Grain Storage, Manure Spreaders, Seeders, Seed Boxes, Weight Boxes

Snow Removal61 - 68

Drop Spreaders, Snow Blades, Snow Blowers, Snow Wings, Snow Pushers

Specialty Equipment69 - 71

ATV/UTV Attachments, ATV/UTV Track Systems, Bed Shapers, Mulch Layers, Track Curry, Transplanters

Tillage72 - 75

Compact Discs, Chain Harrows, Cultivators, Discs, Field Rollers, Harrows, Pasture Renovators, Rototillers, Subsoilers, V-Plows

Wagons.76 - 78

Dump Wagons, Grain & Forage Wagons, Header Carts, Wagon Gear

ABOUT CUMMINGS & BRICKER



With over 60 years of experience, Cummings & Bricker is held in high regard as a leader in offering quality and innovative equipment.

Cummings & Bricker sells a diversified line of agricultural, construction, forestry, landscape, sportsman and snow equipment through equipment dealers in the Northeastern, Midwestern, and Mid-Atlantic United States. Dealers are located in Maine, Vermont, New Hampshire, Connecticut, Massachusetts, Rhode Island, Delaware, New York, Pennsylvania, New Jersey, Michigan, Ohio, Indiana, Maryland, Virginia, West Virginia, North Carolina and South Carolina.

As a full service distributor, Cummings & Bricker Inc. bridges the gap between manufacturer and dealer, providing functions which lower distribution costs through warehousing and marketing. Warehouses in Batavia, NY and Carlisle, PA, are staffed by full time office, sales, parts, and service personnel who provide personalized service to our customers.

Our distribution business is geared strongly towards providing dealers with a reliable source of diversified products from internationally respected manufacturers.



**BUCKET
BUNKER®**

Load & Go Attachment Racks

MINI SKID STEER |
SKID STEER | COMPACT
EXCAVATORS

All racks use heavy-gauge U.S. made steel. They feature secure tie-downs, save time loading/unloading, and organize your gear in a single job ready unit.

Built for Crews Who Don't Have Time to Waste

No more loading attachments one by one on and off your trailer — simply load them all as one single unit and hit the road. It's the faster, smarter way to get to work. Engineered for skid steers, compact excavators, and mini skids, each American-made rack keeps your attachments secure, upright, and job-ready—while drastically cutting time spent loading and unloading your trailer.

MINI SERIES

The Mini-Series is built specifically for mini-skid loaders, offering compact, all-in-one racks to transport and store small attachments.

MODELS INCLUDE:

Auger MINI — holds a hydraulic auger drive and several bits

Auger Lite-MINI — a lighter-duty version for fewer or smaller auger bits

Construction MINI — supports mini-skid buckets, mini-excavator buckets, pallet forks, plus hand-tool shelves



Construction Mini Shown

PRO SERIES

The Pro Series is a heavy-duty "Load & Go" attachment racks specifically built for full-size skid steers.

MODELS INCLUDE:

AUGER PRO — For heavy-duty tasks requiring auger drives, bits, multiple buckets, pallet forks. Great for drilling, earth-moving.

Auger Lite-PRO — Lighter-duty variant for full-size skid steers, still enabling transport of buckets, forks, augers.

Construction PRO — For general construction operations, likely versatile storage for varied attachments.

Demo PRO — Built for demolition, forestry, and land-clearing attachments — ideal for heavy-duty jobs.

Grapple PRO — Suited for jobs involving grapples or large attachments plus standard buckets, augers, forks.

Utility PRO — Targeted at utility companies/contractors — has dedicated slots for tools like pole setter grapples, kelly bars, hitch plates, plus buckets, augers, forks, and hand-tools.



Grapple Pro Shown

EX SERIES

The Ex Series is a light of attachment racks built specifically for mini-excavator equipment.

MODELS INCLUDE:

MIN-EX 2T — For small residential jobs, light landscaping or utility work.

MIN-EX 6T — For medium-size mini-excavators used in general residential/commercial excavating, utility, landscaping.

MIN-EX 6T XL — For larger-scale jobs, heavy-duty mini-excavator work, or when you need to carry larger buckets and more attachments.



Mini Ex 6T Shown



Hammers/ Compaction Plates & Wheels

SKID STEER | EXCAVATOR



HYDRAULIC HAMMERS

offer high quality, long life and excellent serviceability. The range includes hammers with all the power needed for tough jobs, all within one of the most compact designs available.

Hammer

R-RANGE features a tie-rodless hammer design with a narrow box to provide access to surfaces in confined spaces. This excavator friendly hammer provides powerful gas fired operation using less oil at lower working pressures. Fully serviced using no specialty tools. Available in standard and Heavy-duty.



VIBRATORY COMPACTION PLATES

employ a unique 'V Profile' design enabling powerful compaction and sheet/post/pile driving while

delivering superior vibration protection for the excavator by the use of heavy duty in-line dampening buffers.

PRIMARY USES:

- Backfill trench compaction
- Sheet, post and pile driving
- Soil compaction



ROTARY COMPACTION WHEELS

uses the weight and downward force of the carrier to produce compaction of soil and backfill on any job site. By utilizing sealed bearing housings the ACW range is a low maintenance tool made from high quality steels to ensure a long working life.

Compaction Wheels are available in a range of sizes and is also manufactured for skid steer loaders and larger machines.

- Simple design
- Low maintenance and long service life
- Configured to suit a variety of applications
- Sealed bearing to eliminate greasing



E-RANGE (*skid steer*) is designed specifically for skid steers. Its powerful gas fired operation uses less oil at lower working pressures.



Skid Steer/Loader Implements

- Pallet Forks
- Bale Spears
- Vibratory Post Pounder





Compact Loader Attachments / Buckets / Dirt Blade

TRACTOR | SKID STEER

Compact Loader Attachments

HLA offers a large variety of high-quality attachments including attachments for compact tractors and walk behind skid loaders.

GRAPPLES

- Available in various widths as Brush Grapple, Scrap Grapple Bucket and Utility Grapple
- Widths available from 42" to 66"



LOADER BUCKETS

- Compact utility and low profile buckets available in widths from 36" to 72"
- Reinforced round back and end plates for strength, easy filling & clean out



STONE FORK

- Available in widths from 48" to 70"
- 1" shaft diameter
- 2 1/2" spacing between tines
- 35" deep, 23" high
- Points are 5/8" thick, 400 Brinell high strength steel



LIGHT DUTY PALLET FORKS

- Available in various widths
- 900 to 2,000 lbs capacity
- Sliding/adjustable - tines can be locked in any position
- 50" wide carriage



HIGH DUMP BUCKET

- Available in widths from 36" to 60"
- Increases dump out height up to 48"
- 28" deep, 21" high
- Soft stop cylinder for reduced vibration



HEAVY DUTY DIRT BLADE

The heavy duty dirt blade is ideal for skid steers and front end loaders. It's heavy duty construction with two angle cylinders make this a great blade for moving dirt or the occasional snow.

- Reversible cutting edge
- 24" high mouldboard
- Standard: Blade oscillates 5° hydraulically either way for side leveling (Includes electric selector valve)
- Bolt-on skid shoes



HLA offers a wide variety of replacement and specialized buckets and dozer blades for loaders, skid steers and telehandlers.



LONG FLOOR BUCKET

- Improved visibility of the cutting edge from the seat for cutting, grading and backfilling jobs.
- Increased capacity over other buckets, more material per load due to longer floor.
- Improved forward reach for dumping into trucks, spreaders, mixer wagons, etc
- Widths available from 60" - 108"



Attachments/ Power Rake

EXCAVATOR | TRACTOR |
SKID STEER

Attachments and adapters for skid steers, front end loaders, and telehandlers from HLA.

*NOTE: See HLA snow blades under "Snow Removal Equipment"



Rotary Cutters / Levelers / Land Planes

EXTREME DUTY BRUSH CUTTER

The Extreme Duty Brush Cutter for skid steers is a rugged, high-performance land-clearing attachment built for dense brush, woody vegetation and trees up to about 10" diameter. Its oversized 78" rotor with four replaceable flail knives and heavy-duty direct-mounted hydraulic motor delivers powerful cutting force and torque, while optional mulching or chipper knives enhance versatility for forestry and trail work.



ANGLED GRADER LEVELER is a two in one combination of leveling and scraping makes short work of your grading jobs. The first blade attacks the high spots cutting them down to size, the second blade further scrapes anything the first missed and fills in the hollows. 3PH mounted, or equipped with a skid steer adapter plate.

HYDRAULIC ROTARY CUTTER

The Rotary Cutter-series skidsteer mount rotary cutter is a hydraulic attachment built for mowing grass, weeds, and light brush up to about 2" diameter. Its direct-drive motor, heavy steel deck, floating pivot mount, push bar and chain curtain deliver smooth, reliable cutting and debris control.



LAND PLANES

Skid steer-mounted land plane delivers fast, precise grading for gravel drives and lots, featuring adjustable scarifiers and dual cutting edges for smooth, professional results every time.



Buckets / Grapples / Attachments

EXCAVATOR | WHEEL LOADER



Expertly manufactured heavy-duty attachments and adapters for excavators and wheel loaders. Customized and standard heavy-duty attachments that perform in extreme conditions.

Most Attachments Fit All Excavators and Wheel Loaders.



4 In 1 Bucket



GTR TILT ROTATOR

The GTR Tiltrotator is an extension to your machine's arm, providing the operator with the power to work with precision, agility, and efficiency. The GTR Tiltrotator excels on complicated jobs – it will transform your operations by delivering the highest productivity, accuracy, and versatility possible.

Models available for excavators from 2 Ton to 10 Ton.



Pallet Forks



Root Rake Grapples



Asphalt Cutter



Grading Beam



Construction Grapple



Sorting Grapple



Rippers



Tilt Ditching Bucket



Reversible Heavy Duty Digging Bucket
John Deere Compatible



Reversible Ditching Bucket
John Deere Compatible



Grading Bucket



Trenching Bucket



Drivers/ Intimidator/ Augers

TRACTOR | SKID STEER |
BACKHOE | EXCAVATOR



POST DRIVERS

HAMMER DRIVER

The Hammer is a free fall system with no springs, hydraulic cylinder, or return line to allow the weight to come down. It's a complete one-person operation with grapple option (T-posts not included). Drives posts, guard rails, median dividers, tent stakes, T-posts, and railroad ties.

Models available with tilt and grapple options. Excavator models also available.

T3 POST DRIVER

The T3 Driver drives T-posts up to a 3" O.D. (outside diameter) pipe at a rate of up to six strikes per second. Post top is fully contained to prevent kick out and protected from damage by the strike plate. Several mounting options available, including offset skid-steer quick attach allowing the operator to drive parallel to the fence line.

CONCRETE BREAKER

The Hammer model CB40 has a 40" drop hammer design that breaks up reinforced concrete up to 9" thick. Achieves a full stroke with every cycle, delivering 82,000 lbs of impact force.



INTIMIDATOR

Built to remove trees efficiently with skid steers and tractors, Intimidator tree pullers feature aggressive excavator bucket teeth, vertical saw teeth, and synchronized jaws for powerful pulling with minimal machine wear.

Intimidator CT

Designed for compact and mid-size machines, the CT is ideal for routine land clearing and smaller tree removal while still delivering impressive grip and control.

Intimidator XL

Built for larger skid steers and tougher conditions, the XL offers increased jaw capacity and pulling force to tackle bigger trees and deeper root systems with confidence.



AUGER SYSTEMS

Hydraulic EP Series

A robust planetary manufactured to our engineering design, and a motor rated up to 3,500 PSI means greater torque than previous EP models. The planetary also features easily accessible check and fill plugs which means quick and easy maintenance. The output spindle is manufactured as a single piece and offers a lifetime warranty covering output spindle pullout. Comes with auger retaining bolt.



AUGER BITS

Agricultural Style Augers - double flight with plain, serrated, or hole digger head cutting systems. Available with 2" round, 2-9/16" round, or 2" hex collars using a 1/2" bolt.

Industrial Style Augers - double flight with bolt-on teeth, drive-in teeth, and bullet teeth

cutting systems. Available with 2" round, 2-9/16" round, or 2" hex collars using a 5/8", 7/8" or 3/4" bolt depending on collar.

Wobble Auger & 2" Rock Drills - 2" round, 2-9/16" round, or 2" hex collars using a 5/8", 7/8", or 3/4" bolt depending on collar.

HORNET POST DRIVER

The hornet is a quick and powerful post driver utilizing a jackhammer style power cell that offers controlled high-speed performance. The hydraulic grapple allows one person to pick up, load, and drive posts.

Excavator models also available.

MODEL T7 drives T-posts up to 7" diameter posts/pipes with 500-900 strikes/minute and compares to the 750 ft.-lb. energy class.

MODEL T8-RR drives T-posts up to 8" diameter posts/pipes (rail road tie driving tool is optional) at 400-800 strikes/minute and compares to the 1,150 ft.-lb. energy class.

**THE WIDEST SELECTION OF HYDRAULIC PLANETARY DRIVE
DIGGERS ON THE MARKET. SPECIALIZED AUGERS FOR
DRILLING THROUGH SOLID ROCK AND CONCRETE WITH REBAR.**



Hydraulic Planetary Drive Diggers / Post Drivers Augers

TRACTOR | SKID STEER |
BACKHOE | EXCAVATOR

BETTER BY DESIGN.

HYDRAULIC AUGERS

Belltec is a leading supplier of hydraulic drive diggers for skid steers, backhoes and other industrial machines. Belltec products are engineered to be ultra efficient and highly reliable - even in the most demanding conditions. Whether you're drilling through concrete, rock, shale, or compacted soil, Belltec has a product for the job.



HYDRAULIC AUGER TYPES:

- **LC-Series hydraulic auger drives** for light to moderate drilling. Flow ranges from 10-35 GPM and operating pressures to 3500 PSI. 4 year warranty.
- **M-Series hydraulic auger drives** for moderate to heavy duty drilling. Flow ranges from 10-35 GPM and operating pressures to 3500 PSI. 4 year warranty.
- **H-Series hydraulic auger drives** for the toughest drilling conditions. Flow ranges from 10-35 GPM and operating pressures to 3500 PSI. 5 year warranty.
- **HTLS-Series hydraulic auger drives** are a high torque unit with ranges from 6,000-10,000 ft. lbs of torque. Flow ranges from 6-30 GPM and operating pressures to 3500 PSI. 3 year warranty.



DCA

SDA

BHD

Bullet

Spiral



POST DRIVER

The versatile HP750 is ideal for tackling large driven post projects. This easy-to-operate attachment generates its power from a nitrogen-charged power cell, delivering up to 900 blows per minute. It's designed to install all types of wood and steel posts providing maximum adaptability.

BELLTEC'S TM48 uses a unique system that transforms a three-point on a tractor into a drilling machine capable of doing what the big truck rigs do: drill accurate, straight holes (to a depth of 5 ft. on a single auger) in almost any drilling condition, including solid rock and concrete.



Continental Belton

3 Point Post Hole Diggers

FOUR MODELS OF 3 POINT MOUNTED POST HOLE DIGGERS

for tractors 18HP to 90HP. 5 year warranty on gearboxes. Auger sizes from 6" to 24".





Post Pounder / Grapple

SKID STEER | TRACTORS |
TELEHANDLERS

TMW SKID STEER POST DRIVER

TMW Post Drivers work on skid steer loaders, tractors and telehandlers. These low profile drivers are easy to maintain and can pound both wood and steel posts with a striking frequency up to 900 BPM (blows per minute). Optional 6" auger kit available for rocky conditions.

HYDRAULIC ROTATOR

The optional rotator allows the operator to shift the driver from side to side and front to back up to 20 degrees off center in each direction.

DOUBLES AS A BREAKER

Multiple heads are available to turn the TMW Driver into a digger/chisel. Dome head, flat head, chisel and spike tips are available.



**1850 Series Post Driver with
Hydraulic Tilt**

Post Driver Features

- Low profile design
- 3/4" Frame thickness
- Plumb bob chain also acts as depth gauge and post puller for pulling unwanted posts
- 12 month warranty




Dome, Flat, Spike & Chisel Tips Available

	PD1600	PD1850
Operating Weight	1150 lbs.	1325 lbs.
Striking Frequency	500-900 BPM	400-800 BPM
Hydraulic Oil Flow	11-18 GPM	13-24 GPM
Working Pressure	2000 PSI	2200 PSI

EXCAVATOR MOUNT POST DRIVER

The excavator mount post driver has a low profile and is easy to maintain. Similar to the 1850 post driver, it can pound both wood and steel with a striking frequency up to 900 BPM (blows per minute).

- Blank Mount Plate - add mounting bracket as required
- 500-900 BPM/11-18 GPM
- 3/4" Frame thickness
- Plumb bob chain also acts as depth gauge and post puller for pulling unwanted posts
- 12 month warranty



3 POINT HITCH POST DRIVER

- Low profile design
- Category II
- 500-900 BPM/11-18 GPM
- 2000 PSI
- Other mounts available
- Drive posts up to 10' long
- Domed or flat head tools
- 12 month Warranty



BOLT ON GRAPPLE

The TMW Bolt-On Grapple is an easy, affordable way to turn your loader bucket into a grapple making rock, log and debris clean-up a simple task.

- Adjustable to fit different size buckets
- Hydraulic open and close



**Dirt Moving, Ground
Engaging Equipment**

WALLENSTEIN



MADE IN CANADA
FABRIQUÉ AU CANADA

5

YEAR WARRANTY
ANS DE GARANTIE



AVAILABLE IN
REALTREE

Backhoes

TRACTOR | SKID STEER |
MINI SKID STEER

SUB-FRAME, 3 POINT, OR SKID STEER MOUNTED BACKHOES with up to 11'4" digging depth. All models include curved boom design for clean digging, and greasable/replaceable pins at all pivot points. In addition, tractor models also include cushioned swing cylinders and wide stabilizers.

SPECIFICATIONS *(Pending model)*

	Models
Digging Depth	6'4" to 11'4"
Reach From Post Swing	100" to 141"
HP	18 to 120
Bucket Rotation	180°
Swing Arc	150° to 180°
Ground Clearance	8.5" to 10.5"
Required Hydraulic Flow (GPM)	4 to 27

FOR GE OR GX SERIES

STEP 1 CHOOSE A BACKHOE



STEP 2 CHOOSE A BUCKET
Bucket Sizes from 9" to 24"



STEP 3 CHOOSE A MOUNT



Tractor Sub-frame Mount



Tractor 3-Point
Hitch Mount



Universal Quick Attach
Plate *Tie back kit required

ACCESSORIES:



Mechanical Thumb



Hydraulic Thumb



Quick Change Bucket Adapter - switch
between buckets quickly



Ripper Tooth for breaking hard
ground available on GX720, GX920,
GX920XT



Vertical Stabilizer Kit



Greaseable Pins



Street Pad Kit



PTO Pump Kits



Rock Pickers & Windrowers

TRACTOR | SKID STEER



SMR-800 & SMR-600 Skid Steer Models

- Rototilling action breaks lumps, roots and debris while forming rocks in uniform rows
- 4" teeth for greater ground penetration
- Wear resistant Hardox 450
- Chain driven
- Solid or floating mount that pivots up to 20° left or right, manually or hydraulically
- High or low flow hydraulic options

ROCK WINDROWERS

These units windrow scattered rock from 2"-25" diameter, forming them into neat, uniform rows. Having prepared rows greatly reduce the time required to clear rocks and debris from the field.

SRW 3 Point Hitch Models

- Windrows 2" to 25" rocks, forming neat uniform rows
- Drum is constructed of a 8 5/8" heavy wall tube
- Hard surfaced 5/8" thick x 6" long teeth are welded directly to the drum
- Enclosed Drive Chain
- Widths available up to 14'



RS-320 Jumbo Rock Picker

ROCK PICKERS

Get your rocks picked up faster with Schulte rock pickers. With several models to choose from, each have hydraulic hoppers capable of holding up to 5 cubic yards.

Rock Picker Features

- Picks rocks from 2" to 27"
- Models available with hoppers from 2.5 to 5 cubic feet
- Grated hopper bottoms sift out soil
- Large heavy wire springs hold batts firmly in place and cushion shock loads.
- Hydraulic drive system



Giant 2500 Rock Picker Pictured



Attachments



DIRT SCOOP
with 5 cubic
foot capacity.
Reversible.



**HYDRAULIC ANGLE
REAR BLADES**



**ROAD GRADER
BLADES** with dual
cutting edges, with or
without scarifier shanks
cut and level evenly.



**4', 5', AND 6' SPIKE AND
PLUG AERATORS** can be
used as 3 point or pull type.



**LANDSCAPE
RAKES** from 4' to 8'



**BOX SCRAPER
BLADES** from 4' to 3'



Post Pounder / Wire Stretcher / Graders & Blades

TRAILER / SKID STEER

TRAILED POST POUNDER

Ideal's versatile trailer model post pounder allows you to drive posts while hooked up to a trailer or tow vehicle.

Commercial grade, 14 horse power Kohler engine and direct mounted hydraulic pump for powerful efficiency.

Features

- Easily operated with a convenient joystick
- Hydraulic post hugger with multiple post size adjustments
- Adjustable hammer height for different post lengths
- 67" mast stroke
- Ability to adjust the hitch & mast with 16" of travel
- Drive up to a 12" diameter post 12' in height
- 750 lb. hammer ensures you can drive a post in any soil condition
- Greaseless poly slides

Numerous Safety Features Included:

- Hitch lock
- Forward/back tilt safety chain
- Left/Right tilt with stop and mast skirting



14HP commercial Kohler engine with direct mounted hydraulic pump



Hydraulic post hugger with multiple post size adjustments



VIBRATORY POST POUNDER

The vibrating post driver features a 1,150 ft-lb rating for easy operation in a variety of ground conditions, and up to 800 blows per minute makes quick work of any job. Accommodate posts up to 9" in diameter.



WIRE UNROLLER

- Attaches to an ATV, tractor or truck with 2" receiver
- Holds various size rolls of wire for easier fencing
- Perfect for fencing in tight places



WIRE FENCE STRETCHER

- 3pt rear attach stretcher
- Holds spools of heavy wire fencing. Unrolls & stretches without kinking or tangling
- Handles fence rolls up to 65" tall
- CAT I quick-hitch

3-POINT TRACTOR IMPLEMENTS

LANDSCAPE RAKE

- Curved steel tines
- Widths available from 5' to 7' in standard and medium duty

GRADER BLADE

- 20 - 45 HP, CAT I Quick-Hitch
- 5 reversible blade angle adjustments
- Widths available from 5' - 7' in standard or medium duty

BOX BLADE

- Adjustable ripper shanks allows for mixing loose soil to breaking up the toughest ground.
- Widths available from 4' - 7'

LAND GRADER

- Two cutting edges for max grading
- 18 - 55 HP, CAT I Quick Hitch
- Widths available from 6' - 8' in standard or medium duty





Levelers / Blades / Rakes / Backhoes

SKID STEER | TRACTOR |
TRAILER



GRADER BLADES are ruggedly built with a reversible cutting edge. The Manual Blades have five stops of angle adjustment including a full turn around. While the Hydraulic Angle blades allow you to control the blade from the comfort of your seat.



LAND LEVELERS come in a range of sizes from 8' to 12'. Standard on all models is our 1/2" thick reversible hardened cutting edge, ready to smooth out bumps and fill in hollows. Cutting depth is controlled by a 3"x8" hydraulic cylinder. All models are well suited for feedlot and soil reclamation or swale cutting.



GRADER LEVELER is a two in one combination of leveling and scraping makes short work of your grading jobs. The first blade attacks the high spots cutting them down to size, the second blade further scrapes anything the first missed and fills in the hollows.

3PH mounted, or equipped with a skid steer adapter plate.



3PH BOX BLADE provides property owners with affordable options for grading. Complete with steel cutting edges, height adjustable shanks, and a fully welded 3PH design.

Two reversible hardened steel cutting edges allow the operator to pull or push material. One located on the inside of the box and one on the outside.



LANDSCAPE RAKES can be used for a variety of functions around your property - clean up of branches and debris, windrowing stones and rocks, or for adjusting soil and gravel profiles.

Tines can easily be replaced or removed for custom spacing or application.



Landscaper / Rotorake / Stump Grinder

TRACTOR | TRAILER | SKID
STEER

Rotorake

THE ROTORAKE'S (Hyd) bi-directional rotor allows for operation in both directions. Features a 25° angle & 28° tilt for easy swaling and ditching. Oscillating gauge wheels lock in level position for the (P.T.O.) 3-point hitch use. Dual-motor design delivers 40% more torque & eliminates outside bearings & chains.

Features:

- Floating rotor design w/road-grade mini carbide teeth
- Ditch cutters and side shields.
- Working widths of 72" or 84"
- Skid Steer or tractor mount



STUMP GRINDERS include PTO tractor and hydraulic skid steer models. The R25PD is a basic direct-drive PTO grinder, while the R25PSS/PSV add a hydraulic swing arm for easier side-to-side grinding. Skid steer options include the compact R18HD and larger R25HD, with an optional hydraulic swing head.



TREE PULLER features a 28" single pivoting jaw capable of opening up to 14". It is a versatile tool for arborists, farmers, landscapers, and anyone looking to remove brush or trees. The open plate design offers operator visibility, while the push bar keeps broken branches away from the cab.



THE LANDSCAPER is perfect for golf course builders, commercial landscapers, public works, construction sites, or any project requiring grading and reconditioning of a soil or gravel surface. The landscaper can be used to finish an entire site doing the work of a clod-breaker/pulverizer, harrow, box grader, ripper and grass seeder.



Scrapers/Graders/Rollers/Dirt Pans



PASTURE PUNCH AERATORS - in 6', 8', 10' and 12' widths. Relieves compaction, promotes air and water movement, relieves root bound plants, helps activate fertilizer. (Interchange spikes rollers with smooth rollers for dual purpose)

Teagle

Drum Bale Processors

TRACTOR



DRUM PROCESSORS - Teagle Tomahawk bale shredders make short work of all bedding requirements. Cows stay cleaner and less straw is used when it's chopped. Drum type bale processors are easy to use, simple & reliable.

Various rotor systems offer solutions from pre-processing straw for feed to delivering baled silage to a barrier. The Hammer Mill system can chop straw as short as 6", whereas models fitted with the silage rotor can be used as a combined bedder/feeders.



T5050 handle 4' and 5' diameter round bales. Discharge from either side or both sides. Lower left and upper right discharge chutes spread material evenly into stalls. Perfect for bedding or feeding.



T500B TURBO MILL is ideal for poultry and cubicle bedding, preprocessing for TMR and crop mulching.

- High speed turbo fan delivers material through a 5" diameter pipe up to 200' when tractor PTO is engaged.
- Knife system for high feed rate – use only with screen sizes greater than ½".



MODELS T5050XL & T505XLM are equipped with a 9' long drum capable of handling full size square bales. Perfect for bedding or feeding.



T505FSM FEED SLIDE milling system is suited for processing short material for TMR, cubicles or poultry bedding.

The rear hydraulically angled slide allows constant material feed when operating in a stationary position. Output is increased up to 4 tons per hour by eliminating stopping and starting of the drum/machine to load the bale.



T500E Simple and efficient. This electric drive bale processor offers semi-automated straw processing, with less than half the running cost of a tractor per hour.



Heavy duty silage rotor handles all types of hay and straw.



T505M Hammer Mill rotor utilizes sets of swinging knives, fixed paddles, and screens to produce a uniform chop length. Designed for bedding in slotted floor barns, poultry houses, and for feeding chopped straw.



Various screen sizes available for the T505M to suit individual requirements.

Teagle

Box Bale Processor/ Tube Grinder

TRACTOR | TELEHANDLER

HYDRAULIC DRIVE BALE PROCESSORS

No PTO required! These are heavy-duty machines designed for handling round or square bales. They feature a high-output rotor, adjustable processing speed, and a hydraulically operated discharge chute.

6100H Skid steer, compact handler, tractor loader or rear 3-point hitch mount.

6200H Handler or tractor mount (rear or front).



8200 BALE PROCESSOR has been re-designed from the ground up, retaining all the strength of the 7100 and 8100 models that the 8200 range replaces.



MODEL 1010 will handle up to three 6' diameter round bales or two 8' long rectangular bales in one load.



BOX TYPE BALE PROCESSORS have a rotor and cross beater combination that is designed to even out power peaks. Optimized for smooth running. Important when working with livestock. Two speed gearboxes provide high speed for spreading long distances and low speed for discharging close to the machine.

T8500 CHIEF is a "wide body" model that can handle up to two 5' x 5' round bales and all full size square bales.

- Feeds High Moisture
- Beds Corn Stalks
- Spreads up to 80'
- Process Round or Square Bales
- Self Loading



Short Chop



Long Chop

"Dual Chop" models have the ability to produce long chop or short chop material for slotted floors and liquid manure systems.



T8555 CHIEF features 20% larger removable screen. The removable screens allow the 8555 to chop both wet and dry material.

FEATURES



Heavy duty bed chain resulting in less tensioning adjustments



Large diameter crossbeaters for more consistent flow and power



Chain drive to crossbeaters ensure a reliable transmission



Bluetooth Electric Controls



Slip Clutch PTO

C120 processor is a compact, high-performance machine designed for hay, straw, and silage. It features a durable build, capable of fast, consistent chopping with minimal maintenance, making it ideal for small to medium-sized farming operations.

Material length can vary from 3/8" to 5".



TUBE•LINE™

Feeding & Bedding Bale Processors

TRACTOR | SKID STEER |
TELEHANDLER



BALE GATOR is a versatile bale processor designed for efficient handling and processing of round and square bales. It features a powerful feed system, adjustable discharge chute, and hydraulic operation. Ideal for shredding hay, straw, or silage, it helps improve feed efficiency and reduces waste. Its compact design allows for easy maneuverability, making it suitable for a variety of farming operations.

334 BALE GATOR

Bale Size: 46" L x 36" W x 36" H
Throwing Distance: Up to 40 ft.
Carrier Type: 18-50 HP

346 BALE GATOR

Bale Size: 72" L x 48" W x 36" H
Throwing Distance: Up to 50 ft.
Carrier Type: 45-65 HP

348 BALE GATOR

Bale Size: 96" L x 48" W x 36" H
Throwing Distance: Up to 50 ft.
Carrier Type: 70-90 HP



BALE BOSS I loader mount square bale processor mounts to your skid steer or tractor loader combining adaptability with accessibility. The unique loader mount design allows you to raise the Boss I above gates and pens giving you greater control of where the bale ends up. The upfront design of the Boss I allows for quick and easy loading, just Scoop N' Go.

BOSS I can also be used for bunk and fence line feeding and windrowing for re-baling.

BOSS I MODEL 3720 skid steer & loader mount handles bales up to 84"

BOSS I MODEL 3820 skid steer & loader mount handles bales up to 96"



BOSS R holds one round bale up to 4' wide and up to 6' in diameter. Easy to use, the self-loading arm easily picks up round bales placing them onto the apron chain. Equipped with spikes, the apron chain easily grabs onto the bale turning it against the restrictor bars as the flail rotor pulls apart the bale.

Mounts to skid steers and loader mounts.



BOSS II handles up to two bales and is fully adjustable to fit 3' x 3', 3' x 4' and 4' x 4' square bales up to 9' long. The distribution chute allows the machine to bed livestock or feed into bunks or windrows with one quick adjustment.

BOSS IV provides increased capacity by up to four 4'x4'x9' bales. Bales are easily loaded with the hydraulic self loading deck. Raise the deck to spear your stack then lower it back into position. The BOSS IV is ideal for large feed lots or large operations where bales may need to be hauled daily.



TUBE•LINE™**Bale Feeder -
Unroller / Silage
Blades & Rakes**

TRACTOR

The Tubeline Bale Feeder takes the hassle out of feeding large round bales. Using the Bale Feeder can reduce spoilage caused by bales sitting outside in bulky inefficient stationary units.

THE BF8000 SL is designed to feed out round bales up to 6' in diameter and weighing up to 2,500 lbs. The BF8000SL is equipped with a hydraulic loading arm and two prong bale spear, to lift and place the bale on the table. The loading arm can also be used to carry a second bale to the field. Once on the table, an apron chain rotates the bale as the drum's fingers unravel the hay. As the core of the bale is approached, the table can be tilted increasing contact between the bale and the drum ensuring the entire bale is fed out.

**Silage Blade/Rake****SILAGE RAKE**

The Pitbull Rake works like a dozer blade combined with the properties of a bucket allowing operators to not only push material but carry it as well.

- Fully retractable push plate
- 8 removable 49" conus side spears
- Two 3" x 12" cylinders
- High flow divider for even push off
- High strength abrasion resistant tines

**SILAGE BLADES**


Heavy duty four wheel drive & front wheel assist tractor models available.

- 8 - Way blade control
- Mitered ends for precision dozing flush against walls when blade is angled
- Blade widths available from 10' to 20'



Bale Chopper / Feed Cart


SELF-CONTAINED



The aggressive 56 knife rotor with a spiral design ensures an even power curve for uniform continuous cutting with less horsepower.



MULCH MASTER - save up to 80% on your mulching time over mulching by hand. You can mulch a bale of straw in as fast as 30 seconds. With the optional 30 ft or 40 ft flexible hose, mulch can be placed easily in tight spots and difficult to reach areas. The Mulch Master fits easily onto pickups or trailers. Units are skid mounted for easy loading and unloading. The Weaverline KB 1300 series Mulch Master is available with either the smooth-running and powerful 13 HP Honda engine.



Standard with stainless steel auger flighting



Stainless steel gap-hook chain and paddles

FEED CARTS are battery powered and stainless steel. The high-speed discharge and fast apron speeds cut feeding time – unloading the 31-bushel cart of corn silage in 35 seconds. Hydrostatic drive gives you fingertip control of the cart in either forward or reverse. Stainless steel box section and augers greatly increase the life of the cart. The all stainless steel conveyor system is comprised of the stainless gap-link chain, stainless steel sprockets and stainless steel slats. The chain is self-centering on the narrow stainless steel sprockets which results in an extremely easy running, low wear conveyor system.

Capacities available in 21, 25, 31 and 37 bushels.



Feed Carts

LOYAL "POLY-TUF" FEED CARTS high density, food grade poly is non-porous, resists moisture, silage acids, feed additives and other chemicals.

7 to 26 bushel capacity.



Double V-Belt Drive for more efficient transmission of power and no belt slippage. A completely enclosed oil bath gearbox drives the Steel Bale Hopper which glides on four large 2 1/2" bearings.

KB1255 BEDDING CHOPPER with a 13 HP Honda, makes quick work of straw at less than 60 seconds per bale. The adjustable grate has six settings to control output and cutting length. A plastic top overlay and the adjustable plastic wear strip found on all Weaverline choppers helps eliminate any binding caused by the material being chopped and is very important when chopping newspaper.





Feeding & Processing Machines

TRACTOR | SKID STEER |
TELEHANDLER

THE HYDRAULIC BALE CLAW is ideal for handling stacked large square bales. Three Kverneland tines spear the bottom bales for extra support while the 12 hydraulic claws rotate into the stacked bales for safe transport.

- 72" overall height
- 64" frame width
- 6,000lbs. capacity
- 3 Kverneland tines with 23" spacing
- Approximate weight - 1,090lbs.



SILAGE FACER maintains a close shave for an air tight seal. When silage is faced with a regular bucket, deep cracks and fissures can form allowing air to penetrate and causing premature spoilage and reducing feed quality. The HLA silage facer gives you more control of how much feed you remove at a time - reducing waste. Mounts available for loaders, telehandlers, and skid steers.



BALE KNIFE helps keep up with the increasing demand for high nutrient silage. Feeding silage bales require removing both plastic film and net wrap. Removing these coverings can cause bales to fall apart and make for clumsy handling of nutrient rich feed. Designed specifically for feeding round bales, the HLA Bale Knife rolls a lot of functionality into a single unit saving time and effort.

The HLA Bale Knife picks up and slices bales up to 72" in diameter. The knife grabs and retains the plastic wrap and net wrap. The top clamp eliminates "tail" dropping into mixer and cuts down TMR processing time up to 30%.



SIDE DISCHARGE BUCKET allow you to manage material faster than ever before. These loader attachments are available for use with straw, sand or sawdust. The left or right discharge design eliminates the need for awkward maneuvering.

Mounting options are available to fit most skid steers, loaders and a three-point hitch setups.



FEED ALLEY SCRAPER Moves scattered feed close to cattle with a rubber moldboard edge. Hydraulic angle adjustment. Available in 60", 72" and 96" widths.



SILAGE BLADES are available as subframe mount, loader mount, or 3 point mount. Available in 10', 12' and 14' widths.



RUBBER FREE STALL SCRAPERS are heavy duty, deep rubber scrapers for longer life, more volume and smoother operation. Enclosed frame with splash guard, comes with or without back drag. Available in 60", 72", 84" & 96" widths.



Bale Splitter / Bale Handler / Processor

TRACTOR | SKID STEER |
TELEHANDLER



691 ROUND BALE HANDLER Heavy duty handler with rotating rollers and tine reinforcement. When the 691 round bale handler is transporting wrapped bales, two adjustable rollers powered by a double-acting hydraulic ram, close to cradle and carry the wrapped or unwrapped round bale securely and safely. The rotating rollers can be removed, transforming the 691 round bale handler into a spike type round bale handler capable of transporting two unwrapped bales of silage, hay, or straw at the one time.



994 BALE SPLITTERS are powered by one double acting hydraulic cylinder and a uniquely designed knife. The round bale splitter will securely transport the dry or silage bales from the stacking site to the feeding location. The operator simply splits the bale as desired in the feeding area or into a feeder wagon. If the McHale round bale splitter splits the bale in the feed out area, it can also be used to push the bale segments into the feeding location.

Available in 3 point or loader mount.



R5 ROUND BALE HANDLER is ideal for collecting round bales, which have been tipped on their ends in the field. The R5 can also be used to collect round bales, which have been left normally after a baler and rotate them through 90 degrees and stack them on their ends so that they hold their shape better.



C460 TRAILED BALE PROCESSOR

The C460 is a trailed machine that has the capacity for two 4' bales.



Twin Speed Gearbox controls the flywheel speed to distribute the material - 280 RPM and 540 RPM.



Flywheel is fitted with 6 blowing paddles and is positioned below the conveyor to ensure loose material is blown out.



Rotor with Hydraulic Activation is standard with 112 blades mounted on seven discs. The feed rotor is independent of the flywheel.

JAY-LOR®

Mixer Feeders

TRACTOR | TRUCK | SELF
PROPELLED



Mixer Level



Computer Stress Analyzed



Viewing Window



Hot Dipped Galvanized Metal &
High-Density Polyethylene



Single Auger TMR Mixers are available in a variety of configurations ranging in capacity from 350 to 575 cubic feet. They are ideal for feeding small to mid-sized dairy and cow-calf operations, medium-sized beef feedlots (especially backgrounding and grower operations), as well as large sheep and goat facilities.



Twin Auger TMR Mixers are available in a wide range of configurations in capacities from 615 to 960 cubic feet. These machines are used to feed larger dairy and cow-calf operations and feedlots ranging in size from as little as a hundred head, up to thousands of head.



Truck Mounted TMR Mixers are especially useful when feeding larger numbers of animals grouped by age or stage of production, or at multiple locations. Jaylor produces the full range of mixers in its truck mount line, either as new units, built to specification on the truck of your choice at the Jaylor factory, or as truck mount installation kits installed on your truck of choice by selected Jaylor Dealers.



SQUARE CUT AUGER/ALEXANDER & VERTICAL KNIFE

With its unique sloped top and slide plate technology, Jaylor's innovative and patented 'Square cut' auger produces a quality mix faster and cleaner. Its improved cutting action means less pressure on the mix and improved feed ration for your animals. Less friction results in reduced power consumption, which lower operating costs.

Alexander and Vertical Knives

Made with Tungsten carbide coated steel, work in conjunction with our standard knives to: improve processing time, aid in eliminating bridging, and to cut through tough forages easily without bruising.



Mini TMR Mixers offer a wide range of applications, including feeding smaller dairies, and specialty groups such as weaned calves, dry cows, maternity pens, and fresh cows. Each model is available in 3-wheel, all-wheel self-propelled; a gas engine-powered pull-type; a gas engine-powered truck-mount; and an electric motor or gas engine-powered stationary.



Feeder Wagons/ Feed Bunks

TRACTOR | TRAILED |
STATIONARY



Cattleman's Choice Feeder Wagon is the market leading feeder of choice for North American beef and dairy farms.

JBM MANUFACTURING - built by farmers for farmers. Each of our products are built with care from start to finish, by experienced welders and finished with trained painters. Each weld, each joint, each bolt and every aspect of each product is carefully assembled to meet our high quality standards.

JBM Manufacturing builds heavy-duty farm equipment, including a complete line of feeders, bale wagons and dump trailers.



Feeder Wagons are available in several different models including Cattleman's Choice, Double Bar, Portable Bunk, Econo Zero Grazer, and TMR Feeder Wagons.



Self-Locking Feeders are great for vaccinations, artificial insemination & ear tagging. A raised platform running along the center of the feeder and an entry door allows for easy access.

Available in skid and trailer versions.



Bunk Feeders are constructed with heavy-duty 2" square tube frames and 12 gauge steel.

Available in heavy-duty bunks, fence line bunks and tub feeders.



Tombstone Feeders are designed with horses in mind to protect manes and eliminate bumps and bruises. Double bars on the inside keep hay waste to a minimum.

Available in skid and trailer versions.



Skid Feeders available in several models including double bar feeders and big ben horse feeders.



Silage Boxes & Blowers



THE DION SILAGE BOXES

features uniquely designed beaters and a Continuously Variable Transmission (CVT) allowing for precise unloading speed adjustment.

Silage boxes have the advantage of being able to adapt to any loading and unloading conditions, thanks to an easy-to-use hydro-mechanical design and a remarkable efficiency. Versatile and configurable with a multitude of options.



FORAGE BLOWERS are designed with unmatched capacity adapted to a large range of tractor power. The oversize intake and auger feed a rotor capable of filling silos as high as 150ft.

WALLENSTEIN



MADE IN CANADA
FABRIQUÉ AU CANADA



5 YEAR WARRANTY
ANS DE GARANTIE



AVAILABLE IN
REALTREE

Skidding Winches / Conveyors

TRACTORS

SKID STEER SKIDDING WINCH

Turn your skid steer into a powerful pulling machine with the FXH150 Skidding Winch. It delivers smooth hydraulic power, rugged durability, and reliable log-skidding performance for forestry and land-management jobs.

FX SKIDDING WINCH is the ideal tractor attachment for gathering firewood, clearing dead trees and harvesting premium lumber all while preserving your woodlot. Using a skidding winch is also easier on your tractor by transferring the pulling strain onto the ground with the large blade that anchors the winch.

For tractors 15-120 HP, the FX Series has a pulling capacity up to 14,000 lbs. and can reach logs up to 165' away. Steel cable or synthetic rope models available.



FXP SKIDDING PLATES save your logs and trails from unnecessary damage. The FXP raises the log's front end, preventing it from carving a trench as you drive.

FX SERIES FEATURES



Removable Clutch Assembly




Snatch Block Pulley System
Adjust the pull angle for maximum stability.



Keyhole Slots
Provide a secure and easy hookup for choker chains.



Trailer Hitch
Hook onto a trailer without detaching the winch. (Not available on FX40, FXH150)



Remote Control
Control your winch from up to 150' away. (Available on FX85, FX110, FX140)

FIREWOOD CONVEYORS

The heavy duty steel frame and conveyor chain on the CT Series firewood conveyors are sure to speed up your firewood production.

Available with a 16' or 24' tough length and Vanguard 5 HP engine.

Features

- 8" trough width w/20" bottom flare
- 7" trough depth
- Chain Drive - Engine Direct-Drive, Bottom sprocket
- 662 Pintle heavy conveyor chain
- 2" high serrated cleat
- Clevis hitch
- 5.30-12 tires



WALLENSTEIN



MADE IN CANADA
FABRIQUÉ AU CANADA

5

YEAR WARRANTY
ANS DE GARANTIE

AVAILABLE IN

Wood Splitters

TRAILER | TRACTOR | SKID
STEER | MINI SKID STEER



TWO-WAY SPLITTER

Double your firewood production with the WXT Two-Way log splitter. After splitting a log, the WXT allows you to place your next log to be split as the wedge travels back to the home position.



Trailer Splitters



3 Point Hitch Splitter



Skid Steer Splitter

LOG SPLITTER A complete range of wood splitters for every application. 3 point mounted, skid steer mounted, engine driven, horizontal, vertical, or combination. Models from 20 ton to 31 ton splitting force. Splitting tables from 24" to 48".

FEATURES



2 Stage Hydraulic Pump (Up to 16 GPM)
Stage 1 quickly moves the wedge to the point of contact where minimal pressure is required. As splitting action begins, the flow decreases & pressure increases for maximum split force. (WXR series)



Direct Pressure - Full splitting force is always applied because the cylinder is directly inline with the log.



Auto Return - Switched to reverse, the wedge returns to the start position hands free and then automatically clicks back to neutral.



Wide Wedge - The wide wedge splits the log using minimal distance reducing cycle time requirements.

HLA
ATTACHMENTS

Limb Saw/Log Grapple



HLA HYDRAULIC LIMB SAW is mounted on a 12' boom pole. Combined with your loader height you now have the ability to reach over 20'. The limb saw's boom also allows you to reach over ditches and other obstacles and get to those hard to reach branches. Standard Stihl drive is used for easy replacement of bars and chains.



LOG GRAPPLE with 5,500 or 7,500 lb. capacity. Available with skid steer or loader mount.

WALLENSTEIN



MADE IN CANADA
FABRIQUÉ AU CANADA



5 YEAR WARRANTY
ANS DE GARANTIE



AVAILABLE IN

REALTREE

Wood Processors

TRACTORS | SELF
CONTAINED



WP WOOD PROCESSORS improve firewood productivity, ergonomics and minimizes handling. All you have to do is cut. Processing one to two cords of firewood per hour with only one person, the Wallenstein Firewood Processor saves you time and money while reducing the risk of physical strain.

- 20-25 Ton Split Force
- 1550 lbs Hydraulic Winch
- Up to 22" Log Diameter
- Adjustable 4-way Wedge
- Adjustable Off Load Chute
- Log Length Indicator



FEATURES



Pivoting Chainsaw Holder
Mounts to most chainsaws. Is easily detached and works with chain bar lengths up to 30"



Auto Cycle powers the log through the adjustable wedge and returns to the home position. *(Not Available on WP525)*



Floating Stabilizer
prevents log from twisting when cutting to length, no activation required.



1550 lbs Hydraulic Winch
with 50' long synthetic rope (1/4" diameter).



Built In Toolbox
Keep your small tools & replacement parts handy. *(Not Available on WP525)*

WP 1840 WOOD PROCESSOR Load, saw and split up to 3.5 cords of wood per hour with the Wallenstein WP 1840. This firewood processor is highway towable with LED lights, ladder hitch, and torflex axle. The Vanguard powered engine delivers 20 tons of splitting force with a full stroke splitting cycle time of 12 seconds. It's ergonomic controls, easy-fold live deck and integrated conveyor make this all-in-one machine easy for one person to operate. Available with 6-way edge, integrated conveyor, seat platform.

Features

- 26" Split opening
- 20" Splitter chute clearance
- 18" Log diameter
- Clamping top roller
- Automatic bar oiler
- Adjustable log-length guide
- Block dropper
- Auto return
- Adjustable 4-way wedge
- Oregon® 25" harvester bar
- Heavy-duty leveling jacks
- 2" Ladder style ball coupler
- ST205/75R15 Tires
- Electric brakes
- Easy fold live deck
- 12' or 24' conveyors



WP1840-24 Shown

WALLENSTEIN

MADE IN CANADA
FABRIQUÉ AU CANADA

5 YEAR WARRANTY
ANS DE GARANTIE

AVAILABLE IN
REALTREE

Trailers/Log Grapples

UTV | TRACTOR | TRUCK



ALL-TERRAIN LOG LOADER TRAILER

Turn your compact tractor into a versatile forestry rig with the LXT115AT log loader trailer — all-terrain capability with 11,500 lb load capacity, 360° grapple rotation, 270° boom reach, and rugged design for heavy log handling.



Trailer and Grapple combinations available up to 11,500 lbs. load capacity and 1,200 lbs. lift capacity.



Flat Bed Option



Post Hole Digger Option



Backhoe & Dump Bed Option

LOG GRAPPLES

TRACTORS | SKID STEER | MINI SKID STEER



LOG GRAPPLES are the perfect partner for farms, rural property owners and logging contractors to forward logs out of the woods with confidence.

Models available in spring centered, hydraulic rotator, and professional series. Maximum lift capacities from 1,000 to 4,500 lbs. with grapple openings from 40" to 72". Grapple tines are built with hard, high strength AR400 steel (Excludes LXG210 models).



Bypass Grapple tines interlace as tight as 3".



360 Hydraulic Rotator (R & PR models)



24" Extendable Boom (RP Models)



9,000 Warn Winch & 100' Synthetic Rope (RP Models)



LXG520R MINI EXCAVATOR GRAPPLE

- 5 GPM hydraulic flow
- 6,750 lbs lift capacity
- 9,400 lbs clamp force
- 3" - 48" grapple opening
- 360 degree rotation

WALLENSTEIN



MADE IN CANADA
FABRIQUÉ AU CANADA

5

YEAR WARRANTY
ANS DE GARANTIE



AVAILABLE IN
REALTREE

Chippers / Chipper Shredders

TRACTOR | SKID STEER |
TRAILER | SELF-CONTAINED



CHIPPER & CHIPPER/SHREDDER models for homeowners, rental, or commercial applications. PTO models handle wood from 3" to 10" in diameter. Manual or hydraulic feed. Engine driven models handle wood up to 6" in diameter.

- Intellifeed monitors
- Easy start tension relief
- Safety control bar forward/reverse control (Hydraulic feed models)
- Dual active rollers are hydraulically powered top and bottom feed rollers (Hydraulic feed models)
- Slab style opening
- Single chute - 360° exit chute. (BXM models)
- Chop block uses an anvil action to process material
- Fold up feed hopper (BX52/72/102 models)
- Adjustable height ski base (BX36S & BX52 models)
- Self feeding chipper hopper



FEATURES



Oversized Heavy Duty Rotor



Hardened Reversible Knives



Adjustable Exit Chute



Twig Breaker
Discharge paddle passes around the twig breaker and breaks material into smaller pieces.



Angled Rotor
requires less horsepower to chip, saving fuel.



Shear Bolt Protected PTO Drive Train - BX Chippers are direct drive. BXM models use belts & pulleys.

REIST INDUSTRIES

Stump Grinder

Adding to its professional line of land management tools, Reist introduces the Dominator series of Stump Grinders including 3 Point and hydraulic skid steer models with or without swing arm.





Mulchers / Land Clearing Attachments

EXCAVATOR | SKID STEER



SOLID DRUM MULCHER

The HD solid drum mulcher is ideal for operation in loam, clay and rocky soils, allowing you to easily push through dense vegetation.

- Zero vibration rotor
- Unique hose uard to avoid getting tangled in branches
- High-pressure hose includedHigh torque variable and adjustable motor
- Innovative oil cooling system-resulting in a temperature reduction of 30 to 50° F.



FRONT MOUNT BITE LIMITER MULCHER

The Front Mount Bite Limiter Mulcher (HM Series) is a heavy-duty forestry mulcher for skid steers & front-mount carriers. Its bite-limiter rotor delivers controlled cutting, reducing power spikes while improving efficiency and component life. Designed for land clearing, roadside maintenance, and vegetation management, the HM Series features a rugged housing, precision-balanced rotor, and wear-resistant components for smooth, reliable performance in demanding conditions.

HARVESTER SHEAR

The Harvester Shear (FHS Series) is a heavy-duty excavator attachment engineered for cutting and processing trees, logs, and timber. Its robust, replaceable blades and powerful jaw deliver precise, high-force cutting for forestry & land-clearing operations, improving productivity and durability.



BRUSH GRAPPLE

The Brush Grapple (BG Series) is a heavy-duty excavator attachment that grips and moves brush, logs, and debris with strong, durable claws, improving efficiency in land clearing, cleanup, & material handling applications.



EXCAVATOR BITE LIMITER MULCHER

The Excavator Bite Limiter Mulcher (VM Series) is a hydraulic excavator attachment for efficient land clearing, roadside maintenance, and underbrush control. Its rotor uses a bite-limiting design with the CONVEX DX™ system to reduce strain and extend blade life for smooth cutting performance. Hardox® wear-resistant liners and skid shoes, an adjustable motor, and a zero-vibration balanced rotor, it's engineered for durability and easy maintenance. Mounts directly to excavators (5–40T) and can be equipped with carbide teeth or blades.

STUMP SHEAR

The Stump Shear (SS Series) is a heavy-duty excavator attachment designed for efficient land clearing, uprooting, cutting, and splitting stumps with powerful grip, durable construction, and minimal maintenance.



STUMP GRINDER

The Stump Grinder (SG Series) is a hydraulic excavator attachment that rapidly pulverizes stumps and buried wood with a high-performance motor and interchangeable blades, minimizing cleanup and downtime while preparing sites. It's built with durable Hardox® 500 components for tough stump removal.



WOOD CONE SPLITTER

The Wood Cone Splitter (SC Series) is a hydraulic excavator attachment that quickly splits large logs, stumps, and roots with its robust conical tip before shredding or processing, boosting productivity and ease of wood handling in forestry and land-clearing work.



MINI TREE SHEAR

The Mini Tree Shear (FTS Series) is a compact attachment designed for fast, efficient tree cutting and handling. It cleanly shears small trees with a powerful blade and secure grip, making it ideal for land clearing, right-of-way work, and site prep.





Mulcher Heads

EXCAVATOR | SKID STEER

MINI EXCAVATOR MULCHER

CKTSB Hydraulic mulching head for 4.5 – 5.5 ton mini-excavators. Ideal for mulching grass, bushes and brush up to 1 ½".

- Belt transmission
- Adjustable height leveling roller
- Skid shoes
- Helical design of flail rotor
- Counter blades
- Self-leveling support for mounting hitch
- Protective motor cover
- Hydraulic cast iron gear motor w/ drainage line
- Hydraulic valve block
- Hydraulic hoses w/explosion-proof sheaths

CKTSB Model Shown

3 POINT MULCHERS

The KX150 is equipped with fixed hammers and fits tractors from 60 to 110 HP. It will mulch just about anything that gets in its path up to 6".

- Hydraulic adjustment of rear hood
- Fully automatic belt adjustment
- Double chassis
- Counter blades



PARK/TFXSB FORESTRY MULCHER FOR EXCAVATORS

Hydraulic forestry mulching head for excavators. Suited for land clearing, trail blazing and vegetation management up to 4" (Park) 8" (TFXSB).

- Counter blades
- Skid shoes
- Protective cover for motor
- Hydraulic piston motor with case drain

EFXMDSB HYDRAULIC FORESTRY MULCHER

Ideal for clearing heavy bushes, brushwood, branches, plants, and trunks up to 11" in diameter. For excavators with operating weight from 15 to 20 tons.

- Double chassis
- Belts transmission
- Automatic belt adjuster
- Forestry rotor
- 36 Fixed hammers with carbide tips
- Counter blades, bolted
- Hydraulic piston motor with external drainage line
- Hydraulic valves block, "Berti Fluid Box"
- Hydraulic hoses w/explosion-proof sheaths
- Under plate for mounting hitch



SKID STEER FORESTRY MULCHING

Hydraulic forestry mulcher with fixed-teeth rotor, for skid steer loaders from 70 - 120

HP. It is suited for land clearing, trail blazing and vegetation management up to 8".



MOUNTS READILY AVAILABLE:



BOBCAT
Exchange



JOHN DEERE
27/35/110TLB

JOHN DEERE
50/60 Quick Attach



KUBOTA
KX040/71/91/121/U35

KUBOTA
KX057/191/U55

Inquire for other mounting options



Brush Cutters / Attachments

SKID STEER | EXCAVATOR



X SERIES EXCAVATOR

MODELS are powerful brush cutters that can handle the most demanding jobs cutting through dense forest and thick brush. Brush Wolf's industry-leading excavator-mounted brush cutters allow you to cut brush in areas that a skid steer can't go, such as riverbanks, lakeshores, swampy areas and hillsides.

Available in standard, heavy-duty, and full-size models with robust hydraulic motors (Geroler or direct-drive piston), designed for compact to large excavators.

SKID STEER ROTARY BRUSH MULCHERS

These attachments are engineered to tackle brush, weeds, saplings, and small trees with robust construction and hydraulic power tailored to skid steer applications. Whether you're managing fence lines, right-of-ways, or overgrown acreage, the lineup offers options that balance durability, cutting force, and operator control for diverse vegetation conditions.

- Heavy steel cutting deck with reinforced framing for long-term durability
- Universal skid steer quick-attach compatibility for fast hookup
- Premium rotary blades and spindle assemblies
- Hydraulic drive systems (Geroler or radial piston motors)
- Open or closed-front designs.

From standard heavy-duty models to extreme-duty and multi-spindle configurations. Available models: 42", 48", 60", 66", 72", 78" and 90". Cutting capacities from 2" to 8".



COMPACT SKID STEER ROTARY BRUSH MULCHERS

The compact skid steer brush cutter range is built for smaller machines that still need professional-grade vegetation control. These attachments deliver effective cutting of brush, weeds, and saplings while maintaining durability and smooth operation on compact skid steers and loaders.

Open or closed front models available with cut widths from 42" to 48". Cutting capacities from 2" to 4".



OPEN FRONT BRUSH CUTTERS

The open "attack" deck lets blades engage vegetation before it's pushed down allowing you to cut on the move. Excellent for selective cutting, faster discharge, and efficient clearance of brush and small trees.

Available in compact, standard, heavy duty, and extreme duty models.



CLOSED FRONT BRUSH CUTTERS

Traditional deck with chain curtains for controlled debris and mulching action. Reliable hydraulic drive and rugged build suit general-purpose brush control on mid-sized machines.

Available in compact, and heavy duty models.



Mowers / Cutters / Sweepers

TRACTOR | UTV/ATV

700 SERIES PULSAR CUTTER

provides excellent mowing and shredding performance for tractors rated between 20-50 HP. The 3PH mount models are available in a variety of cutting widths providing a cutting path from 48" - 72". To better adapt to your conditions, the Pulsar features an adjustable cutting height of 2" - 10" and a floating top link.



LAWN SWEEPERS sweep up debris with a 21 cu. ft. hopper, durable mesh netting, and a 46" wide broom. The poly bristle broom is gentle on your lawn and tough on debris. The handle on the side of the hopper and pivoting net frame allows for quick and easy dumping.



PULSAR WING three triple blade assemblies make short work of stubble whether in the pasture, field, or brush. Each wing can independently float 20° in either direction to conform to the contours of the ground. The 15' width of the cutter can be greatly reduced by folding up both hydraulic wings to better transport from one field to another, and to store the cutter in tight spaces.

Available in 15'

PULSAR PLUS SERIES of PTO powered rotary cutters provides increased cutting and shredding performance. The redesigned stump jumper on the Pulsar Plus is equipped with 3 blades increasing cutter efficiency and productivity. When equipped the optional slip clutch keeps this cutter moving throughout the work day.

Available in 60"-120"



PULSAR UTV MOWERS are rough cutting mowers built for creating and maintaining trails, managing open fields, and improving wildlife habitats.

Two 3-blade rotors, cut through tall grass and weeds. Flat free tires maintain consistent travel height. The tongue can be set in 3 different positions allowing you to tow directly behind your UTV, or offset to the left or the right.



BRUSH CUTTER This rugged and durable brush cutter is able to clear unruly vegetation, brush, shrubs and trees up to 10" in diameter. At the core of the MK Extreme Duty Brush Cutter is the 78-inch diameter oversized rotor, manufactured using a 1-inch thick steel plate. Four replaceable pivoting flail knives are attached to deliver maximum centrifugal velocity and shear force on every rotation.





Sickle Bar & Mower

TRACTOR



Spring loaded breakaway



"Wobble" drive - no pitman

"ROSSI" SICKLE BAR MOWERS are available in 59", 71", 83", 94", and 106" cutting widths

- 540 RPM to belt drive-no pitman
- CAT I 3 point hitch
- Double sicklebar w/alternating movement
- Spring loaded breakaway protection
- Operates up to 45 degrees down and 90 degrees up
- Extra sickle bar included
- Blade protection for transport included



Cutters/Disc Mower



DISC MOWERS

Available in a variety of cutting widths to match your needs. From the smaller DM7MD, to the sturdy DM8MD, to the larger DM5070, these disc mowers are designed and built with maximum efficiency and reliable performance.

- 540 RPM PTO Drive with overrun clutch
- Hydraulic lift cutterbar
- Breakaway assembly
- Optional outer swath wheel

ROTARY CUTTER

3-Point, CAT I quick-hitch rear attach cutter is ideal for grass, stalks & light brush.

- 540 RPM tractor PTO speed ONLY
- 45 HP heavy-duty cast iron gearbox
- 12 gauge deck construction
- Balanced stump jumper blade pan with heavy duty 3" heat treated forged blades
- Series 4 shielded PTO shaft w/shear pin
- Adjustable laminated, puncture resistant rear wheel
- Available in 4', 5' and 6' sizes



FINISHING MOWER

- Free-floating flex hitch system allows the mower to follow the contour of the ground to mow evenly over uneven terrain
- Heavy-duty steel deck & cast-iron gearbox
- Single belt with easy adjustment
- Shielded PTO shaft with shear pin
- Turf-friendly tires, anti-scalp roller & fully baffled deck with easy height adjustment
- Rear discharge with rubber guards only
- Available in 5' and 6' models



Dei Morino

Mulchers / Mowers

TRACTOR



LEVANTE (shown above) is a heavy duty, premium flail mower for larger tractors and has been specifically engineered for effortless mulching of heavier material. An internally mounted, dual-mulching (shredding) blade is welded to the frame in the mulching chamber. The frame is reinforced with square steel tubing on the leading and rear edges, with a rubber guard on the front to contain any objects thrown by the flails. The Levante has a strong gearbox and a cutting height of 1-5".

LEVANTE SUPER has the same features as the Levante but with hydraulic side shift and tilt.



FUNNY TOP FLAIL MOWERS

Light weight and resilient machines that are great in grass and light shrubs.

FUNNY TOP with a side-shift of 8" left or right of center. 12-30 HP required. CAT 1, 3 point hitch.

FUNNY SUPER with hydraulic side-shift and tilt. Light weight and ideal for compact tractors. 15-35 HP required. CAT 1, 3 point hitch



FLIPPER FLAIL MOWERS

Suitable to every kind of work including turf, forests, orchards and uncultivated land.

FLIPPER cutting widths from 52" to 82". Blades or hammers to cut grass or cut and mulch up to 1 1/2" material. 15-70 HP required.

FLIPPER SUPER with hydraulic side-shift and tilt. Cutting widths from 52" to 73". Blades or hammers to cut grass or cut and mulch up to 1 1/2" material. 50-80 HP required.



CENTURION SUPER FLAIL

Hydraulic side-shift and tilt. Light weight and compact, ideal for compact tractors. 30-70 HP required.



VICTOR FLAIL Reversible side shifting, three point hitch, 4 belt transmission, adjustable rear roller, rugged durable frame. 50-120 HP required.



FINISHING MOWERS available with rear discharge or side discharge (*stocking rear discharge models*). Cutting widths available: 48", 60", 72", 84", and 93" (XRM235 with 5 blades)

**MAY-BRIDGE
HARROWS**

Chain Harrows

VERSATILE CHAIN HARROWS made of 1060 Hi-Carbon 5/8" diameter steel for long life. 3" teeth on both sides. Self cleaning due to the unique tooth arrangement and framework.

- Prepare seedbeds
- Cover seed
- Incorporate herbicides
- Spreading manure
- Horse track grooming
- Landscaping
- Hay and pasture renovation
- Models from 4'4" to 26'





Mowers/ Mulchers/Weeder

TRACTOR



AV SWING DISC MOWER

The AV swing disc mower is designed for vineyards and orchards, featuring a hydraulically controlled swinging disc that cuts cleanly around trunks and posts. It delivers precise, efficient mowing while protecting plants and maintaining consistent ground coverage in tight, obstacle-filled rows.

HYDRAULIC 3-POINT HITCH BOOM MOWER

The FBG380S is a 31.5" 3-Point Hitch Mount Boom Mower for the maintenance of gardens, parks and embankments. For tractors 25 to 50HP.

- 3-point Cat. I
- Oil Cooler
- Reversible rotor rotation
- Adjustable roller
- Y Blades
- Cable controls with 4 levers
- Front, reverse or left hand mounting
- Hydraulic breakaway w/adjustable valve
- Floating system on the first arm & on rotor
- 190 degree inclination



FLEXY EXPANDABLE MOWER

Suitable for vineyards and orchards 40 to 100 HP.

Features: rear roller, adjustable height, front fixed wheels, articulated blades, hydraulic device to extend working width, chain guards on front and rear, PTO drive shaft.



HEAVY DUTY FLAIL MULCHER

TA/PS MULCHER

Heavy-duty offset / in-line mulcher for grass, residue of vegetables, bushes and pruning up to 4", suited for tractors from 90 to 200 HP. Ideal machine for contractors who need to clear slopes, ditches, banks of watercourses, road side banks and public green areas in general.

Standard equipment: Hammer flails, flail pivot bolts, skids and full width roller giving good height control with minimal risk of scalping, heavy duty gear box with freewheel with 4 belts driving down to the rotor with automatic adjuster, wide angle PTO, hydraulic breakaway safety valve, and adjustable rear hood fitted with rubber deflector.



TA/MF MULCHERS

The TA/MF is a medium/heavy-duty flail mulcher that mounts to a tractor's three-point hitch and PTO. It's built especially for cutting and shredding grass, brush, and light woody material (up to about 4-5 cm diameter) on embankments, ditches, road verges and similar areas.



HYDRAULIC BETWEEN-ROW WEED MOWER

ECO SPRINT Hydraulic Inter-row Weed Mower
Suitable for vineyards and orchards

Features: CAT I-II 3 point hitch, supporting wheels, hydraulic side shift, hydraulic height adjustment and tilt of mower head, mechanical spring-device for IN/OUT swing of the mower head, mower head of 75 cm length, independent hydraulic system, Twin-Pump, Oil-Tank, distributor for motor on/off with wire cable, PTO 540 RPM.



SERIES 5 ROTARY CUTTERS

The XH1500/XH1000 models are the latest version of Schulte's popular heavy duty rotary cutter line.

They retain all of the best features of the original rotary cutters, such as tandem walking axles, heavy duty drive line and deck protection rings, while adding many new improvements.



Rotary Cutters

TRACTOR

ROTARY CUTTERS

Schulte rotary cutters are in a class of their own for dependability and long-lasting durability through all kinds of conditions. Cut your grass or even chop stalks with Schulte's fixed knife technology.



Mid Size/Small Rotary Cutters

- Cutting widths from 10.5' to 15'
- Popular models available in 15', 18' & 20'
- 3", 3.5" or 4" cutting capacity depending on model




Large Rotary Cutters

- Cutting widths from 12' to 42'
- Popular models available in 24', 26', 30', 42'
- 2" to 3.5" cutting capacity



Industrial Grade Rotary Cutters

- Cutting widths from 10.5' to 15'
- Up to 4" cutting capacity
- Tandem walking axles
- Heavy duty drive line
- Deck protection rings



FIXED KNIFE TECHNOLOGY*

Using Fixed Knife Technology, crop residue is slammed into stationary fixed knives, mounted in strategic positions under the deck of the cutter by free swinging blade sets moving at up to 16,000 feet per minute.

Mounted baffle distribution plates direct the mulched material out of the cutter with an even spread.

**Available on mid sized cutters*

POPULAR CUTTER MODELS For Airports & Large Acreage Owners



5026 ROTARY CUTTER

26' Cutting Width



FX-530 ROTARY CUTTER

30' Cutting Width



FX-742 ROTARY CUTTER

42' Cutting Width
WORLD'S LARGEST ROTARY CUTTER



Schulte cutters are preferred by large airports



Seeder /Crimper / Fencing Equipment

TRACTOR | UTV/ATV



G-SERIES NO-TILL SEED DRILL

A true no-till drill that will plant a variety of food plot seeds in the ground even in the toughest soil conditions.

The G-Series features tempered cutting discs spaced that slice into the soil then plants the seeds in the slits that are created by the discs. The slits are then closed by solid rubber packing wheels that trail behind the discs, giving you outstanding seed to soil contact even when cutting through standing vegetation. The G-Series leaves no exposed seeds to wash away or be eaten by wild life. The seeding mechanism is simple to calibrate and extremely accurate even with a variety of seed sizes and blends.

Available in trailed or 3 point hitch. Working widths from 38" to 113" and seed capacities from 4.8 bushels to 12.8 bushels.

Small Seed Box

Increases accuracy by separating smaller seeds from larger ones and allows them to be planted at a shallower, more appropriate depth.



M-SERIES MID-TILL DRILL

The M-Series is designed as a more simplified, budget-friendly alternative to their premium G-Series drills. The M-Series is best described as a min-till drill, meaning it still uses core planting components like double disc coulters for seed placement but in a more stripped-down configuration. It retains solid fundamentals—good seed placement, consistent row spacing, and durable construction—but removes many of the advanced features and add-ons to keep cost and complexity lower.

Working widths from 60" to 82" and seed capacities from 6 bushels to 8 bushels.



M5 MID-TILL DRILL

60" min-till drill with 8 rows on 7.5" spacing, packer roller, and simple seed adjustment; affordable, durable option for food plots and small farms.

M7 MID-TILL DRILL

84" (7 ft) min-till drill with ~11 rows on 7.5" spacing, packer roller, and simple seed adjustment; increased capacity for mid-size food plots



CRIMPER ROLLER

The Crimper Roller uses the weight of the machine to roll over cover crops, pressing it down, while the fins crimp the cover crop plant in multiple places. This effectively cuts off the circulatory system of the plant, causing it to die. With the cover crop laying down flat on the ground, it acts as a 'weed protection mat' and preventing sunlight from drying the soil.



FAUNAMASTER

The Faunamaster line by PH Outdoors is built for ATV and UTV users who need compact, efficient tools for food plots and habitat work. Unlike the company's tractor-mounted drills, Faunamaster equipment focuses on mobility and multi-function capability for smaller or hard-to-reach areas.

The lineup centers on towable seeders like the 105 and 180, which can plant a wide range of seeds and apply fertilizer in a single pass, with adjustable settings and simple controls.

Supporting tools such as the DH140 harrow provide seedbed preparation and light tillage, while a UTV-mounted sprayer handles herbicide and fertilizer applications.



Lawn Roller

TRACTOR



Less Wheel Kit



3 Point Hitch



Manual Ratchet Lift Roller



Hydraulic Roller

LAWN ROLLERS are compact yet heavy-duty implements designed to smooth turf, firm soil after seeding, and help repair landscape irregularities on smaller properties and tight jobs.

Each model uses a 16" diameter steel drum that can be filled with water for adjustable weight, helping to achieve better soil contact and a more uniform finish. Hydraulic lift wheel kits or manual ratchet wheel options make transport and positioning easier without damaging surrounding turf. Units are also available without hydraulic lift if simplicity is preferred. Typical water-filled weights span roughly 1,065 lbs (5'), and 1,275 lbs (6'), balancing compaction force with manageable size for compact tractors and loaders.

FEATURES:

- Powder-coated heavy steel frame and drum for durability
- Water-fillable drum for adjustable weight and soil compaction
- Multiple width options (5', 6') to suit different machines
- Optional hydraulic lift wheels or manual wheel kits
- Simple design focused on ease of use and landscape protection



Wire Winder/Unroller



PYTHON WIRE WINDER

- Roll up to ¾ mile of barbed wire (12.5 gauge) or six miles of smooth wire (14 gauge)
- 2" Hex connection mounts to existing hydraulic auger drive
- 2 Tie wire locations
- 10 slot locations to start wire
- Toolless operation
- Retention pin storage locations
- Roll multiple wires at one time



PYTHON WIRE UNROLLER

- Unrolls new and Python rolled spools of barbed and smooth wire
- Connects to a 2" receiver hitch
- Optimal clearance for tailgates providing access to cargo area
- Rebar & t-post straightener for fencing repair
- Built-in wire tensioner cleats for stretching & holding wire
- Controlled spinning to prevent backlash
- Angled frame design gives an additional 9½" of ground clearance for work in uneven terrain



Pasture/Lawn Vac / Seeder

TRACTOR | TRAILER



3PT MOUNT PTO VAC SYSTEMS are designed for sub-compact tractors with category-1 3-point hitches.

Additional mounted units are available for ZTR mowers that range from residential use up to advanced commercial applications.



TRAILER VAC SYSTEMS are suitable for garden, compact tractors, and ZTRs. Capacities range from 20 up to 50 cubic feet.



TRUCK LOADER turns your pickup truck into a powerful debris collection system. It mounts to a standard 2" trailer hitch and uses PECO's proven impeller and blower housing connected to 25' of tough flexible polyurethane hose with an oversized nozzle and ergonomic handle.



Seeder



Self Propelled AeraSeeder



3PH AeraSeeder

24" SELF PROPELLED AERASEEDER

Simple, yet accurate seeding and overseeding in hard to get to places. The multi-spiked roller produces approximately 800 perforations per square yard, effectively saturating the top surface with a network of holes offer the highest percentage of grass seed germination.

48" AERASEEDER

The AeraSeeder is efficient and easy to use. The internal agitator and bearing assembly deliver a smooth, constant seed flow. The seed rate is achieved through an innovative locking knob adjustment control, allowing for maximum seed-spread accuracy. Seed flow is turned on an off by a manual or hydraulic lever. 3PH or towable models available.



Harvesting Equipment

TRACTOR



FORAGE HARVESTERS

These harvesters are known for their innovation features, efficiency and high-performance capabilities that stand out in the market. Horsepower rating of 300 and 350, they are the largest capacity pull-type harvesters available.



ROTARY CORN HEADS

The exceptional uniformity of the feed to the forage harvester makes it possible to achieve a greater throughput with the same tractor power.

The drive system is surprisingly simple, fewer moving parts and less maintenance. Through a main drive shaft, protected by a slip clutch, and gears in an oil bath, power is transferred efficiently.



WINDROW PICK-UPS

Dion windrow pickers offer all the capacity needed to power Scorpion forage harvesters.

Two models to choose from.



FORAGE BLOWERS are designed with unmatched capacity adapted to a large range of tractor power. The oversize intake and auger feed a rotor capable of filling silos as high as 150ft.



THE DION SILAGE BOXES features uniquely designed beaters and a Continuously Variable Transmission (CVT) allowing for precise unloading speed adjustment.

Silage boxes have the advantage of being able to adapt to any loading and unloading conditions, thanks to an easy-to-use hydro-mechanical design and a remarkable efficiency. Versatile and configurable with a multitude of options.



Diamond
By Metal-Fach

Bale Wrapper

Z560 3 POINT MOUNTED MACHINE is an economical solution for farmers wrapping fewer than 400 bales a year. Maximum bale diameter is 4'x4' and maximum bale weight is 1800 lbs. Cable control for table rotation is mounted on the tractor. The bale is unloaded by raising the table with the 3 point lift. Film is cut manually. 20" film may also be used with a minor adjustment. Wrapping time per bale is approximately 80 seconds with 30" film. An optional off load ramp with end tip is available. The machine is designed to operate in a stationary position with the table resting on the ground. CAT II 3-point mounted hitch.



McHale

Mower/Bale Handler

TRACTOR



STEEL TINE CONDITIONER



The steel tine conditioner creates a uniform swath across the working width of the mower. Conditioner speeds between 700 & 1000 RPM. Six adjustments for conditioning intensity and deflection plates to change the swath width.



Front & Rear Pro Glide Mowers



Pro Glide Butterfly Mower

FRONT PRO GLIDE MOWERS suspension allows the cutterbar to move independently of the tractors front linkage.


The Patented Spring Compensator ensures that cutter bar ground pressure is maintained over the 20" vertical travel range and the cutter bar angle automatically adjusts up & down to the changes in the ground conditions.

REAR PRO GLIDE MOWERS use ground adaption technology which delivers 3 dimensional ground contour tracking. This allows the mower an arc of movement from left to right and allows the mower to move forward and back to adjust to changes in ground conditions.

B9600 PRO GLIDE BUTTERFLY MOWER gives you both a right and left hand rear mower. Used along with the F3100 front mower, this butterfly mower gives you a maximum cutting width of 31' 6" and a mowing capacity of up to 26 acres per hour.

CENTER DELIVERY RAKE

The center delivery rakes are powerful but gentle on the crop, delivering the perfect swath preparation. The rotors on the McHale center delivery rakes are suspended centrally and both rotors operate at equal ground pressure across the adjustable working width to deliver the perfect swath.



TEDDER

The ProPel tedders are the ideal machines to lift and aerate even the heaviest crops. This results in the best quality fodder in the shortest time. The tedders have proven to be strong, robust machines which are highly efficient and reliable in all terrains.

25' 3" wide and 41' 4" wide models available



R5 - ROUND BALE HANDLER

The McHale R5 round bale handler is ideal for collecting round bales, which have been tipped on their ends in the field. The McHale Bale Handler can also be used to collect round bales, which have been left normally after a baler and rotate them through 90 degrees and stack them on their ends so that they hold their shape better.

Lifting Capacity: 2,425 lbs

Open Distance Between Arms: 5' 5"

Close Distance Between Arms: 2' 3"

McHale

Round Balers

TRACTOR



ROUND BALERS



V6740/V6750

BALE SIZE 2'

Unwrapped, All forage types

VARIABLE CHAMBER ROUND BALER

McHale variable chamber round balers' operation is kept simple and user friendly. Features like, the three belt variable bale chamber with double drive and the drop floor unblocking system, when combined with high specification components, ensures long life, reliability and a variable chamber round baler that is rugged enough to handle the toughest of crops and ground conditions.

Makes 4' x 2' - 5'6" bales.



V8 VARIABLE

BALE SIZE 2'

CHAMBER ROUND BALER

The V8 series is a high capacity, variable chamber round baler capable of baling large bales.

The V8950 is a semi-automatic variable chamber baler which is fitted with a 15 knife chopper unit and heavy-duty rotor. The bale chamber is comprised of heavy duty endless belts.

Makes 4' x 2' - 6'3" bales.



F5000 BALER RANGE

BALE SIZE 4'

The F5000 range of balers from McHale brings baling to a new level, with better intake capabilities, better chopping options, smoother drop floor operation, superior controls and higher density bales.

All the balers in the McHale F5000 fixed chamber baler range make 4' x 4' bales.

ROUND BALER FEATURES:

SPLIT DRIVE GEAR BOX - Ensures that power is evenly distributed. The left hand side drives the rollers in the bale chamber, while the pick up and feed rotor are driven from the right hand side.

PICK-UP - 79" galvanized pick-up that lifts short crops. Accurate height control is achieved through a spring balanced hydraulic lifting system. Standard with pneumatic guide wheels, which contact the ground on exactly the same line as the tines and guides the pick up perfectly over uneven ground.

DROP FLOOR UNBLOCK - When blockage occur, the sound of the slip clutch alerts the operator who hydraulically lowers the floor from the cab. This widens the feed channel, on re-engaging the PTO the blockage is fed through. The floor is reset and baling is resumed.

MACHINE SPECIFICATIONS

	V6 Series		V8 Series	F5 Series	
	750 MII	760 MII	950	5540	5550
PICK UP					
Profi-Flo Pick-up	✓		-	-	-
6' 11" Working Width	✓	✓	✓	✓	✓
5 Tine Bars	✓	✓	✓	✓	✓
2 5/8" Tine Spacing	✓	✓	✓	✓	✓
Crop Roller	✓	✓	✓	Optional	
CHOPPER UNIT					
Maximum # of Knives		15	15	0	15
Theoretical Chop Length	2 1/2"		2 1/2"	-	2 1/2"
Drop Floor Unblock System	✓	✓	✓	✓	✓
BALE CHAMBER					
Diameter	4'	4'	4'	4' 1"	
# of Rollers or belts	3 belts	3 belts	3 belts	18 rollers	
Greasing	Continuous	Continuous	Continuous	Continuous	Continuous
CONTROL					
Control System	Expert Plus	ISOBUS	Expert Plus	Wizard	i-Control 5
Density Adjustment	In Cab	In Cab	In Cab	Manual	In-Cab
TRACTOR REQUIREMENTS					
Min. Power Requirement	80HP	80 HP	80HP	80HP	90HP

M-Hale

Integrated Baler Wrappers

TRACTOR



FUSION INTEGRATED BALER/WRAPPERS

The Fusion is unique in that it has been specifically designed as a high output Integrated Baler Wrapper.

FUSION 4 PLUS Integrated Baler Wrapper

BALE SIZE
Unwrapped, All forage types

4'

FUSION VARIO PLUS Variable Chamber Integrated Baler Wrapper

BALE SIZE
Unwrapped, All forage types

WRAPPED BALE SIZE
Haylage/Silage

4'8"



FUSION 4 PLUS features the unique film on film technology as well as the most advance Profi-Flo pick-up system that enhances throughput, increases bale density and faster wrapping speeds. ISOBUS compatibility makes the Fusion 4 Plus a fully automatic machine. Makes 4' x 4' bales.



FUSION VARIO PLUS gives you the option to use film or net wrap and has the ability to make bales of hay or straw from 2' up to 5' 6". The high-speed vertical wrapping ring applies four layers of film to a 4' bale in about 20 seconds or six layers 30 seconds.

MACHINE SPECIFICATIONS	Fusion	
	4Plus	Vario Plus
PICK UP		
Profi-Flow Pick-up	✓	✓
6' 11" Working Width	✓	✓
5 Tine Bars	✓	✓
2 3/4" Tine Spacing	✓	✓
Crop Roller	Optional	✓
CHOPPER UNIT		
Maximum # of Knives	25	15
Chop Length	1 3/4"	2 1/2"
Drop Floor Unblock System	Auto	Auto
BALE CHAMBER		
Diameter	4' 1"	4'
# of Rollers or belts	18 rollers	1 belt
Greasing	Progressive	Continuous
CONTROL		
Control System	ISO-Play 12 Console	iSOBUS
Density Adjustment		In-cab
TRACTOR REQUIREMENTS		
Min. Power Requirement	115HP	115HP

BALER FEATURES (Standard on integrated baler wrapper models)




Vario Stretch Net System (Vario Models) is a high performance netter. Net tension can be adjusted on a variable pulley.



Film On Film or Net Wrap (4Plus Models) allows you to switch between Film or net wrap to bind the bale.



Centralized Greasing System (Vario Models) services drive & non-drive side chamber bearings and rotor bearings.



Automatic Greasing System (4Plus Models) Twin pump lubrication system for greasing and oiling.



Drop Unblock System hydraulically lowers the floor from the tractor cab. Simply re-engage the PTO and reset the floor.



Heavy-Duty Pick-Up lifts even the shortest crop ensures long service life, while all camless pick-ups are fitted with a fully welded tine bar.

McHale is the world's largest manufacturer of high output bale wrappers for good reason. Other machines can't match the durability, performance, and reliability built into McHale machines.

Hay & Forage

McHale

Bale Wrappers

TRACTOR



991B Wrapper

991 WRAPPER RANGE sets the pace for efficient and effective round bale wrapping. Practical design, quality components and precision engineering make the 991 Range the first choice for contractors and farmers who want a high quality and consistent performance in all types of conditions and terrain. Look for the hydraulically operated cut and tie system, the efficient dispenser, which maximizes film usage and its patented ground supported damper system and you will see why you will look to the 991 Range as your wrapper choice. Like all McHale bale wrappers, the high output 991 Range will give you a tightly wrapped bale that contains all the natural juices for increased nutritional value while improving environmental protection.



991LBER range is perfect for farmers and contractors who are interested in wrapping bales at the storage site.



991 HIGH SPEED WRAPPER features dual dispensers, electric controls, film break sensors, self-loading arm and all the same features of the 991BE but with 50% more capacity.



The high capacity **MODEL 998 WRAPPER** for full size square bales can wrap double stacked mid-sized bales and also round bales when equipped with optional kit.



ORBITAL HIGH SPEED ROUND BALE WRAPPER

A high speed solution that delivers consistent, even overlap and achieves optimum levels of fodder preservation and quality.

The Orbital harnesses the proven vertical wrapping ring technology used in the McHale Fusion to deliver a high output, low maintenance bale wrapper which is capable of keeping up with multiple balers.

MOISTURE METER

Handheld and baler-mounted moisture meters for determining moisture and temperature of baled hay or straw.





Drum Mower

Mowers / Sickle Bar Mowers

TRACTOR

DRUM MOWER in 5'5", 6'1" working widths and manual or hydraulic lift. Machine features high speed discs allow high quality cutting performance, mechanical or hydraulic lifting systems with cabin control, fast and efficient blades replacement device. Provided with cardan shaft, pulley with over running clutch, protection cover and automatic safety release.

- Easy knife replacement system
- Belt tensioner
- Compact machine during transport
- Heavy duty 3 point hitch



Replaceable knives



TREX DISC MOWER CONDITIONER from 8'3" to 10'6" working widths. Side pull or center pull with rubber rollers or tine conditioner.



SICKLE BAR MOWERS in 59", 71", 83", 94" and 106" cutting widths utilize a double sickle bar with spring loaded breakaway. Operates up to 75° down to 90° up.



DISC MOWER from 5'5" to 10'6" working widths. Rear and front mounts available with conditioners.



TREX DISC MOWER -Trailed Mower W/ Center Pivoting Drawbar allows you to work both to the right and to the left of the tractor.

Rakes / Tedders

TRACTOR

BATRAKE

Available in 8, 10, and 12 wheel sizes. 60" diameter wheels with 7mm spring tines provide clean raking, excellent wear, and strong resistance to breakage. The heavy frame and high profile of the BATRAKE give a full 32" of ground clearance allowing it to rake in all types of ground contours in heavy hay conditions. The BATRAKE's unique lifting system gives you the ability to partially raise the rakes at headlands, rather than into the full transport position. A single hydraulic hose allows it to be used on older tractors with limited hydraulic remotes. Go from a V rake configuration to single side without leaving the tractor seat.



Tilting Tie Rod



Telescopic Frame



Rake Wheel Pressure Adjustment



Hydraulic cylinders to transition from working position to transport position



Open-Close Working



Central Raking Wheel



CARTED V-RAKE for clean raking when working on uneven terrains. Width adjustment with manual selector. Working widths from 17' 8" up to 24' 3".

Working Widths	Transport Height	Transport Width	Horsepower Required
16'5" - 24'3"	8' 2"	9' 2"	30 HP



SINGLE ROTOR ROTARY RAKE MODELS with 13'9" (11 tine arms) working widths. Tandem axles. High clearance lift for headland raking and transport.



TWIN ROTOR CENTER DELIVERY 3PT ENODUO 610/660 RAKE with adjustable working width of 23' to 25'6".



"VORTEX" PULL TYPE TEDDER available in 17', 19' and 24' sizes, the "VORTEX" hay tedder comes standard with U-Joint rotor style for better tedding and less problems.

Three different models are available and ideal for all types of ground.



ENODUO TRACER pull type double rotary offset rake, 32' working width.



BASKET BAR RAKE has multiple tines to ensure the collection of high quality forage.

TUBE-LINE

Inline Bale Wrappers

SELF CONTAINED



TL SERIES INLINE WRAPPER



TL50
Round Bales



TL60
Round & Square Bales



TL70
Round & Square Bales
(Double stacked - 3' x 3' x 51/2' or 3' x 4' x 51/2')

Based off of Tubeline's seasoned operating platforms, the TL Series Wrappers are available in the analogue LSV or the digital ECV.

The TL50 & TL60 have 100% more shielding over their predecessors increasing safety while providing a sleek modern look and a re-engineered door. A longer chassis increases the wrapping chamber allowing the addition of the optional offset twin wrap kit, which provides operators with up to 4" of adjustable offset to dial in your desired overlap.

- 13 HP Honda Engine (20HP engine optional)
- Self-contained Hydraulics
- Electric Start
- Quick Start Deck
- 11L x 15 8 Ply or 27 x 10.5 Traction
- Up to 129 Bales/Hour



Flim Snap



Pivoting Door



Bale Dispatch



Optional Offset Twin Wrap

SILVER PACKAGE

- Wireless Plastic Sensor Shutdown Kit
- Remote Steer/Shut Down
- LED Work Lights
- Bale Dispatch (*side mounted arm*)

GOLD PACKAGE

Silver Package Plus

- Remote start
- 20 HP Engine With High Flow Hydraulics

PLATINUM PACKAGE

Silver & Gold Packages Plus

- Offset Twin Wrap Kit
- Dual Power Drive
- Laser Guidance System

LSV BALE WRAPPER MODELS

Ideal for producers routinely working with the same bale size, the LSV platform uses motion activated limit switches triggered by the movement of the push ram to advance bales to the wrapping chamber.

ECV BALE WRAPPER MODELS

The digital controls on the ECV are ideal for the custom operator who needs to quickly adapt their setup as they move from one job to another. The easy to use selections automatically program the ram to match the bale size without additional adjustments.

TUBE-LINE

Individual Bale Wrappers

TRACTOR



TL1700SR INDIVIDUAL BALE WRAPPER

is ideal for small to medium sized operations. Hydraulically powered, the TL1700SR easily switches between round and square bales by moving the secondary drive shaft on either of the appropriate stub shaft. Equipped with a Twin Wrap Kit the TL1700SR laminates two layers together to form a stronger 2-ply layer of plastic. The Twin Wrap Kit is offset creating a 4" lead which ensures optimal overlap as the film is layered. Optional automatic wrapping with remote.



TL1700SR
Square & Round Bales



TL1000R
Round Bales

TL1000R is an efficient, economical choice for farmers looking to wrap individual round bales. This bale wrapper easily mounts to any CAT II 3 point hitch and requires a minimum of 30 HP to run.

Capable of wrapping bales up to 5' x 5'6", the TL1000R uses auxiliary hydraulics to spin the table and wrap the bale. Equipped with a Twin Wrap Kit the TL1700SR laminates two layers together to form a stronger 2-ply layer of plastic. To unload, simply lift the 3 point hitch.

FEATURES:



Drive Selection: Allows the wrapper to switch between round & square bales.



Bale Bumper: Ensuring the bale lands far enough away from the table to rotate.



Twin Wrap: Offset with 4" lead.



OPTIONAL Power Pack:
13 HP Honda Engine.

FEATURES:



Wrap Counter: sets desired number of rotations of wrap per bale/displays current rotation.



Adjustable Bale Guides: Allows 4' or 5' bales to be centered on the turntable.



Manual Transport Lock: Secures bale platform to prevent dumping during transport.



3 Point Hitch Lift: Easily unloads wrapped bales.

TL1100R AUTOMATIC INDIVIDUAL BALE WRAPPER

This automatic bale wrapper is easy to use and runs while mounted on the 3PH, connected to the tractor's hydraulics or as a standalone unit when equipped with an optional hydraulic power pack.

Standard with twin wrap kit. All functions of the TL1100R are controlled from the wireless remote providing true one person operation.



TUBE•LINE

Re-Conditioner / Bale Accumulator / Bale Grabbers

TRACTOR



THE ACCELERATOR'S easy operation conditions hay by simply running it through adjustable steel crimping rollers. This process cracks the hay stems without knocking off the leaves. Conditioning also fluffs the hay, allowing air to flow through the swath, for faster and more even drying from top to bottom. Speed up your operation with the Tubeline Accelerator producing better hay, faster drying time and bigger profits.

ACCUMUL8 takes a hands-off approach to small square bale handling. The Tubeline Accumul8 now gives producers time-savings for one of farming's biggest jobs. The Accumul8 is your solution for handling bales efficiently - saving you time and man power. You can now handle eight, ten, or twelve bales at one time. This allows one person to quickly gather and load wagons or highway trailers. Keep your farm operating efficiently with the addition of the Tubeline Accumul8. 8, 10, or 12 bale capacity.

Simple mechanical cycle. No hydraulics.



TECHNOBALE BALE MOVERS are one of the safest, fastest and easiest ways to move round bales from the field, all that and less compaction too. The Techno-Bale has been designed so that it can handle bales weighing up to 2,000 pounds safely and efficiently. Carry 8 bales on the 960 and 10 on the 980 + 1 on the loader arm.



GRABBER utilizes large curved tines to pick up bale packs for quick loading into storage and highway trailers. The Grabber is available in a variety of models to compliment Tubeline's Accumul8 series.



Silage Rakes/Blades

TRACTOR



SILAGE RAKE

The Pitbull Rake works like a dozer blade combined with the properties of a bucket allowing operators to not only push material but carry it as well.



- Fully retractable push plate
- 8 removable 49" conus side spears
- Two 3" x 12" cylinders
- High flow divider for even push off
- High strength abrasion resistant tines



Silage Blade



SILAGE BLADES

Heavy duty four wheel drive & front wheel assist tractor models available.

- 8 - Way blade control
- Mitered ends for precision dozing flush against walls when blade is angled
- Blade widths available from 10' to 20'

HEAVY DUTY SILAGE BLADES

- For front wheel assist tractors only
- Uses 5000 series undercarriage blade mount
- Heavy duty construction with two angle cylinders
- 3 X 16 cylinders with 1 1/2" diameter pins
- Reversible cutting edge
- 58" high blade (34" high mouldboard, 24" high mesh guard)
- Skid shoes are standard
- Available in CAT II or III, 3 point hitch



WEAVERLINE Silage Packer



SILAGE PACKER is a weighted roller that increases the amount of feed in your trench and decreases the amount of air under the plastic. While packing with a weighted tractor can be effective, tractor tires are designed to reduce compaction and distribute weight. With steel wheels and the open wheel design can sink down as much as 12" if needed to eliminate soft spots. Packing provides consistent forage density numbers throughout the entire trench.

Available in 93", 123", and 153" working widths.

- 30" steel wheels
- 3" wide stainless steel rim
- Heavy-duty 5" steel-tube axle mounted w/bronze bushings to a 1/2" steel frame
- Gusseted wheel design helps rake and level the pile
- Outside wheels are mounted at the edge of the machine to get a tight pack up to the trench wall



Bale Carriers

TRACTOR | TRUCK



MIGHTY

BALE HAULERS

are tough round bale haulers and are available in 8 1/2' width and 20' or 24' lengths. Heavy duty 5" x 3" HSS cross bars are curved for load stability. The main beams are 8" x 4" HSS. Available for 5' or 6' diameter round bales.



ROUND BALE WAGONS

are available in 8 1/2' width. Available in 20', 24', 30' & 36' lengths. Available for 4', 5', & 6' diameter round bales. Available with straight or curved cross bars.



BALE KING RACKS

eliminate tearing on your plastic wrapped bales! This bale rack, designed for any size round or square bales, features a heavy duty formed steel rub guard on the sides. Available in 8 1/2' width. Available in 16', 18', 20', 22', 24', 28', 30', 32' & 36' lengths.



FARM BOSS FLAT RACK WAGON

is a heavy duty bale wagon, with its steel mesh or checker plate deck, is ready for long days of bringing bales in from the field. Available in 8 1/2' width and with 4 or 6 wheels. Available in 20', 22', 24', 26', 28', 30', 32' and 36' lengths.



COMPACT BALE RACK AND WAGON

with its 4' x 8' steel mesh deck, is the perfect fit for your ATV or compact tractor.



Bale Handlers

Skid steer mounted bale grabbers for round and big square bales, round bale unroller.





TUBE•LINE



Vertical Beater Manure Spreaders

TRACTOR

Nitro spreaders are constructed with top grade materials to handle real day-to-day farming. With standard features including robust apron chains, vertical beaters, and an adjustable guillotine endgate, you can rest assured that Nitro spreaders will not only provide the consistent spread you need but also limit your time in the field.

NITRO Spreaders



- Models available from 13 to 30 ton carrying capacity
- Single, tandem or tri-axle
- Optional spinner deck beater assembly
- Optional Digi-Star scale system

NITRO RS Spreaders



- Models available from 10 to 19 ton carrying capacity
- Horst tandem
- Optional spinner deck beater assembly
- Optional Digi-Star scale system

NITRO LS Spreaders



- Models available from 6 to 10 ton carrying capacity
- Single or tandem
- Optional LED light kit
- Optional paddle kit

NITRO SPREADERS

The Tubeline Nitro manure spreader is a commercial-grade vertical beater machine with hydraulic apron drive, variable speed control, and aggressive beaters that deliver fast, consistent, finely spread applications—built for high-capacity, heavy-duty use.

NITRO RS SERIES SPREADERS

Built for daily farm use, the Tubeline Nitro RS Series features 5/8" apron chains, 34" vertical beaters, an adjustable guillotine endgate, steel box sides, 3/4" poly floors, and a limited lifetime apron chain warranty.

NITRO LS SERIES SPREADERS

Built for reliable, everyday farm use, the Nitro LS Series features durable construction, efficient vertical beaters, and smooth material flow. Rugged steel components and a poly floor help ensure long-lasting performance with minimal maintenance.

FEATURES



Apron Chain

Hydraulic-driven grade 80-5/8 (Nitro 950 - Grade 80-3/4) apron chain with galvanized slates.



Quick Drop Vertical Beaters

Convert your spreader in to a rear discharge trailer for stockpiling or windrowing.



Guillotine Endgate

Opened partially to meter the amount of material being delivered to the beater assembly. This ensures the optimal delivery of lime and various manure consistencies.

OPTIONS



Litter Beater Assembly

Dual horizontal beater assembly allows the spinners to deliver a consistent spread. Designed to maximize distribution while metering the flow of material. It utilizes a complete gear box drive system driving both horizontal beaters and spinners to ensure consistent unloading.



Digi-Star

Optional Digi-Star 5pt 60,000lb differential weigh beam system (Not available on RS Models) Four of the load cells are located under the box and the fifth cell is placed on the hitch.



LED Lights

Light covers open and close mechanically in sequence with end gate, ensuring lights are protected while spreading.

WALLENSTEIN



MADE IN CANADA
FABRIQUE AU CANADA

5

YEAR WARRANTY
ANS DE GARANTIE



AVAILABLE IN
REALTREE

Manure Spreaders

TRACTOR



GET BACK ON YOUR HORSE FASTER

Keep your stable clean and tidy with the easy-to-use **MX MANURE SPREADER** from Wallenstein. Designed for equine facilities and hobby farms, the MX Manure Spreader is the perfect size to handle manure from barn to field without the mess. You can choose between PTO drive or ground-drive spreading options to suit your tractor's capabilities.

Unlike metal and wood, Poly-Floor boards are resistant to weather and extend the life of your spreader. They will not rust and are flexible making them virtually indestructible.



The compact manure spreaders feature a one piece welded bed frame for durability, made from tubular steel. Frames start with a strong foundation and are built up using sturdy, heavy gauge steel construction. The job is finished with a baked on powder coated paint.



Models available in 25, 50 and 80 CF capacities



Wallenstein manure spreaders have 3 levels of unloading speed affecting the apron chain. A few quick moments is all it takes to get the right coverage for your application needs.



MKMARTIN
ENTERPRISE Inc.

Dump Box



WEIGHT BOX

With a material holding volume of 3.5 cubic feet and maximum holding weight capacity of 525 lbs., this weight box can add up to 575 lbs. of balancing weight to your CAT. 1 3PH. This added weight backs up your tractor by off setting your loader mounted attachments helping to keep your tractor safely balanced.



Augers



All Market augers feature a plastic tube constructed of heavy gauge white PVC and polyethylene plastic flighting for augering corrosive materials. Optional cupped plastic or cupped steel flighting is available depending on your augering needs.



Maximum Reach Augers



Cross Auger



Transport Augers



Truck Augers



Transfer Auger



Gravity Box Auger



Utility Wagons



Elevators

Conveyors and elevators for various applications:

- Ebersol Bale Elevator
- Ebersol Belt Conveyor
- Ebersol Ice Conveyor
- Ebersol Wood Conveyor
- Ebersol Single Chain Conveyor
- Maple Leaf Tubular Bale Elevator
- Maple Leaf Mow Conveyor



EBERSOL ICE CONVEYOR

Perfect for concrete plants when adding ice, fibers and powdered additives to concrete.



MERIDIAN

Augers/ Conveyors / Seed Tenders

TRACTOR



SWING AUGERS

Meridian swing augers are built for high-capacity performance and easy positioning. Their low-profile hopper and balanced design allow for efficient grain intake, while durable construction ensures long-term reliability in demanding farm environments.



TRUCK LOADING AUGERS

Meridian truck loading augers deliver fast, efficient grain handling with reliable performance. Built with durable components and stable undercarriages, they provide smooth, quiet operation and consistent capacity. Multiple sizes and configurations make them a flexible solution for operations of any scale.



UTILITY AUGERS

Meridian utility augers offer a compact, dependable solution for everyday grain, seed, and feed handling. With multiple sizes and extension options available, they provide flexible performance for a wide range of farm applications.



BULK SEED TENDERS

Seed Express bulk tenders provide an efficient solution for transporting and unloading seed with speed and precision. Designed to reduce downtime during planting, they offer high-capacity storage, smooth conveyor or auger unloading, and user-friendly controls. Durable construction and multiple size options make them a reliable choice for operations looking to improve productivity and streamline bulk seed handling.



BOX SEED TENDERS

Meridian Seed Titan box tenders are built for simple, efficient handling of boxed seed. Available in two- and four-box configurations, they allow quick transport and easy transfer to planters while minimizing manual handling. With durable construction and intuitive controls, they help improve filling speed, reduce labor, and keep planting operations running smoothly.



CONVEYORS

Meridian conveyors move grain gently and efficiently, helping reduce product damage while maintaining high capacity. Their smooth operation and versatile designs make them ideal for loading, unloading, and transferring materials.

MERIDIAN

Fuel Trailers

TRACTOR



520 FUEL TRAILER

The Meridian 520 Fuel Trailer is a compact, portable solution for on-site refueling. With a 520-gallon capacity, it's ideal for smaller operations needing mobility and efficiency. Its durable steel frame, electric pump system, and easy towing design make it a dependable choice for everyday field fueling needs.



990 FUEL TRAILER

The Meridian 990 Fuel Trailer is built for high-capacity fueling with added convenience and performance. Featuring a 990-gallon tank, retractable hose reel, and faster pump system, it allows efficient refueling of multiple machines. Its heavy-duty construction and advanced features help reduce downtime in demanding agricultural and industrial operations.



Grain Storage

GRAIN UNLOADERS

A hydraulic roller pulls in the bag while mechanically powered cross augers collect grain and direct it to a discharge auger that conveys it out to a grain wagon or truck.

A 60 HP tractor can unload dry corn at 300 tons/hr.



FLEXI-GRAIN STORAGE BAGGERS

provide superior compaction and uniform filling with no loss or damage to the grain. Virtually all grains can be bagged including soybeans, corn, and wheat.



Fertilizer Spreader

- Seamless, 1-piece, 500-lb. & 1020-lb. capacity hoppers
- Reversible lift arm pins for different size tractors
- PTO-driven spin broadcast w/treated spreading disc & galvanized fins
- Side discharge hopper for accuracy & even spread
- Spreading width – 12-60 feet

- Broadcasts to each side
- Fully splined gearbox shaft
- Fully galvanized opening system kit
- CAT I quick-hitch
- 3PH and pull type models available





Fertilizer Spreaders

TRACTOR



AMP Series Spreader Shown

AMP SERIES SPREADER

Features a polyethylene hopper and is capable of spreading powders or granules. Its compact design and short spreading surface makes it perfect for small areas. Requires category 1 3 point hitch and 540 RPM PTO.

Features

- 10.6 CF hopper
- Spreading width ranges from 3' to 46'



AIP Series Spreader



AIG Series Spreader



ASG Series Spreader

PENDULUM SPREADERS

Have been designed to distribute solid granulated fertilizers and seeds with total precision.

AIP, AIG & ASG Series Spreaders

- Hopper capacities available from 17.5 CF to 58 CF
- Polyester pressed hopper
- Steel frames
- Designed for tractors
- from 30HP and above
- AIG & ASG models available with quick hitch and hydraulic controls

ROXY SPREADER

Single-disc spreader with adjustable vanes for precision distribution.

Working width up to 26'

Models available in 2 or 11CF capacities



ZAPPA - FOR VINEYARDS

This narrow pendulum spreader is ideal for vineyards. Spread width up to 46'. Hopper capacities available from 21CF to 36CF.

Distribution System

Pendulum spreaders deliver the most accurate overlapping spread pattern possible. An equal amount of material is spread on either side in a symmetrical pattern. The maximum spreading width is 46'. The overlapping pattern allows for more driving forgiveness, no skips or burns due to double coverage. Material is kept close to the machine with no overspray on the tractor.



Cone shape pattern provides total overlap




Pendulum spreader pattern: Wind influence is negligible. Tractor does not get covered with fertilizer

HAYRITE LOYAL

Hay Elevators

- Single chain bale elevators and complete mow conveyor systems.
- Transport models from 20'-60'.
- Stationary units from 16'.
- Standard duty and Extra Heavy duty models.





Fertilizer Spreaders

TRACTOR



BMC TWIN DISC SPREADERS

deliver a uniform distribution and perfect scatter. They are designed for the distribution of solid granular fertilizers and seed.

Consistent Spread Pattern Double overlap spread pattern



Up to 79' working widths



From 79' working widths



Syntra Twin Disc Spreader is designed for the distribution of solid granulates fertilizers and seeds with total precision. It can handle capacities, up to 1,900 lbs. with a spread width of 72'.



ACH Twin Disc Spreader is designed for tractors 50 HP or higher and can handle large capacities, up to 5,931 lbs. with a spread width of 79'.



ADH Twin Disc Spreader is designed for tractors 50 HP or higher and can handle large capacities, up to 2,359 lbs. with a spread width of 79'.

TWIN DISC STANDARD FEATURES



Hydraulic Opening



Inner Screen

OPTIONAL



Cover



Border



Lighting Kit

KOPA SERIES SPREADER

KOPA SERIES SPREADER

Twin disc spreader designed for 100 HP or higher. Spreading width up to 118'

Features:

- 720 RPM per disc
- Recommended tractor speed (MPH) 8, 10 or 12
- Models available with hopper capacities up to 7,144 lbs.
- Stainless steel models available



Border



Inner Screen



Hopper Cover



LUA SERIES SPREADER

ORCHARD SPREADER

The narrow design of the Lua Series spreader is ideal for orchards and vineyards. This twin disc spreader has a spreading width up to 79'.

Models available up to a 42 cubic foot capacity.



MEGA TRAILED TWIN DISC SPREADER

The Mega trailed twin disc spreader features a high-capacity hopper mounted on a heavy-duty trailed chassis for stable field performance. Stainless steel construction in key areas improves durability and corrosion resistance in harsh operating conditions.



Seeders



The extensive overuse and abuse of our pastures, hayfields and forage stands deplete the quality of the forage produced. By stimulating growth and reseeding to generate new growth, APV products help capture critical soil elements that provide thicker, more nutritious food base.

COVER CROP SEEDERS

Cover crops provide immense value to soil health and fertility. They are a simple tool for exploiting the soils full potential while at the same time potentially reduce inputs such as herbicides and fertilizers.

PNEUMATIC SEEDERS feed seeds from the hopper via the electronically controlled metering roll into the air duct. Seeds are then pneumatically conveyed through flexible tubing to the dispersion plates, providing, precise distribution across the soil. This method, combined with our numerous metering roll options, providing precision - even in windy conditions.

Models available up to 45.4 bushel hopper capacity.



ISOBUS CONTROL

APV pneumatic seeders can be controlled via ISOBUS with the tractor's own terminal. Tractors must have a standardized ISOBUS port.

MOUNTING OPTIONS AS DIVERSE AS THE SEEDS IT SPREADS

- | | | | | |
|-----------------|-------------|----------------|-----------|--------------|
| • Alfalfa | • Buckwheat | • Clover | • Mustard | • Radish |
| • Beans | • Canola | • D Fertilizer | • Peas | • Seed Blend |
| • Blue Phacelia | • Cereal | • Grass | • Poppy | • Vetch |



Single Disc Spreader/Seeder

SINGLE DISC SEEDERS serve diverse uses from seeding cover crops to applying granular micro-nutrients with most any combination of implements tilling and seeding in a single process.

Models available for use with tractors, ATV's, tillage implements, weeders, and harrows.

- High quality control box
- Durable polyethylene tank
- Standard fixed agitator
- Dispersion rate controlled electronically
- No PTO required
- Adjustable spreading widths 6.5' to 78'



Snow Blades

TRACTOR | SKID STEER |
WHEEL LOADER



Available with Edge Flex Technology

Each individual section moves independently to provide quick response to the changing surface.



The HLA Snow Blade puts you in the driver seat when it comes to clearing snow. The Snow Blade's robust moldboard has a precision engineered curve construction that folds and rolls the snow, limiting unwanted sticking, side tracking, and spill over. Equipped with a spring-trip feature, the moldboard trips back if the blade hits a hidden object, limiting any damage so you can continue clearing. With other features such as the crossover relief valve, lateral float, and replaceable and reversible cutting edge, the HLA Snow Blade gets the job done right, every time.

Max Operating Weight: Models available from 3,000 to 60,000 lbs.

SNOW BLADE FEATURES *(May not apply to all models)*



Skid Shoes are made from AR400 high tensile skid shoes for optimum performance and cutting edge life.



Spring-Trip Cutting Edge Allows cutting edge to trip back if struck by hidden object limiting damage.



Lateral Float allows blade to follow ground contours for better clearing performance.



Replaceable/Reversible Cutting Edge is designed to be easily replaceable and reversible. **NOTE:** Replace endcaps & cutting edges to prevent streaming.

SIX WAY BLADE

Comes standard with spring-trip cutting edges, ensuring the cutting edge springs back when the blade strikes an obstacle reducing damage to both the blade and equipment. Standard with individually replaceable/reversible steel cutting edges.

Max Operating Weight: Models available from 10,000 to 25,000 lbs.



SCOOP



V-BLADE



ANGLE BLADE
(RIGHT & LEFT)



V-BLADE

- Replaceable steel cutting edge
- Q-tach or direct fit to accept most makes of loaders
- 24" high moldboard
- Widths from 48" to 60"



Snow Wing

TRACTOR | SKID STEER |
WHEEL LOADER



Open from box blade to straight blade and get that extra clearing width on the fly. But it doesn't stop there: The endplates are hydraulically-controlled and equipped with industry-proven rotary actuators, giving limitless control within the massive 180° rotation. This means you can use your blade on an angle with one end open and the other parallel to the direction you are driving. Get closer to buildings and parking stones without risking damage. Then rotate the endplates into a reverse box blade and drag the snow away for full clearing in the tightest of spaces.

Max Operating Weight: Models available from 10,000 to 60,000 lbs.



Available with Edge Flex Technology

Each individual section moves independently to provide quick response to the changing surface.



FEATURES *(May not apply to all models)*



HLA SNOW PATENTED SYSTEMS

180 Rotation Infinitely and independently adjustable, wings are rugged enough to stay put and give you control of any situation.

Tire Protection System automatically protects from unintended damaging collisions between your front tires and end plates. The end plates are automatically rotated away from the tires.

Crossover Relief Valve provides protection against hidden obstacles by redirecting hydraulic pressure, swinging the blade around hazards.

Rotary Actuators these units come from the construction industry and deliver up to 21,000 - 54,200 in lbs of torque (depending on model) to hold the wings in place.

Replaceable, Reversible Cutting Edge is designed to be easily replaceable and reversible to give you twice the life. **NOTE:** Replace endcaps along with cutting edges to prevent streaming.



Snow Pusher

TRACTOR | SKID STEER |
WHEEL LOADER

1500 Series Snow Pusher shown with back drag option.

Taking full advantage of the HLA Snow Pusher has never been easier. Ruggedly built with a welded double sidewall, the Snow Pusher doesn't need any bulky braces, ensuring smooth and clean lines inside. On the 4500 and 5500 series, the floating end plate edges follow the contours of the ground, ensuring confident clearing. Finally, use the optional back drag or 3PH rear pull mount to pull snow away from tough to reach spaces, ensuring the lot looks the best it can.

Max Operating Weight: Models available from 3,000 to 40,000 lbs.



1500M Series Snow Pusher shown

FEATURES *(May not apply to all models)*



Skid Shoes are made from AR400 high tensile skid shoes for optimum performance and prolonged cutting edge life.



Spring-Trip Cutting Edge Allows cutting edge to trip back if struck by hidden objects limiting damage.



Lateral Float allows blade to follow ground contours for better clearing performance.



Replaceable, Reversible Cutting Edge Replace endcaps along with cutting edges to prevent streaming.



TURF SNOW PUSHER

Designed specifically for clearing turf sports fields, the turf snow pusher allows you to get your playing fields game/practice ready in no time.

It's lightweight frame, rounded pipe edges and shoes enables the pusher to glide over turf or field covers and clear snow without doing damage.

WORKING WIDTHS: 4 1/2' - 8'



Snow Pusher

TRACTOR | SKID STEER |
WHEEL LOADER



- Slim Double Sidewall eliminates bulky brace for reduced material build-up
- High Tensile AR400 Skidbars
- Replaceable Reversible Steel Cutting Edge
- Spring-Trip Cutting Edge
- 2 Year Commercial Warranty (SP3500, SP4500, SP5500, SP5505, SP6500)

Models Available With Max Operating Weight: 60,000 lbs.

3400 SERIES SNOW PUSHER

Low profile box for Skid Steers

Low box designed allows for increased operator visibility and extra clearance when mounting on a skid steer.

- Reversible cutting edge
- Spring trip cutting edge
- Double sidewall, slim brace design
- High tensile AR400 adjustable steel skid shoes

The box is 30" tall with a depth of 36" and is available in widths from 7' to 12'



Snow Pusher

Universal Quick-Attach; works great on utility tractors outfitted with compatible front-end loaders, can also be used with skid steer and compact track loaders.*

- 8" rubber replaceable and adjustable wear edge
- 33" blade depth
- Reversible & replaceable skid shoes
- Optional backdrag
- 6' - Compatible with 30-75 HP tractors & 30-60 HP skid steer and track loaders*
- 7' - Compatible with 55-100 HP tractors and 40-80 HP skid steer and track loaders*
- 8' - Compatible with 55-100 HP tractors and 40-80 HP skid steer and track loaders*

*May not be compatible w/skid steer loader outfitted w/forward opening door.






Snow Blowers

TRACTOR | SKID STEER

4000 SERIES COMMERCIAL PTO SNOWBLOWERS

Designed for professional snow removal contractors and municipalities, these rugged commercial snowblowers are built for heavy snow clearing using HD 450 wear plates on many key elements. Compatible with tractors 150 HP up to 250 HP and with a clearing path of up to 120 inches, the MK Martin 4000 Series snowblowers move more snow with every pass - easily clearing deep drifts and hard-packed piles.



SKID STEER SNOW BLOWERS

are hydraulically driven and utilize two hydraulic motors. One drives the auger, the other drives the five bladed fan. One set of hydraulic remotes is required. Chute is offset for better visibility.

Available in 62" - 96" widths



LOADER MOUNT SNOW BLOWERS

include a self contained PTO driven power pack to drive the hydraulics required by the snow blower. The power pack holds up to 30 gallons and runs 2500 PSI at 30 gallons per minute. Minimum horse power requirement is 40.

Available in 66" - 86" widths



SCHULTE Snow Blowers

RDX 3Point Mount

117" model with drum rotation cylinder that rotates the fan housing to throw snow from the left or right side or through the center chute.



SDX 3Point Mount

102" & 117" models available



SBX Skid Steer Mount

87" model available





Snow Blowers

TRACTOR | SKID STEER



PULL TYPE PERFORMANCE SERIES SNOW BLOWERS

The Performance Series puts the operator ahead of the action by inverting the traditional tractor PTO powered snow blower design. The angled back allows the blower to clean tight to garage doors, with no need for an additional back drag system. Connecting to your tractor's 3PH, the inverted snowblower allows you to drive straight forward pulling the blower instead of backing into the snow.

Available in 54" - 97" widths




PULL TYPE SNOW BLOWERS

Pull Type snow blowers are built with the same durability as forward facing models. Rather than having to look over your shoulder to guide the blower around objects the pull type blower follows the path of your tractor. This action keeps the operator driving away from the blown snow increasing visibility.

Many snow contractors have switched from truck mounted plows to tractors with inverted snow blowers because of speed and efficiency.

Available in 54" - 97" widths



SELF POWERED SNOW THROWERS

For compact skid loaders and tractors without hydraulic remotes. These snow throwers are easy to attach with no drive lines or hoses, the engine belt drives the shaft which transfers power to the rotor by a roller chain. A flared body opening helps cut snow and direct the rotor assembly.

3PH SNOW BLOWERS

With a range of models from 12 HP compact tractors to 125 HP farm tractors available, nothing moves snow more than being hit by a Meteor.

Single Auger

High tensile steel flighting feeds snow into the 5 blade fan. It's tight tolerance to the housing sucks in the snow, blowing it out of the chute with as little as 12 HP.

Available in Single 48" - 97"

Double Auger

Dual auger snow blowers work well in both acreage and commercial applications and can chew down the most stubborn of snow banks. To accommodate the PTO needs of large tractors, dual auger blowers are compatible with the optional 1000 RPM PTO kit, providing the perfect connection.

Available in 87" - 120"



BOBCAT/STEINER/VENTRAC SNOW BLOWERS

Ideal for rural driveways and smaller commercial yard, these snow blowers are designed to fit Steiner and Ventrac tractors.

Available in 48" & 54" widths

- Hydraulic chute rotation for smooth blowing
- Manual chute deflector
- Belt drive



Broadcast Spreaders

TRACTOR | SKID STEER



THE SCATTERSHOT makes short work of your spreading tasks. This broadcast spreader comes in Single Shot and Double Shot models. Self-loading with hydraulic flow control for spinner speed.

Give your plow all the back up it needs with the 3-point mount. Now you can plow, load and spread all with one machine. Built with heavy gauge corrosion resistant galvanized steel for durability and long life. Floating agitator breaks up clumps.

Optional 36" Sidewalk Drop Shield on HS100.

All models available in skid steer, loader mount or 3 point hitch.



HS100 SERIES SINGLE SHOT

Single Rotor with 1/2 cubic yard capacity.
3' - 40' spread capacity
5 - 20 GPM @ 3000 PSI



HS200 SERIES DOUBLE SHOT

Twin Rotor with 1 1/2 cubic yard capacity.
6' - 60' spread capacity
10 - 30 GPM @ 3000 PSI



HS300 SERIES DOUBLE SHOT

Twin Rotor with 3 cubic yard capacity.
6' - 60' spread capacity
5 - 20 GPM @ 3000 PSI

FEATURES



Spinner Speed Control adjusts the speed of the hydraulic spinners, affecting the broadcast distance to suit your needs.



Hydraulic Spinners

Hydraulically controlled, the spinners spread the material from the hopper.



Manual Flow Rate Adjustment

Slider allows for the manual adjustment of material flowing from the hopper.



Floating Agitator reduces bridging, ensuring that a consistent flow of material is broadcasted.



Drop Spreader

TRACTOR | SKID STEER | UTV



BAUMAN DROP SPREADERS will dispense your de-icing material evenly in a pattern rather than in a solid layer. The distributor drum maintains the spread width to direct the material to drop exactly where you want it. This prevents material waste as well as turf damage from salt, both of which can be a problem with spinner type spreaders.

Choose from 8 models—including push sanders, PTO sanders or hydraulic sanders for your tractor or your skid steer.



220 Series—20" spreading width, 2 cu. ft. capacity

SPREAD PATTERN



FEATURES



Agitator bar rotates in the hopper to reduce salt or sand from bridging and not passing through to the drum.



Included on all hydraulic units, flow control reduces the hydraulic flow from the tractor to the distribution drum. Allowing the operator to control distribution quantity.



Rotating drum for various materials. Sand, road salt and food safe salt.



Salt drum for coarse salt distribution.



1/4 HP DC electric motor and reducer that drives the 440E and 1040SI drop sanders. The epoxy paint protects units from salt brine.



A unique polymer finger bar has a flexible memory to retain its shape which gives all Bauman drop sanders the even cross hatch pattern when the material is dropped.



430T Series—30" spreading width, sand drum, 4 cu. ft. capacity



440 Series—40" spreading width, electric drive, 4 cu. ft. capacity.

Available in stainless steel



640/1140 Series—40" spreading width, PTO or hydraulic drive, 6 1/2 and 11 cu. ft. capacities



960 Series—60" spreading width, hydraulic drive, 9 cu. ft. capacity



1040SI—40" spreading width, electric drive, 10 cu. ft. capacity. Works with many utility vehicles.



1040B & 1560B Series—40"/60" spreading width, hydraulic drive, 10 cu. ft. (1040B) 15 cu. ft. (1560B) capacity



ATV/UTV Tracks & Attachments

ATV & UTV



300 CC AND MORE



300 CC AND MORE



400 CC TO 700 CC

400 CC TO 1000 CC

ATV
Application



UTV
Application

Sprockets sized by vehicle **



Drive Sprockets

Geared to your machine for efficiency and speed. The size of the drive sprockets in each track kit are specifically engineered and adapted to your specific vehicle.

**May vary depending on model

Anti-Rotation And Brackets

The anti-rotation system is designed with a factory pre-loaded spring and dual rubber damper that keeps your tracks firmly in place allowing you to back up over obstacles. It's also built to absorb the impact of every bump and jolt to prevent vehicle damage.

FLOTATION – Distributes your vehicle's weight over a greater surface area reducing pressure up to 75%.

TRACTION – Tracks and treads specifically designed for ATVs and UTVs, it's hard to get stuck even with the heaviest of loads

HANDLING – Enjoy precise & solid handling; thanks to the track's rigid frame, anti-rotation features, specialized design, and wider, longer wheelbase.



UTV Implements

UTV/ATV/TRAILED



DISC AND CULTIPACKER COMBO

- Attaches to ATV's, UTV's, and small tractors
- Combines deep cutting of the eight-blade tillage disc with soil preparation and compaction of the adjustable culti-packer
- Easily raise and lower cultipacker with heavy-duty front mounted winch
- Super heavy-duty 711 lb. steel frame and sealed bearings



WIRE UNROLLER

- Attaches to an ATV, tractor or truck with 2" receiver
- Holds various size rolls of wire for easier fencing
- Perfect for fencing in tight places



COMPACT DISC

- Adjustable tongue, 1-7/8" ball hitch for easily pulling behind 4-wheelers
- 10 notched blades for deep and maximum cutting
- Heavy-duty 2" square tube frame
- Transport disc on 11" wheels using the easy center mount crank jack
- 36" operating width

FLIP DISC

- Easily pulled behind 4-wheelers and small tractors
- 8 notched 16" blades for deep and maximum cutting
- 55" operating width with a 20 degree cutting angle



COMPACT MANURE SPREADER

- Holds approximately 13 cubic feet of manure
- Attaches to any ATV, UTV, or garden tractor
- Tractor-tread solid tires
- Chain-driven steel agitator
- 1-piece extruded aluminum drum with spreading vanes



PULL BEHIND SPREADER/TRAIL FEEDER

- ATV or garden tractor-drawn spreader for fertilizing or seeding
- 5 bushel capacity
- Approximate 300 lbs. capacity covering
- Approximately 65,000 square feet
- Spread up to 20 feet wide

REIST
INDUSTRIES

Equestrian Groomers

TRACTOR | SKID STEER | ATV



IN-FIELDER

The In-Fielder is extremely simple to operate with only two adjustments: the cutting depth of the grader blade and the brush height adjustment.



TRAILPRO

Groom your trails faster with one machine, one operator, and one pass. TrailPro trims edges, reclaims gravel and levels your trails.

ROTO GROOMER / MULTI-GROOMER



Roto Groomer renovates and conditions horse-riding arenas.

Multi-Groomer renovates and conditions horse-riding arenas and tracks. Features heavy duty side rub rails, adjustable ripper teeth, rear spring tines and rear roller.



Track Curry

TRACK CURRY—This easy to use tool will allow you to condition the surface of your track to your desired firmness. With two rows of heavy duty S-tines to cultivate the ground, an adjustable leveling bar fastened to the rear of the S-tines and 12" rolling drum behind the leveling bar provides an accurate depth gauge to cultivate and pack your soil for optimum performance.



Adjustable Leveling Bar



12" Rolling Drum



Heavy Duty "S" Tines



Transplanters

Holland Transplanter has manufactured specialized vegetable planting machines since 1927. Quality design, workmanship and materials have made the conventional bare root transplanters the proven leaders for over 65 years. Product lines include: conventional, rotary, manual and tree transplanters as well as mulch pot planters and bed shapers-mulch layers.



Rotary One



Conventional Transplanter



Mulch Equipment



Bed Shaper/Mulch Layer

**MAY-BRIDGE
HARROWS**

Chain Harrows

TRACTOR



ESTATE CHAIN HARROW

Ideal for equine, home and landscaping, trails, off road courses & more. 1 3/4" teeth at a 90° angle on one side and almost non-existent teeth on the other side, for many different applications. This harrow is the perfect solution if you need a less aggressive, lighter chain harrow.

- Made from 1/2" 1045 steel rod
- Designed with equine, estate & hobby farms in mind
- Drag with ATV/UTV's, & compact or garden tractors
- Models available in 5' and 6' 6" widths



CHAIN HARROW

Versatile chain harrows made of 1060 Hi-Carbon 5/8" diameter steel for long life. 3" teeth on both sides. Self cleaning due to the unique tooth arrangement and framework.

- Prepare seedbeds
- Cover seed
- Incorporate herbicides
- Spreading manure
- Horse track grooming
- Landscaping
- Hay and pasture renovation
- Models from 4' 4" to 26'



Tillage



One, two, and three bottom plows in 12", 14", or 16" bottoms with shear



6 & 7 shank pasture renovators



3 point disc harrows 4' 4" to 11' 4" working widths.



High clearance row crop cultivator




Single shank subsoiler


MKMARTIN
ENTERPRISE Inc.

Field Roller

FIELD ROLLERS

The MK Martin Field Roller is built to pack and level fields, protect equipment from rocks, and deliver excellent seed-to-soil contact. Constructed with a heavy 1/2" rolled steel drum and a robust 3" shaft, it offers superior weight, durability, and smooth performance. Composite-bushed pivot points ensure reliable, low-maintenance operation—exactly what you expect from MK Martin.





Diamond
By Metal-Fach

High Speed Disc Harrow

TRACTOR



Designed for optimum soil and residue incorporation. The compact disc harrow is a universal tool capable of cultivation depths from 2" to 6". Used after harvest or before planting, the harrow doesn't just cover the remaining vegetation but perfectly mulches it with the top layer of soil.

Available as 3 point hitch (9' 10", 14' 10" or 19' 9" widths) or pull type (14' 10" or 19' 9" widths).

SOIL TYPES/FIELD CONDITIONS

It may be used on all types of soils including those with stones thanks to the rubber shock system. The harrow helps open and mix the soil while the packer packs and compresses the soil. Due to the resistance to clogging the harrow is well suited for the cultivation of tall stubble.

WORKING DEPTH

The working depth of the harrow discs may be adjusted using the tractor's 3 point hitch or the mechanical or hydraulic shaft adjustment mechanism.



PACKER ROLLER: A heavier roller good for crushing clods and firm soil compaction.



DD HEAVY ROLLER: Excellent roller for heavy, rocky soils with high organic content.



Tillage

ROTOTILLERS

Perfect for cultivating, aerating, and stirring up soil for gardens, food plots and other tillage needs.

- Available in 4', 5', 6' sizes
- Can be switched between forward or reverse rotation
- Oil bath lubrication with all gear driven driveline
- Self-sharpening heat treated cutting tines
- Adjustable runners allow for a tilling depth of up to 7"
- Category I hookup (Cat. I pins included)
- Comes with heavy-duty PTO shaft and slip clutch
- Durable, corrosion-resistant powder coat finish



TILLAGE

3 point hitch attachments for compact tractors.





Combination Harrow / Packer / Air Seeder

TRACTOR



GP600 M2 Shown

GRASS, PASTURE & FORAGE REHABILITATION/MANAGEMENT

Every grass, forage or hay farmer requires a nutrient-rich, healthy crop. APV's spring tine harrows combined with seeders and rollers deliver just that.

GP Professional Harrows

Six tasks in one pass, APV Pro Tine Harrows are the ultimate tool for pasture maintenance. At speeds up to 2.5 times faster than a no-till drill, your seeding tasks will be completed with speed and precision.

- Spring mounted leveling plates to level soft, uneven soil
- Four rows of spring tines provide superior soil prep for seeding
- Minimum maintenance and limited repair parts required

Working widths available from 9'10" to 19'8"

GK Combination Harrows

Suited for any and all grass management applications including pastures, municipal operations, and construction sites. The GK Series will level, dethatch, provides shallow weeding, aerate, and reseed while ensuring excellent seed to soil contact.

- Harrow and roller can be separated without tools
- Spring-mounted leveling plate
- Seeder access platform
- 12mm spring tines
- Cambridge roller or 16.1" tooth-ringed roller

Working widths available from 8'2" to 9'10"

The Skid Steer Attached Precision Rate Controlled Seeder

is designed to be used in the construction, municipality, reclamation, and landscape industries. This machine offers the same great features of our GK 250 M1 and GW 250 M1 pasture rehab machines.

Whether you need to seed or fertilize, landfill, construction site, golf course, or pipeline this machine provides the most efficient and precision rate controlled application on the market.



GP300 M1



Seed tubes and dispersion plates



GW Cultipacker

Ideal to smooth and firm a seed bed, the GW series cultipackers are a compact solution that works well alone or with the PS 300 seeders for seeding food plots or granular fertilizer.

- Cambridge roller (free-spinning to follow contours without ripping the surface) or tooth-ringed roller (self-cleaning, works well in grass and tilled soil)
- Support stand for when roller is parked

Models available from 8' to 9'10"

DelMorino

Rototillers

TRACTOR



TANGO MODELS

For lower HP tractors. Models available 34" and 50" widths for 12-30HP tractors.

- 12-30 HP tractors
- 3 Point Hitch CAT 1

URT MODELS up to 75", 80", and 87" width available for 15-50HP tractors and a heavy duty chain drive. 2 year warranty.

HRA MODELS in 89" and 98" widths for 50-95HP tractors.

- Adjustable CAT 2 three point hitch.
- 6 blades per flange
- Adjustable skids



FLASH MODELS in 33", 41" and 49" widths for 12-24HP tractors with a center gearbox design.

- Adjustable CAT 1 3 point hitch
- Oil bath gear drive central transmission w/shear bolt protection
- 4 blades per flange
- Adjustable skids

MK MARTIN Tillage

SKIDSTEER ROTARY TILLER

Prepare your seedbed or garden for planting using the MK Martin Rotary Tiller. With standard features such as adjustable skidshoes, floating deflector, replaceable tines, and an oil bath drive chain this tiller easily loosens soil for a variety of applications.

For optimal performance, the tines are configured in a spiral pattern. This provided better overall processing of the soil while increasing overall efficiency of the tiller.





Header Wagons

TRACTOR | TRUCK



Road Flex Suspension uses shock absorbing blocks, offering a smooth ride taking the shock out of rough roads and fields. Less bounce, less noise and less shock to tires and cargo.



Trailing your combine head with a Horst CHC Wagon keeps you moving with safe and easy road travel. The no-sway design of Horst's running gear provides a smooth trailing wagon that eliminates the zig-zag action through tapered roller bearings on all the main pivot points. This includes the king-pins and steering pivot joint.

The predictable trailing movement of Horst's Header Wagons is especially important for combine operators who don't have a clear rear-view and need to rely on a steady trailing wagon.

Swather Transport Carts With 4 Wheel Steering for 25' - 45' swather's.



2 Wheel Steering for 25' - 35' headers.



4 Wheel Steering for 30' - 50' headers.



4 Wheel Steering With Rear Electric Brakes for 30' - 50' headers.



4 Wheel Steering With Electric Brakes Road & Flex Suspension for 30' - 45' headers.

CHCFXJDHD 35-50' HEADER TRANSPORTS

Accepts JD HD Series Headers

Designed for detailed no sway road travel the CHCFXJDHD Header Wagon allows easy travel from the farm to the field. 4 wheel steering and braking allows the operator to feel in total control, while the wagon cradles the header for a made-to-spec fit.



CHCTRF645 Tricycle Style Header Cart carries headers up to 45' with a tricycle-style design for stable, easy transport and maneuverability.

HEADER WAGON FEATURES



Adjustable Rail ensures wagons can fit most sizes and models of combine heads.



Quick Release header mount makes repositioning easy. Lower the over-center locking handles, reposition the mount and relock.



Ratchet Straps are heavy duty and repositionable. Because they are free floating they are a snap to release.



Improved Steering that provides tighter steering when following the tow vehicle and prevents bent tongues.



Tapered Roller Bearings are used in your main pivot points keeping them tight, ensuring no trailer sway and long lasting use.



Running Gear

TRACTOR



HORST's industry leading No-Sway trailing ensures your wagon will follow your lead. Tapered roller bearings on the king pins and automotive style ball joints not only keep your wagon behind you they also provide years of hard working service.

From field to farm Horst Wagons are built to get you there.



4-Wheel Models from 8 to 24 ton.



6-Wheel Models from 12 to 30 ton.



8-Wheel Models from 16 to 40 ton.

RUNNING GEAR FEATURES



Tapered Roller Bearing in Main Pivot Points Roller bearings keep pivot points tight, ensuring no trailer sway and long-lasting use.



Retractable Automatic relock tongue latch that locks into place as soon as it's in motion.

ROAD FLEX SUSPENSION uses shock absorbing blocks, offering a smooth ride taking the shock out of rough roads and fields. Less bounce, less noise and less shock to tires and cargo especially when towing behind high-speed tractors.

Available from 10 ton to 24 ton.



Trailer Running Gear from 20 to 24 ton.



Automotive ball joints keep the wagons behind you and provide years of hard working service.



The 2PH Dolly provides a safe economical platform for transporting 2PH implements. It's compatible with category 2, 3N, and 3 point hitches. Also features a 2" receiver and 7 pin ag receptacle for implements electrics.



Dump Wagons

TRACTOR



GRAIN & FORAGE BOSS

Take charge of grain, forage and manure hauling with the heavy-duty steel Boss dump wagon. The boss handles 15 tons with ease.

Dump box dimensions: 7 1/2' wide x 16' long with 5' high sides.

- Brackets for planks to extend height of sides up to 12"
- Front see-through screen w/sliding cover
- Single telescopic hydraulic cylinder - hoses included
- Hydraulic tail gate with grain door
- Swivel hitch & Safety chains
- 12,000 pound drop leg jack
- 12,000 pound, 8 bolt hubs & spindles
- 445/50 x 22.5" used truck tires



DIRT BOSS

Built for brutal use as a dirt dumper. The hydraulic tailgate opens 3' above the sides for no-obstruction dumping. Rugged enough to handle dirt, stones, manure and grain.

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides 12" or 24"
- Hydraulic tail gate with grain door
- Swivel hitch

Available in two different models. Dump box dimensions: 7' x 12' with 2' high sides or 7 1/2' x 16' with 2 1/2' high sides



MIGHTY DUMPERS

Built for those dirty jobs, the mighty dumpers series is available in several different models, from 1 1/2 ton to 12 ton from tandem axle to single axle.

- Heavy-duty formed steel deck & sides
- Double-acting hydraulic cylinders - hoses included
- Swivel hitch
- Drop leg jack

Available in a variety of models. Dump box dimensions available from 4' x 6 1/2' with 1 1/2' high sides to 7' x 12' with 4 1/2' high sides.

LOAD MASTER

Built for rough terrain, land clearing, stones, gravel, dirt, and manure. The hydraulic tailgate opens high above the sides for no obstruction dumping.



T1200LM - 12 TON LOAD MASTER features a hydraulic tail gate that opens more than 2' above the sides.



T2000LM - 20 TON LOAD MASTER is construction grade made to move rocks, gravel, construction materials and demolition debris with ease.

APPENDIX

By Manufacturer



A&B Eagleline
12, 72



APV
60, 74



Arrowhead
4



Bauman Manufacturing
55, 68



Belltec
9



Berti
31, 36



BMC
58-59



Brush Wolf
32



Bucket Bunker
3



CAMSO
69



Continental Belton
9



Danuser
8, 39



Del Morino
35, 75



Diamond by Metal-Fach
41, 73



Dion
24, 41



Durabilt
15



Enorossi
34, 46-47



Gryb
7



Hayrite/Loyal
20, 58



HLA Attachments
5, 6, 21, 26, 51



HLA Snow
61-64, 67



Holland Transplanter
71



HORST Wagons
76-77



Ideal
4, 13, 34, 57, 64, 70, 73



Jaylor
23



JBM
24, 52, 78



Market
39, 55



May-Bridge Harrows
35, 72



McHale
22, 42-45



Meridian
56-57



Meteor
65-66



MK Martin
6, 14, 33, 54, 71, 72, 75



PECO
40



Pitbull
19, 51



PH Outdoors
38



Reist
15, 29, 40, 71



Richiger
57



Schulte
12, 37, 65



Shearex
30



Teagle
16-17



TMW
10



Tubeline
18-19, 48-50, 53



Wallenstein
11, 25-29, 54



Weaverline
20, 51



WIFO
52

 = C&B Distribution Area



Some products **MAY NOT BE DISTRIBUTED** in all areas through Cummings & Bricker.



Quality products from trusted manufacturers

A&B Eagleline
APV
Arrowhead
Bauman
Belltec
Berti
BMC
Brush Wolf
Bucket Bunker

Camso
Continental Belton
Danuser
Del Morino
Diamond
Dion
Durabilt
Gryb
Hayrite

HLA Attachments
Holland Transplanter
Horst Wagon
Ideal
Jaylor
JBM Manufacturing
Knowles
Market Farm Equipment
May-Bridge

McHale
Meridian
Meteor
MK Martin
PECO
PH Outdoors
Reist
Richiger
Rossi

Schulte
Shearex
Teagle
TMW
Tubeline
Wallenstein
Weaverline
WIFO



For additional information contact your local dealer or visit our website at:

WWW.CUMMINGSANDBRICKER.COM