

**TUBE•LINE™**



**BALE GATOR**  
**BALE PROCESSOR**



[www.tubeline.ca](http://www.tubeline.ca)



## Saves Time, Saves Labour, Saves Bedding.

The Bale Gator is an effective solution for livestock farmers looking to combat rising costs around their farm.

Bale Gator front-loading bale processors, are designed to efficiently distribute straw for bedding in barns or pens. Evenly covering distances of up to 40 feet, the rotating chute has 300° of motion allowing operators to blow material to the left or right of the machine. An electric chute deflector controls the flow for accurate placement of material. Approximately 5 feet wide, the

Bale Gator makes navigating confined spaces easy, ensuring bedding is delivered to even the most challenging and hard-to-reach areas.

The Bale Gator is available in three sizes making it ideal for mini skid steers, skid steers, and telehandlers. The Bale Gator comes with a wireless controller eliminating costly wire harnesses and maximizing equipment compatibility.



<b>Bale Gators</b>	<b>334</b>	<b>346</b>	<b>346L</b>
<b>Overall Dims.</b>	80"L x 62"W x 75"H	95"L x 57"W x 75"H	95"L x 57"W x 75"H
<b>Bale Cavity Dims.</b>	46"L x 47"W x 42"H	72"L x 53"W x 40"H	72"L x 53"W x 40"H
<b>Bale Size Suitability</b>	48"L x 36"W x 36"H	36"L x 48"W x 72"H	36"L x 48"W x 72"H
<b>Weight</b>	800 lbs	1,450 lbs	1,450 lbs
<b>Hitch Type</b>	Mini Skidsteer / Skidsteer from 18-50 HP	Skidsteer / Mini Wheel Loaders 45-65 HP	Skidsteer / Mini Wheel Loaders 45-65 HP
<b>Required GPM</b>	8-12 at 3000 PSI	20-28 at 3000 PSI	15-20 at 3000 PSI
<b>Case Drain Req.</b>	YES	YES	YES
<b>Power Supply</b>	12V DC power (10 amp)	12V DC power (10 amp)	12V DC power (10 amp)



<b>Bale Gators</b>	<b>348</b>	<b>348H</b>	<b>348X</b>
<b>Overall Dims.</b>	128"L x 62"W x 75"H	128"L x 62"W x 75"H	128"L x 62"W x 75"H
<b>Bale Cavity Dims.</b>	102"L x 53"W x 42"H	102"L x 53"W x 42"H	102"L x 53"W x 42"H
<b>Bale Size Suitability</b>	96"L x 48"W x 36"H	96"L x 48"W x 36"H	96"L x 48"W x 36"H
<b>Weight</b>	1,800 lbs	1,850 lbs	1,850 lbs
<b>Hitch Type</b>	Front End Loaders / Large Skidsteer 70 - 90 HP	Front End Loaders / Large Skidsteer 70 - 90 HP	Front End Loaders / Large Skidsteer 70 - 90 HP
<b>Required GPM</b>	22-30 at 3000 PSI	22-30 at 3000 PSI	36-42 at 3000 PSI
<b>Case Drain Req.</b>	YES	YES	YES
<b>Power Supply</b>	12V DC power (10 amp)	12V DC power (10 amp)	12V DC power (10 amp)



# BALE GATOR



## Hydraulic End Gate

- Designed to lock in bale
- Retains bale after strings are cut



## Augers with Bolt on Knives

- Variable speed beaters offer flexibility in bedding materials and time management
- Reversible beaters reduces plug ups



## Hydraulic Rotating Chute

- A shift from a tight arch to a longer arch allows for a more even distribution
- 300° blower hood rotation



## Electric Actuator on Deflector

- The two-stage hood deflector provides improved control of the bedding stream



## Discharge Chute on Fan

- Removable Deflector



## Wireless Remote Control

- Wireless remote eliminates extra wiring harness

## Tubeline Manufacturing Ltd.

6455 Reid Woods Drive  
 Elmira, Ont. Canada N3B 2Z3  
 P. 1.888.856.6613 • F. 519.669.5808  
 sales@tubeline.ca • www.tubeline.ca